

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF JULY 2023

DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NO _x	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	–	400 Max	–
01-07-2023	SALT WEIGH BRIDGE	16.36	68.38	8.12	14.26	BDL	4.56	BDL
	QUARTERS C-3 BLOCK	9.12	51.35	7.46	7.85	BDL	BDL	BDL
02-07-2023	TWAD PUMP HOUSE	19.40	76.18	9.20	15.16	BDL	6.12	BDL
	PVC WATCH TOWER	13.28	59.35	7.30	8.11	BDL	1.56	BDL
03-07-2023	A-BLOCK WATCH TOWER	14.16	60.75	8.35	10.20	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	10.25	52.46	6.86	7.56	BDL	1.08	BDL
04-07-2023	SALT WEIGH BRIDGE	17.66	72.25	8.94	17.34	BDL	5.34	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	14.28	58.75	7.08	9.14	BDL	1.58	BDL
05-07-2023	TWAD PUMP HOUSE	18.25	65.64	8.16	11.60	BDL	1.64	BDL
	PVC WATCH TOWER	13.14	54.36	6.94	7.58	BDL	BDL	BDL
06-07-2023	SALT WEIGH BRIDGE	16.46	67.56	8.45	12.35	BDL	1.78	BDL
	A-BLOCK WATCH TOWER	11.28	51.14	7.54	15.10	BDL	1.04	BDL
07-07-2023	TCEP CHILLED WATER COMPRESSOR ROOM	13.25	52.32	8.16	9.30	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	8.58	48.16	6.56	7.08	BDL	BDL	BDL
08-07-2023	A-BLOCK WATCH TOWER	14.25	68.08	7.45	14.25	BDL	2.18	BDL
	PVC WATCH TOWER	11.65	51.20	7.02	7.85	BDL	1.25	BDL
09-07-2023	TWAD PUMP HOUSE	16.22	64.48	9.18	13.45	BDL	1.68	BDL
	QUARTERS C-3 BLOCK	8.54	52.63	7.12	8.38	BDL	BDL	BDL
10-07-2023	SALT WEIGH BRIDGE	18.36	69.15	8.16	10.32	BDL	1.70	BDL
	PVC WATCH TOWER	12.64	58.75	7.25	7.56	BDL	BDL	BDL
11-07-2023	TCEP CHILLED WATER COMPRESSOR ROOM	14.35	51.76	8.14	12.78	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	8.58	48.63	7.48	8.04	BDL	BDL	BDL
12-07-2023	SALT WEIGH BRIDGE	17.25	72.36	8.94	12.72	BDL	BDL	BDL
	TWAD PUMP HOUSE	18.52	78.62	8.45	9.30	BDL	BDL	BDL
13-07-2023	TCEP CHILLED WATER COMPRESSOR ROOM	13.22	57.12	6.85	7.58	BDL	BDL	BDL
	A-BLOCK WATCH TOWER	14.18	60.35	7.04	7.18	BDL	BDL	BDL
14-07-2023	TWAD PUMP HOUSE	15.76	60.76	7.14	7.25	BDL	BDL	BDL
	PVC WATCH TOWER	11.38	50.14	6.58	7.04	BDL	BDL	BDL
15-07-2023	A-BLOCK WATCH TOWER	13.26	58.64	7.87	8.15	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	8.45	46.72	7.02	7.95	BDL	BDL	BDL

BDL = < 1 microgram/m³

Cont...2

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF JULY 2023								
DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NO _x	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	-	400 Max	-
16-07-2023	TCEP CHILLED WATER COMPRESSOR ROOM	14.45	66.46	9.54	10.22	BDL	BDL	BDL
	PVC WATCH TOWER	10.28	52.78	8.08	8.50	BDL	BDL	BDL
17-07-2023	TWAD PUMP HOUSE	17.46	70.52	9.25	16.78	BDL	6.16	BDL
	QUARTERS C-3 BLOCK	8.48	50.48	8.04	8.55	BDL	BDL	BDL
18-07-2023	SALT WEIGH BRIDGE	18.28	74.26	8.54	16.78	BDL	4.58	BDL
	PVC WATCH TOWER	11.56	52.78	7.40	8.12	BDL	BDL	BDL
19-07-2023	TWAD PUMP HOUSE	15.20	68.15	8.45	12.38	BDL	2.58	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	11.94	55.74	7.56	8.85	BDL	3.14	BDL
20-07-2023	SALT WEIGH BRIDGE	17.48	71.46	9.10	18.26	BDL	4.58	BDL
	A-BLOCK WATCH TOWER	13.51	60.70	8.62	15.40	BDL	3.16	BDL
21-07-2023	TCEP CHILLED WATER COMPRESSOR ROOM	14.10	69.24	9.58	10.36	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	9.25	52.36	7.36	7.85	BDL	BDL	BDL
22-07-2023	TWAD PUMP HOUSE	15.35	70.14	8.24	11.48	BDL	2.08	BDL
	A-BLOCK WATCH TOWER	14.26	59.78	9.20	15.66	BDL	5.36	BDL
23-07-2023	SALT WEIGH BRIDGE	18.35	72.50	8.40	20.78	2.58	6.16	BDL
	QUARTERS C-3 BLOCK	8.56	50.94	7.58	8.14	BDL	BDL	BDL
24-07-2023	TWAD PUMP HOUSE	16.25	65.34	8.36	9.84	BDL	2.56	BDL
	PVC WATCH TOWER	11.54	50.26	7.84	8.26	BDL	1.90	BDL
25-07-2023	TCEP CHILLED WATER COMPRESSOR ROOM	13.20	58.74	8.28	9.16	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	10.28	50.11	7.51	7.86	BDL	BDL	BDL
26-07-2023	SALT WEIGH BRIDGE	19.20	77.35	9.48	20.56	BDL	6.28	BDL
	A-BLOCK WATCH TOWER	14.25	60.72	8.64	10.35	BDL	1.58	BDL
27-07-2023	TWAD PUMP HOUSE	18.15	70.28	9.32	18.25	BDL	5.34	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	13.74	56.54	7.38	8.08	BDL	BDL	BDL
28-07-2023	SALT WEIGH BRIDGE	16.24	67.44	7.92	15.26	BDL	4.58	BDL
	PVC WATCH TOWER	12.36	56.28	7.38	8.20	BDL	1.24	BDL
29-07-2023	TWAD PUMP HOUSE	20.52	78.62	8.15	9.46	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	9.86	49.78	7.12	7.84	BDL	BDL	BDL
30-07-2023	TCEP CHILLED WATER COMPRESSOR ROOM	13.35	60.70	7.74	9.36	BDL	1.38	BDL
	PVC WATCH TOWER	12.74	50.34	7.48	9.62	BDL	1.45	BDL
31-07-2023	SALT WEIGH BRIDGE	15.70	64.20	8.16	14.28	BDL	4.56	BDL
	A-BLOCK WATCH TOWER	12.36	59.74	7.68	11.65	BDL	2.64	BDL

BDL = < 1 microgram/m³

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF JUNE 2023

DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NO _x	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	–	400 Max	–
01-06-2023	SALT WEIGH BRIDGE	17.64	69.55	9.36	17.24	BDL	4.35	BDL
	QUARTERS C-3 BLOCK	8.48	48.76	7.12	7.45	BDL	BDL	BDL
02-06-2023	TWAD PUMP HOUSE	18.26	71.34	9.25	13.26	BDL	2.58	BDL
	PVC WATCH TOWER	13.14	52.36	7.28	7.50	BDL	1.24	BDL
03-06-2023	A-BLOCK WATCH TOWER	14.42	60.55	7.46	8.04	BDL	1.36	BDL
	QUARTERS C-3 BLOCK	8.56	48.76	7.08	6.95	BDL	BDL	BDL
04-06-2023	TWAD PUMP HOUSE	16.75	67.74	8.44	14.25	BDL	3.56	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	14.34	59.34	7.91	12.78	2.56	2.85	BDL
05-06-2023	SALT WEIGH BRIDGE	15.26	68.92	8.26	15.25	BDL	3.48	BDL
	A-BLOCK WATCH TOWER	14.54	57.76	9.18	10.68	BDL	2.16	BDL
06-06-2023	TCEP CHILLED WATER COMPRESSOR ROOM	14.11	60.14	8.48	12.60	BDL	3.15	BDL
	QUARTERS C-3 BLOCK	9.18	50.35	7.14	7.84	BDL	BDL	BDL
07-06-2023	TWAD PUMP HOUSE	17.71	66.74	8.51	13.35	BDL	4.48	BDL
	PVC WATCH TOWER	14.28	61.15	7.54	8.12	BDL	1.28	BDL
08-06-2023	A-BLOCK WATCH TOWER	13.68	57.60	8.36	18.20	BDL	8.45	BDL
	QUARTERS C-3 BLOCK	8.44	48.72	7.61	8.08	BDL	BDL	BDL
09-06-2023	SALT WEIGH BRIDGE	16.36	68.50	9.35	16.45	BDL	4.54	BDL
	PVC WATCH TOWER	11.28	50.78	7.12	7.58	BDL	BDL	BDL
10-06-2023	TCEP CHILLED WATER COMPRESSOR ROOM	13.30	53.36	8.58	10.52	BDL	BDL	BDL
	A-BLOCK WATCH TOWER	14.46	60.78	8.25	11.65	BDL	3.58	BDL
11-06-2023	SALT WEIGH BRIDGE	17.35	74.46	9.14	15.32	BDL	6.78	BDL
	TWAD PUMP HOUSE	16.54	72.35	8.84	14.36	BDL	5.45	BDL
12-06-2023	QUARTERS C-3 BLOCK	9.16	51.14	7.16	8.36	BDL	BDL	BDL
	PVC WATCH TOWER	9.94	56.78	7.68	8.67	BDL	1.90	BDL
13-06-2023	SALT WEIGH BRIDGE	16.28	66.35	9.14	15.56	BDL	5.68	BDL
	TWAD PUMP HOUSE	15.76	62.42	8.62	11.35	BDL	5.24	BDL
14-06-2023	TCEP CHILLED WATER COMPRESSOR ROOM	12.44	58.54	8.36	9.35	1.52	1.68	BDL
	A-BLOCK WATCH TOWER	14.20	60.34	8.82	16.80	BDL	4.36	BDL
15-06-2023	SALT WEIGH BRIDGE	19.26	76.34	8.91	19.28	BDL	9.14	BDL
	QUARTERS C-3 BLOCK	8.92	52.15	7.48	9.14	BDL	1.56	BDL

BDL = < 1 microgram/m³

Cont...2

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF JUNE 2023								
DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NOx	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	–	400 Max	–
16-06-2023	TWAD PUMP HOUSE	18.30	71.18	8.60	13.28	BDL	3.56	BDL
	PVC WATCH TOWER	13.46	59.14	7.40	8.56	BDL	2.04	BDL
17-06-2023	TCEP CHILLED WATER COMPRESSOR ROOM	11.50	54.32	7.85	9.30	BDL	2.54	BDL
	A-BLOCK WATCH TOWER	13.48	60.76	8.10	12.58	BDL	4.45	BDL
18-06-2023	SALT WEIGH BRIDGE	15.61	68.35	9.36	18.72	BDL	6.86	BDL
	PVC WATCH TOWER	11.30	57.46	7.02	7.58	BDL	1.56	BDL
19-06-2023	TCEP CHILLED WATER COMPRESSOR ROOM	14.68	57.91	8.16	12.36	2.85	1.95	BDL
	A-BLOCK WATCH TOWER	15.10	59.35	9.18	14.46	BDL	5.38	BDL
20-06-2023	TWAD PUMP HOUSE	18.36	70.84	10.36	16.32	BDL	4.14	BDL
	QUARTERS C-3 BLOCK	8.48	48.55	8.58	10.25	BDL	1.08	BDL
21-06-2023	SALT WEIGH BRIDGE	19.35	78.18	9.54	18.21	BDL	6.15	BDL
	PVC WATCH TOWER	13.20	55.16	8.04	8.56	BDL	1.52	BDL
22-06-2023	TWAD PUMP HOUSE	20.36	76.65	10.61	15.26	1.60	3.48	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	13.28	60.12	8.82	13.20	BDL	2.56	BDL
23-06-2023	SALT WEIGH BRIDGE	17.11	69.72	9.16	16.22	BDL	7.48	BDL
	QUARTERS C-3 BLOCK	8.84	50.28	6.56	7.95	BDL	BDL	BDL
24-06-2023	TCEP CHILLED WATER COMPRESSOR ROOM	13.55	58.75	7.95	13.46	BDL	2.54	BDL
	A-BLOCK WATCH TOWER	14.28	61.14	8.16	9.14	BDL	BDL	BDL
25-06-2023	SALT WEIGH BRIDGE	16.36	65.78	9.50	17.25	BDL	5.48	BDL
	PVC WATCH TOWER	12.44	52.30	7.51	7.86	BDL	BDL	BDL
26-06-2023	TCEP CHILLED WATER COMPRESSOR ROOM	13.68	59.78	8.95	14.26	2.50	2.94	BDL
	QUARTERS C-3 BLOCK	8.42	47.84	7.02	7.56	BDL	BDL	BDL
27-06-2023	TWAD PUMP HOUSE	18.26	71.18	9.14	20.50	BDL	7.18	BDL
	PVC WATCH TOWER	12.54	57.11	7.24	8.06	BDL	1.48	BDL
28-06-2023	SALT WEIGH BRIDGE	19.31	78.32	8.58	18.86	BDL	8.26	BDL
	A-BLOCK WATCH TOWER	13.16	60.44	7.46	12.35	BDL	4.58	BDL
29-06-2023	TWAD PUMP HOUSE	17.35	69.78	8.94	14.15	BDL	3.54	BDL
	QUARTERS C-3 BLOCK	8.67	50.56	8.08	8.46	BDL	1.04	BDL
30-06-2023	TCEP CHILLED WATER COMPRESSOR ROOM	13.62	58.48	7.58	10.36	BDL	1.56	BDL
	A-BLOCK WATCH TOWER	13.76	61.14	8.14	13.51	BDL	3.48	BDL

BDL = < 1 microgram/m³

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF MAY 2023

DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NO _x	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	–	400 Max	–
01-05-2023	TCEP CHILLED WATER COMPRESSOR ROOM	11.56	48.54	8.14	10.68	BDL	2.68	BDL
	QUARTERS C-3 BLOCK	7.85	39.72	6.86	7.24	BDL	BDL	BDL
02-05-2023	SALT WEIGH BRIDGE	9.84	48.76	8.60	14.35	1.64	3.14	BDL
	A-BLOCK WATCH TOWER	9.16	45.54	7.62	10.35	BDL	3.58	BDL
03-05-2023	TWAD PUMP HOUSE	12.45	53.25	8.48	11.46	BDL	2.72	BDL
	PVC WATCH TOWER	11.66	50.76	7.29	7.94	BDL	BDL	BDL
04-05-2023	TCEP CHILLED WATER COMPRESSOR ROOM	12.76	51.35	7.75	10.76	BDL	1.86	BDL
	QUARTERS C-3 BLOCK	8.04	40.64	7.08	8.12	BDL	BDL	BDL
05-05-2023	SALT WEIGH BRIDGE	13.35	58.60	8.12	10.36	BDL	1.94	BDL
	A-BLOCK WATCH TOWER	12.68	52.74	8.58	18.45	BDL	4.56	BDL
06-05-2023	TWAD PUMP HOUSE	15.28	68.56	9.14	17.25	BDL	3.82	BDL
	PVC WATCH TOWER	12.30	50.39	7.02	7.58	BDL	BDL	BDL
07-05-2023	SALT WEIGH BRIDGE	16.16	69.35	7.14	8.36	BDL	1.68	BDL
	QUARTERS C-3 BLOCK	8.10	44.22	6.72	7.48	BDL	BDL	BDL
08-05-2023	TWAD PUMP HOUSE	14.32	68.39	8.14	11.65	BDL	2.32	BDL
	A-BLOCK WATCH TOWER	11.68	58.65	10.36	16.28	BDL	5.68	BDL
09-05-2023	TCEP CHILLED WATER COMPRESSOR ROOM	13.60	57.45	12.30	17.30	2.54	4.86	BDL
	PVC WATCH TOWER	10.35	46.76	7.58	6.86	BDL	BDL	BDL
10-05-2023	SALT WEIGH BRIDGE	15.46	70.14	9.86	11.35	BDL	3.54	BDL
	A-BLOCK WATCH TOWER	12.34	57.62	11.72	14.38	BDL	6.16	BDL
11-05-2023	TCEP CHILLED WATER COMPRESSOR ROOM	13.28	60.76	10.36	12.46	BDL	1.56	BDL
	PVC WATCH TOWER	12.46	50.34	8.14	7.74	BDL	BDL	BDL
12-05-2023	TWAD PUMP HOUSE	17.61	72.35	8.94	10.25	BDL	1.95	BDL
	QUARTERS C-3 BLOCK	8.28	47.78	6.56	6.48	BDL	BDL	BDL
13-05-2023	A-BLOCK WATCH TOWER	14.30	67.46	9.32	8.58	BDL	1.50	BDL
	PVC WATCH TOWER	10.46	48.76	8.36	8.40	BDL	1.48	BDL
14-05-2023	SALT WEIGH BRIDGE	18.35	74.45	10.20	21.16	BDL	BDL	BDL
	TWAD PUMP HOUSE	16.28	70.76	9.54	16.28	BDL	BDL	BDL
15-05-2023	TCEP CHILLED WATER COMPRESSOR ROOM	14.26	58.28	10.12	14.35	1.28	3.58	BDL
	QUARTERS C-3 BLOCK	8.42	43.18	8.08	7.56	BDL	BDL	BDL

BDL = < 1 microgram/m³

Cont...2

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF MAY 2023								
DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NOx	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	-	400 Max	-
16-05-2023	A-BLOCK WATCH TOWER	12.78	58.35	10.32	9.85	BDL	1.58	BDL
	PVC WATCH TOWER	11.65	54.46	9.38	8.56	BDL	1.45	BDL
17-05-2023	TWAD PUMP HOUSE	16.46	71.25	9.40	18.35	BDL	3.14	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	13.14	56.62	9.36	15.20	BDL	4.38	BDL
18-05-2023	SALT WEIGH BRIDGE	17.64	73.16	9.54	14.85	BDL	2.52	BDL
	PVC WATCH TOWER	12.40	50.76	8.08	8.54	BDL	BDL	BDL
19-05-2023	TCEP CHILLED WATER COMPRESSOR ROOM	14.20	56.84	8.46	11.25	BDL	1.86	BDL
	A-BLOCK WATCH TOWER	15.12	60.78	8.38	9.81	BDL	BDL	BDL
20-05-2023	TWAD PUMP HOUSE	17.36	74.35	9.08	13.26	BDL	2.68	BDL
	QUARTERS C-3 BLOCK	8.45	43.80	7.28	7.54	BDL	BDL	BDL
21-05-2023	TCEP CHILLED WATER COMPRESSOR ROOM	18.28	75.68	9.16	15.32	1.54	2.94	BDL
	PVC WATCH TOWER	13.35	56.72	8.54	9.20	BDL	1.80	BDL
22-05-2023	TWAD PUMP HOUSE	18.20	73.26	9.22	14.36	BDL	2.56	BDL
	A-BLOCK WATCH TOWER	14.11	60.75	8.46	8.12	BDL	BDL	BDL
23-05-2023	SALT WEIGH BRIDGE	17.56	68.55	9.45	16.28	BDL	4.64	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	13.78	58.60	9.08	15.54	1.64	3.56	BDL
24-05-2023	TWAD PUMP HOUSE	17.74	69.24	9.38	14.15	BDL	3.28	BDL
	QUARTERS C-3 BLOCK	8.40	44.56	7.14	7.56	BDL	BDL	BDL
25-05-2023	A-BLOCK WATCH TOWER	14.46	60.77	9.04	8.16	BDL	BDL	BDL
	PVC WATCH TOWER	12.18	55.64	7.15	6.88	BDL	BDL	BDL
26-05-2023	SALT WEIGH BRIDGE	15.35	62.78	8.91	18.20	BDL	3.56	BDL
	TWAD PUMP HOUSE	13.28	58.84	7.68	13.28	BDL	4.14	BDL
27-05-2023	TCEP CHILLED WATER COMPRESSOR ROOM	14.12	60.72	9.11	12.85	2.64	2.95	BDL
	QUARTERS C-3 BLOCK	8.56	46.65	7.56	8.04	BDL	BDL	BDL
28-05-2023	SALT WEIGH BRIDGE	17.35	70.54	9.25	10.32	BDL	2.60	BDL
	A-BLOCK WATCH TOWER	14.20	66.28	9.10	13.26	BDL	5.74	BDL
29-05-2023	TCEP CHILLED WATER COMPRESSOR ROOM	13.85	58.66	8.56	12.60	2.32	1.86	BDL
	PVC WATCH TOWER	12.74	53.45	7.64	8.25	BDL	BDL	BDL
30-05-2023	SALT WEIGH BRIDGE	18.20	74.45	9.24	15.16	BDL	5.28	BDL
	QUARTERS C-3 BLOCK	9.14	50.78	7.60	7.42	BDL	BDL	BDL
31-05-2023	TWAD PUMP HOUSE	17.36	71.16	8.22	14.25	BDL	3.48	BDL
	A-BLOCK WATCH TOWER	14.48	60.24	8.38	10.26	BDL	1.56	BDL

BDL = < 1 microgram/m³



AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF APRIL 2023

DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NOx	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	–	400 Max	–
01-04-2023	SALT WEIGH BRIDGE	16.48	69.75	8.11	13.56	BDL	1.88	BDL
	QUARTERS C-3 BLOCK	8.20	45.58	7.48	8.25	BDL	BDL	BDL
02-04-2023	TWAD PUMP HOUSE	15.68	61.36	8.24	14.32	BDL	3.16	BDL
	PVC WATCH TOWER	12.36	54.78	7.62	9.16	BDL	BDL	BDL
03-04-2023	TCEP CHILLED WATER COMPRESSOR ROOM	13.72	55.56	8.46	15.20	1.68	3.24	BDL
	QUARTERS C-3 BLOCK	8.44	41.64	6.90	7.24	BDL	BDL	BDL
04-04-2023	A-BLOCK WATCH TOWER	14.28	60.71	7.87	16.20	BDL	4.56	BDL
	PVC WATCH TOWER	13.60	56.35	7.08	7.86	BDL	1.88	BDL
05-04-2023	TWAD PUMP HOUSE	18.36	70.36	8.36	16.72	BDL	3.36	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	14.28	58.72	8.08	10.35	BDL	1.80	BDL
06-04-2023	SALT WEIGH BRIDGE	17.32	71.16	9.26	15.46	BDL	3.48	BDL
	PVC WATCH TOWER	13.26	56.72	8.14	9.58	BDL	1.56	BDL
07-04-2023	TWAD PUMP HOUSE	16.45	68.28	9.14	14.65	BDL	3.52	BDL
	QUARTERS C-3 BLOCK	8.35	43.28	7.08	7.58	BDL	BDL	BDL
08-04-2023	TCEP CHILLED WATER COMPRESSOR ROOM	14.25	59.88	8.95	15.20	2.58	1.86	BDL
	A-BLOCK WATCH TOWER	19.36	68.74	14.12	16.44	BDL	6.62	BDL
09-04-2023	SALT WEIGH BRIDGE	16.74	71.16	9.27	10.54	BDL	1.74	BDL
	TWAD PUMP HOUSE	15.36	60.72	8.35	9.16	BDL	1.80	BDL
10-04-2023	TCEP CHILLED WATER COMPRESSOR ROOM	12.86	55.78	8.50	12.78	1.44	2.68	BDL
	PVC WATCH TOWER	14.12	60.72	8.24	15.64	BDL	2.84	BDL
11-04-2023	TWAD PUMP HOUSE	17.76	74.46	7.20	8.52	BDL	BDL	BDL
	A-BLOCK WATCH TOWER	13.20	59.78	7.35	9.18	BDL	1.68	BDL
12-04-2023	SALT WEIGH BRIDGE	16.38	67.42	8.95	9.84	BDL	1.75	BDL
	QUARTERS C-3 BLOCK	8.40	45.32	7.96	10.28	BDL	BDL	BDL
13-04-2023	TCEP CHILLED WATER COMPRESSOR ROOM	11.28	50.78	7.08	7.11	BDL	BDL	BDL
	A-BLOCK WATCH TOWER	11.45	52.28	7.26	8.15	BDL	BDL	BDL
14-04-2023	SALT WEIGH BRIDGE	14.28	55.74	6.85	7.25	BDL	BDL	BDL
	PVC WATCH TOWER	12.46	48.72	6.54	7.14	BDL	BDL	BDL
15-04-2023	TWAD PUMP HOUSE	14.66	60.32	7.48	8.10	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	7.29	35.56	6.14	6.48	BDL	BDL	BDL

BDL = < 1 microgram/m³

Cont...2

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF APRIL 2023								
DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NO _x	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	-	400 Max	-
16-04-2023	TCEP CHILLED WATER COMPRESSOR ROOM	15.34	60.72	7.82	8.02	BDL	BDL	BDL
	PVC WATCH TOWER	13.28	54.25	6.90	7.14	BDL	BDL	BDL
17-04-2023	A-BLOCK WATCH TOWER	11.36	48.76	7.66	7.90	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	8.40	41.12	6.16	6.80	BDL	BDL	BDL
18-04-2023	TWAD PUMP HOUSE	16.74	68.35	6.95	7.48	BDL	BDL	BDL
	PVC WATCH TOWER	12.35	56.71	7.10	6.86	BDL	BDL	BDL
19-04-2023	TCEP CHILLED WATER COMPRESSOR ROOM	13.25	54.81	8.38	13.35	BDL	2.48	BDL
	A-BLOCK WATCH TOWER	14.36	59.68	8.48	14.66	BDL	1.88	BDL
20-04-2023	SALT WEIGH BRIDGE	17.85	72.78	8.29	15.10	BDL	3.14	BDL
	PVC WATCH TOWER	11.36	50.45	7.46	8.12	BDL	BDL	BDL
21-04-2023	TWAD PUMP HOUSE	14.60	59.94	7.67	18.28	BDL	4.58	BDL
	A-BLOCK WATCH TOWER	12.78	53.38	7.44	9.02	BDL	1.52	BDL
22-04-2023	SALT WEIGH BRIDGE	15.64	67.54	8.20	14.26	BDL	2.86	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	13.21	58.72	8.52	13.78	1.54	1.94	BDL
23-04-2023	TWAD PUMP HOUSE	16.82	70.54	8.29	10.32	BDL	2.28	BDL
	QUARTERS C-3 BLOCK	8.45	43.28	7.20	7.84	BDL	BDL	BDL
24-04-2023	SALT WEIGH BRIDGE	14.28	60.72	10.36	14.28	2.08	5.36	BDL
	A-BLOCK WATCH TOWER	12.35	54.48	12.28	16.72	BDL	6.12	BDL
25-04-2023	TCEP CHILLED WATER COMPRESSOR ROOM	13.46	55.16	11.60	15.56	1.50	2.68	BDL
	PVC WATCH TOWER	10.38	50.74	9.12	9.58	BDL	BDL	BDL
26-04-2023	SALT WEIGH BRIDGE	13.32	57.52	11.76	12.04	BDL	1.95	BDL
	QUARTERS C-3 BLOCK	7.56	38.68	7.48	7.84	BDL	BDL	BDL
27-04-2023	TWAD PUMP HOUSE	14.46	60.32	11.35	15.62	BDL	3.94	BDL
	PVC WATCH TOWER	12.25	54.36	10.66	17.42	BDL	4.58	BDL
28-04-2023	TCEP CHILLED WATER COMPRESSOR ROOM	13.62	60.30	13.32	16.20	1.28	5.36	BDL
	A-BLOCK WATCH TOWER	13.54	58.12	12.16	16.54	BDL	6.14	BDL
29-04-2023	SALT WEIGH BRIDGE	18.35	74.48	8.95	9.14	BDL	1.58	BDL
	QUARTERS C-3 BLOCK	8.48	45.66	8.54	10.68	BDL	1.36	BDL
30-04-2023	TWAD PUMP HOUSE	14.35	61.16	9.16	12.35	BDL	2.58	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	13.96	58.72	9.52	16.26	1.34	3.86	BDL

BDL = < 1 microgram/m³

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF MARCH 2023

DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NO _x	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	–	400 Max	–
01-03-2023	TCEP CHILLED WATER COMPRESSOR ROOM	13.36	57.74	7.16	10.36	1.28	BDL	BDL
	A-BLOCK WATCH TOWER	12.28	55.28	8.20	17.24	BDL	3.16	BDL
02-03-2023	SALT WEIGH BRIDGE	16.25	70.12	7.91	8.56	BDL	1.86	BDL
	TWAD PUMP HOUSE	15.56	67.56	7.58	8.22	BDL	1.54	BDL
03-03-2023	QUARTERS C-3 BLOCK	8.08	43.35	6.84	7.14	BDL	BDL	BDL
	PVC WATCH TOWER	13.26	59.76	8.16	20.58	BDL	5.28	BDL
04-03-2023	TCEP CHILLED WATER COMPRESSOR ROOM	11.78	52.35	7.48	7.95	BDL	BDL	BDL
	A-BLOCK WATCH TOWER	13.56	58.11	7.86	14.28	BDL	4.14	BDL
05-03-2023	TWAD PUMP HOUSE	14.72	63.35	7.58	10.56	BDL	2.54	BDL
	PVC WATCH TOWER	12.85	55.76	8.24	18.75	BDL	5.76	BDL
06-03-2023	A-BLOCK WATCH TOWER	13.56	60.72	8.15	15.36	BDL	4.08	BDL
	QUARTERS C-3 BLOCK	7.94	39.74	7.12	7.48	BDL	BDL	BDL
07-03-2023	SALT WEIGH BRIDGE	16.26	71.16	7.52	8.36	BDL	1.86	BDL
	TWAD PUMP HOUSE	15.42	69.74	7.16	9.08	BDL	1.58	BDL
08-03-2023	TCEP CHILLED WATER COMPRESSOR ROOM	13.38	56.78	8.04	12.30	1.52	2.08	BDL
	PVC WATCH TOWER	13.16	55.25	8.32	18.26	BDL	5.36	BDL
09-03-2023	TWAD PUMP HOUSE	17.35	73.26	8.52	10.55	BDL	3.34	BDL
	A-BLOCK WATCH TOWER	14.68	60.76	8.26	13.74	BDL	4.48	BDL
10-03-2023	SALT WEIGH BRIDGE	16.46	71.36	7.58	9.18	BDL	2.36	BDL
	PVC WATCH TOWER	13.16	54.55	8.34	21.46	BDL	6.36	BDL
11-03-2023	TCEP CHILLED WATER COMPRESSOR ROOM	12.56	52.32	7.25	7.57	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	8.25	45.54	6.84	7.25	BDL	BDL	BDL
12-03-2023	A-BLOCK WATCH TOWER	14.28	60.72	7.68	16.74	BDL	5.24	BDL
	PVC WATCH TOWER	14.16	56.65	8.21	18.26	BDL	4.48	BDL
13-03-2023	SALT WEIGH BRIDGE	15.25	66.44	7.58	8.14	BDL	2.52	BDL
	QUARTERS C-3 BLOCK	7.92	40.08	7.04	7.48	BDL	BDL	BDL
14-03-2023	TWAD PUMP HOUSE	16.92	68.34	8.11	8.58	BDL	1.58	BDL
	A-BLOCK WATCH TOWER	13.36	57.75	8.67	15.35	BDL	4.92	BDL
15-03-2023	TCEP CHILLED WATER COMPRESSOR ROOM	12.46	50.72	7.56	8.18	BDL	2.52	BDL
	QUARTERS C-3 BLOCK	8.54	45.28	6.94	7.76	BDL	BDL	BDL

BDL = < 1 microgram/m³

Cont...2

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF MARCH 2023								
DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NO _x	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	-	400 Max	-
16-03-2023	TWAD PUMP HOUSE	15.26	61.78	7.48	16.36	BDL	3.56	BDL
	PVC WATCH TOWER	13.10	54.46	7.56	10.72	BDL	2.82	BDL
17-03-2023	SALT WEIGH BRIDGE	16.68	68.64	8.14	17.64	BDL	4.12	BDL
	A-BLOCK WATCH TOWER	14.36	60.72	7.18	8.36	BDL	2.94	BDL
18-03-2023	QUARTERS C-3 BLOCK	8.44	46.35	6.82	7.84	BDL	BDL	BDL
	PVC WATCH TOWER	12.56	57.74	7.28	18.14	BDL	6.74	BDL
19-03-2023	TCEP CHILLED WATER COMPRESSOR ROOM	12.74	53.28	7.57	12.80	2.68	3.16	BDL
	A-BLOCK WATCH TOWER	13.35	58.62	7.68	9.16	BDL	1.54	BDL
20-03-2023	SALT WEIGH BRIDGE	15.26	70.36	8.16	15.35	BDL	4.78	BDL
	TWAD PUMP HOUSE	14.64	66.24	8.08	9.25	BDL	1.60	BDL
21-03-2023	TCEP CHILLED WATER COMPRESSOR ROOM	13.92	58.16	8.36	14.88	BDL	3.24	BDL
	A-BLOCK WATCH TOWER	14.35	61.28	8.51	13.24	BDL	2.82	BDL
22-03-2023	TWAD PUMP HOUSE	16.44	70.65	8.29	14.36	BDL	4.04	BDL
	PVC WATCH TOWER	13.28	54.68	7.58	9.14	BDL	1.86	BDL
23-03-2023	SALT WEIGH BRIDGE	17.35	66.72	8.36	14.68	BDL	5.86	BDL
	QUARTERS C-3 BLOCK	8.15	44.68	7.11	7.84	BDL	BDL	BDL
24-03-2023	TCEP CHILLED WATER COMPRESSOR ROOM	12.34	55.66	8.36	16.72	BDL	1.54	BDL
	A-BLOCK WATCH TOWER	13.28	60.74	8.54	12.56	BDL	3.68	BDL
25-03-2023	SALT WEIGH BRIDGE	16.72	73.63	9.12	12.58	BDL	2.74	BDL
	QUARTERS C-3 BLOCK	8.46	48.34	7.16	8.48	BDL	BDL	BDL
26-03-2023	TWAD PUMP HOUSE	18.35	75.86	8.32	12.14	BDL	4.82	BDL
	PVC WATCH TOWER	12.28	56.30	7.56	8.38	BDL	1.80	BDL
27-03-2023	SALT WEIGH BRIDGE	18.21	75.26	8.18	15.35	BDL	4.54	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	13.46	58.12	7.84	11.26	BDL	2.16	BDL
28-03-2023	TWAD PUMP HOUSE	15.12	67.48	8.38	14.42	BDL	3.34	BDL
	QUARTERS C-3 BLOCK	8.36	46.62	6.54	7.14	BDL	BDL	BDL
29-03-2023	SALT WEIGH BRIDGE	16.84	70.35	7.16	16.48	BDL	4.56	BDL
	PVC WATCH TOWER	12.44	54.28	7.08	8.12	BDL	BDL	BDL
30-03-2023	TWAD PUMP HOUSE	16.35	75.64	8.36	14.16	BDL	4.25	BDL
	A-BLOCK WATCH TOWER	13.84	57.28	8.08	11.54	BDL	1.88	BDL
31-03-2023	TCEP CHILLED WATER COMPRESSOR ROOM	14.25	60.32	8.30	12.68	2.08	3.14	BDL
	QUARTERS C-3 BLOCK	8.46	47.25	7.08	7.84	BDL	BDL	BDL

BDL = < 1 microgram/m³



AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF FEBRUARY 2023								
DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NO _x	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
NAAQ Standard		60 Max	100 Max	80 Max	80 Max	-	400 Max	-
01-02-2023	SALT WEIGH BRIDGE	16.28	64.45	8.52	15.20	BDL	2.52	BDL
	QUARTERS C-3 BLOCK	9.20	49.56	6.82	7.08	BDL	BDL	BDL
02-02-2023	TWAD PUMP HOUSE	15.22	62.38	8.14	13.20	BDL	4.18	BDL
	A-BLOCK WATCH TOWER	11.66	60.26	8.27	14.60	BDL	5.25	BDL
03-02-2023	TCEP CHILLED WATER COMPRESSOR ROOM	10.35	50.16	7.52	10.26	BDL	BDL	BDL
	PVC WATCH TOWER	12.24	51.24	7.68	16.32	BDL	3.28	BDL
04-02-2023	SALT WEIGH BRIDGE	12.56	52.64	7.91	17.26	2.56	4.28	BDL
	A-BLOCK WATCH TOWER	11.18	50.78	7.86	11.67	BDL	2.78	BDL
05-02-2023	TCEP CHILLED WATER COMPRESSOR ROOM	13.30	57.34	7.45	8.16	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	8.78	44.36	7.02	7.74	BDL	BDL	BDL
06-02-2023	TWAD PUMP HOUSE	14.16	62.32	7.16	9.20	BDL	BDL	BDL
	PVC WATCH TOWER	11.28	56.78	7.35	19.20	BDL	3.36	BDL
07-02-2023	SALT WEIGH BRIDGE	15.35	64.41	7.29	8.16	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	9.10	51.15	7.46	14.35	BDL	1.84	BDL
08-02-2023	TCEP CHILLED WATER COMPRESSOR ROOM	12.68	59.34	7.51	8.95	BDL	BDL	BDL
	A-BLOCK WATCH TOWER	12.90	60.72	7.34	16.24	BDL	6.24	BDL
09-02-2023	SALT WEIGH BRIDGE	16.78	66.75	7.41	9.82	BDL	1.90	BDL
	PVC WATCH TOWER	13.62	60.34	7.58	18.72	BDL	2.48	BDL
10-02-2023	A-BLOCK WATCH TOWER	13.08	59.66	8.12	17.24	BDL	4.28	BDL
	QUARTERS C-3 BLOCK	8.94	48.75	6.90	7.15	BDL	BDL	BDL
11-02-2023	TWAD PUMP HOUSE	13.16	57.66	7.91	9.16	BDL	2.80	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	11.58	52.32	8.08	8.56	BDL	BDL	BDL
12-02-2023	A-BLOCK WATCH TOWER	14.36	60.46	9.14	14.32	BDL	3.14	BDL
	PVC WATCH TOWER	12.68	56.35	9.21	20.56	BDL	3.50	BDL
13-02-2023	TCEP CHILLED WATER COMPRESSOR ROOM	13.10	55.42	8.51	9.02	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	8.32	50.36	7.12	7.54	BDL	BDL	BDL
14-02-2023	SALT WEIGH BRIDGE	15.68	62.44	7.46	8.08	BDL	1.85	BDL
	PVC WATCH TOWER	12.30	53.54	8.30	18.27	BDL	5.28	BDL
15-02-2023	TWAD PUMP HOUSE	16.36	68.75	7.95	8.58	BDL	2.52	BDL
	A-BLOCK WATCH TOWER	12.58	56.26	8.30	16.24	BDL	4.98	BDL

BDL = < 1 microgram/m³

Cont...2

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF FEBRUARY 2023								
DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NO _x	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	-	400 Max	-
16-02-2023	QUARTERS C-3 BLOCK	8.27	44.34	7.25	7.84	BDL	BDL	BDL
	PVC WATCH TOWER	13.35	57.60	8.50	16.24	BDL	4.56	BDL
17-02-2023	SALT WEIGH BRIDGE	17.26	70.54	7.28	9.14	BDL	2.54	BDL
	TWAD PUMP HOUSE	15.33	65.48	7.46	8.26	BDL	BDL	BDL
18-02-2023	TCEP CHILLED WATER COMPRESSOR ROOM	13.38	55.34	7.16	8.32	BDL	BDL	BDL
	A-BLOCK WATCH TOWER	12.64	54.76	8.48	14.30	BDL	3.36	BDL
19-02-2023	TWAD PUMP HOUSE	14.72	60.62	7.20	8.68	BDL	BDL	BDL
	PVC WATCH TOWER	13.10	57.44	8.54	19.24	BDL	4.20	BDL
20-02-2023	SALT WEIGH BRIDGE	15.25	60.74	7.88	9.04	BDL	BDL	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	12.32	52.11	7.94	8.16	BDL	BDL	BDL
21-02-2023	A-BLOCK WATCH TOWER	14.35	60.80	8.56	15.32	BDL	4.58	BDL
	PVC WATCH TOWER	13.18	59.16	9.18	20.78	BDL	5.14	BDL
22-02-2023	SALT WEIGH BRIDGE	16.86	68.34	8.48	9.56	BDL	2.16	BDL
	QUARTERS C-3 BLOCK	7.94	40.75	7.46	7.68	BDL	BDL	BDL
23-02-2023	TWAD PUMP HOUSE	15.72	64.51	7.52	8.84	BDL	BDL	BDL
	PVC WATCH TOWER	12.64	56.26	8.48	19.72	BDL	4.86	BDL
24-02-2023	TCEP CHILLED WATER COMPRESSOR ROOM	12.38	54.65	7.91	8.56	BDL	BDL	BDL
	A-BLOCK WATCH TOWER	13.64	60.56	8.48	15.35	BDL	2.54	BDL
25-02-2023	TWAD PUMP HOUSE	17.12	70.84	7.36	8.78	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	8.25	44.38	6.84	7.14	BDL	BDL	BDL
26-02-2023	SALT WEIGH BRIDGE	16.34	67.74	7.68	8.46	BDL	1.90	BDL
	PVC WATCH TOWER	13.46	59.24	8.34	18.34	BDL	6.56	BDL
27-02-2023	TWAD PUMP HOUSE	15.46	63.35	7.87	8.14	BDL	2.16	BDL
	QUARTERS C-3 BLOCK	7.87	40.08	6.56	6.94	BDL	BDL	BDL
28-02-2023	TCEP CHILLED WATER COMPRESSOR ROOM	12.11	51.78	7.48	11.72	BDL	1.94	BDL
	A-BLOCK WATCH TOWER	12.58	55.63	9.29	14.56	BDL	5.80	BDL

BDL = < 1 microgram/m³

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF JANUARY 2023

DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NO _x	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	-	400 Max	-
01-01-2023	TWAD PUMP HOUSE	16.35	66.72	8.16	13.12	BDL	2.60	BDL
	PVC WATCH TOWER	12.48	59.70	7.54	8.36	BDL	BDL	BDL
02-01-2023	A-BLOCK WATCH TOWER	13.10	54.46	9.08	9.54	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	8.16	41.32	6.95	7.58	BDL	BDL	BDL
03-01-2023	SALT WEIGH BRIDGE	17.45	68.81	7.90	18.34	BDL	4.58	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	11.64	55.34	7.28	8.45	BDL	BDL	BDL
04-01-2023	TWAD PUMP HOUSE	16.12	69.76	7.95	14.68	BDL	4.28	BDL
	PVC WATCH TOWER	9.58	50.52	7.26	8.16	BDL	1.90	BDL
05-01-2023	TCEP CHILLED WATER COMPRESSOR ROOM	13.26	59.75	8.22	9.56	BDL	BDL	BDL
	A-BLOCK WATCH TOWER	12.67	54.35	7.58	8.36	BDL	BDL	BDL
06-01-2023	TWAD PUMP HOUSE	14.35	63.38	8.50	16.76	BDL	4.16	BDL
	QUARTERS C-3 BLOCK	8.14	46.72	7.11	7.60	BDL	BDL	BDL
07-01-2023	SALT WEIGH BRIDGE	18.27	72.35	8.08	19.26	BDL	3.12	BDL
	PVC WATCH TOWER	12.36	58.74	7.16	8.91	BDL	BDL	BDL
08-01-2023	TWAD PUMP HOUSE	13.25	59.76	8.36	13.25	BDL	1.94	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	14.56	62.35	7.52	15.30	1.54	2.56	BDL
09-01-2023	SALT WEIGH BRIDGE	18.11	73.36	8.91	14.68	BDL	4.32	BDL
	PVC WATCH TOWER	12.36	54.45	7.84	10.78	BDL	BDL	BDL
10-01-2023	TWAD PUMP HOUSE	15.60	64.42	7.58	12.36	BDL	2.48	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	13.72	55.36	7.42	11.78	BDL	2.66	BDL
11-01-2023	A-BLOCK WATCH TOWER	11.68	53.61	7.29	9.50	BDL	1.82	BDL
	PVC WATCH TOWER	10.72	50.65	7.18	8.60	BDL	BDL	BDL
12-01-2023	TCEP CHILLED WATER COMPRESSOR ROOM	12.78	48.35	6.91	16.78	2.56	2.88	BDL
	QUARTERS C-3 BLOCK	8.36	40.65	6.54	7.08	BDL	BDL	BDL
13-01-2023	SALT WEIGH BRIDGE	17.18	66.72	8.82	20.55	BDL	6.12	BDL
	A-BLOCK WATCH TOWER	10.65	50.32	7.80	9.12	BDL	BDL	BDL
14-01-2023	TWAD PUMP HOUSE	18.36	70.35	8.64	16.68	BDL	3.54	BDL
	PVC WATCH TOWER	11.60	55.72	7.24	8.35	BDL	BDL	BDL
15-01-2023	TCEP CHILLED WATER COMPRESSOR ROOM	13.65	61.12	8.54	14.32	1.68	2.44	BDL
	QUARTERS C-3 BLOCK	8.34	43.64	7.11	8.04	BDL	BDL	BDL

BDL = < 1 microgram/m³

Cont...2

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF JANUARY 2023								
DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NOx	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	-	400 Max	-
16-01-2023	TWAD PUMP HOUSE	16.32	69.75	9.12	15.60	BDL	3.46	BDL
	PVC WATCH TOWER	11.24	51.16	8.10	8.86	BDL	2.04	BDL
17-01-2023	SALT WEIGH BRIDGE	18.64	76.38	9.34	18.78	BDL	6.48	BDL
	A-BLOCK WATCH TOWER	12.38	57.60	7.29	8.56	BDL	BDL	BDL
18-01-2023	TWAD PUMP HOUSE	14.63	67.72	8.16	9.82	BDL	2.48	BDL
	QUARTERS C-3 BLOCK	8.36	45.56	7.51	7.90	BDL	BDL	BDL
19-01-2023	TCEP CHILLED WATER COMPRESSOR ROOM	13.26	55.63	7.62	10.56	BDL	BDL	BDL
	A-BLOCK WATCH TOWER	12.78	51.12	7.54	8.04	BDL	BDL	BDL
20-01-2023	SALT WEIGH BRIDGE	16.36	72.34	8.42	15.20	BDL	2.85	BDL
	QUARTERS C-3 BLOCK	7.90	39.78	7.08	8.44	BDL	BDL	BDL
21-01-2023	TWAD PUMP HOUSE	17.20	66.75	8.02	14.56	BDL	1.86	BDL
	PVC WATCH TOWER	13.26	58.72	7.57	10.71	BDL	BDL	BDL
22-01-2023	SALT WEIGH BRIDGE	15.20	62.35	8.91	18.35	BDL	2.40	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	12.68	54.40	7.80	15.26	BDL	1.90	BDL
23-01-2023	A-BLOCK WATCH TOWER	13.22	59.75	9.14	11.62	BDL	1.94	BDL
	PVC WATCH TOWER	12.14	51.16	8.48	10.36	BDL	BDL	BDL
24-01-2023	TWAD PUMP HOUSE	17.36	70.16	9.12	15.32	BDL	2.74	BDL
	QUARTERS C-3 BLOCK	8.84	47.70	8.91	9.28	BDL	BDL	BDL
25-01-2023	SALT WEIGH BRIDGE	15.20	63.36	8.56	10.68	BDL	BDL	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	12.86	52.44	7.44	7.96	BDL	BDL	BDL
26-01-2023	TWAD PUMP HOUSE	14.35	60.30	7.62	9.16	BDL	BDL	BDL
	A-BLOCK WATCH TOWER	13.10	55.78	8.02	16.28	BDL	4.86	BDL
27-01-2023	SALT WEIGH BRIDGE	16.18	67.70	8.12	8.94	BDL	BDL	BDL
	PVC WATCH TOWER	14.72	59.35	7.58	16.32	BDL	3.48	BDL
28-01-2023	TCEP CHILLED WATER COMPRESSOR ROOM	11.66	48.32	8.02	9.16	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	8.24	43.16	7.02	7.84	BDL	BDL	BDL
29-01-2023	SALT WEIGH BRIDGE	16.38	69.86	7.16	9.08	BDL	BDL	BDL
	A-BLOCK WATCH TOWER	13.16	58.78	9.12	16.56	BDL	4.78	BDL
30-01-2023	TCEP CHILLED WATER COMPRESSOR ROOM	12.42	54.29	7.34	7.95	BDL	1.45	BDL
	PVC WATCH TOWER	14.12	61.14	8.26	21.72	BDL	3.46	BDL
31-01-2023	A-BLOCK WATCH TOWER	13.36	60.55	7.84	17.62	BDL	2.94	BDL
	QUARTERS C-3 BLOCK	8.11	46.54	6.88	7.46	BDL	BDL	BDL

BDL = < 1 microgram/m³

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF DECEMBER 2022

DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NO _x	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	–	400 Max	–
01-12-2022	TCEP CHILLED WATER COMPRESSOR ROOM	10.35	42.35	7.68	8.36	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	7.58	36.67	6.81	7.18	BDL	BDL	BDL
02-12-2022	SALT WEIGH BRIDGE	11.75	57.35	7.56	10.68	BDL	2.52	BDL
	A-BLOCK WATCH TOWER	9.76	50.12	7.76	19.25	BDL	4.15	BDL
03-12-2022	TCEP CHILLED WATER COMPRESSOR ROOM	9.81	49.78	8.02	15.26	1.54	2.68	BDL
	PVC WATCH TOWER	8.58	47.54	7.47	16.55	BDL	3.15	BDL
04-12-2022	TWAD PUMP HOUSE	9.76	55.46	7.95	11.56	BDL	2.75	BDL
	A-BLOCK WATCH TOWER	9.12	46.68	8.04	16.12	BDL	3.48	BDL
05-12-2022	QUARTERS C-3 BLOCK	7.81	40.68	7.58	7.94	BDL	BDL	BDL
	PVC WATCH TOWER	10.56	50.71	8.02	17.12	BDL	3.64	BDL
06-12-2022	TWAD PUMP HOUSE	12.35	61.12	7.62	10.78	BDL	2.86	BDL
	A-BLOCK WATCH TOWER	10.60	51.63	7.45	13.26	BDL	3.45	BDL
07-12-2022	SALT WEIGH BRIDGE	13.35	62.78	8.16	18.56	BDL	4.16	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	10.72	50.16	8.28	12.32	1.64	3.08	BDL
08-12-2022	TWAD PUMP HOUSE	12.45	58.74	8.35	15.35	BDL	5.12	BDL
	QUARTERS C-3 BLOCK	7.58	38.14	7.02	7.96	BDL	BDL	BDL
09-12-2022	SALT WEIGH BRIDGE	12.68	52.35	7.86	20.32	1.72	4.36	BDL
	A-BLOCK WATCH TOWER	11.56	50.46	7.58	15.28	BDL	4.12	BDL
10-12-2022	TCEP CHILLED WATER COMPRESSOR ROOM	11.66	52.62	8.11	9.16	BDL	BDL	BDL
	PVC WATCH TOWER	9.58	48.78	7.50	8.64	BDL	BDL	BDL
11-12-2022	SALT WEIGH BRIDGE	13.35	60.77	9.32	20.68	BDL	4.58	BDL
	QUARTERS C-3 BLOCK	7.92	40.26	6.90	7.32	BDL	BDL	BDL
12-12-2022	TWAD PUMP HOUSE	13.50	60.72	9.14	11.46	BDL	1.58	BDL
	PVC WATCH TOWER	10.28	51.16	7.58	9.08	BDL	BDL	BDL
13-12-2022	TCEP CHILLED WATER COMPRESSOR ROOM	12.56	48.72	8.36	14.65	1.64	2.68	BDL
	QUARTERS C-3 BLOCK	7.96	40.10	7.04	7.98	BDL	BDL	BDL
14-12-2022	SALT WEIGH BRIDGE	15.36	64.45	8.12	12.65	BDL	2.42	BDL
	A-BLOCK WATCH TOWER	11.64	54.16	8.58	18.26	BDL	3.94	BDL
15-12-2022	TWAD PUMP HOUSE	16.62	68.74	8.62	11.35	BDL	1.68	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	11.35	50.36	8.48	9.02	BDL	BDL	BDL

BDL = < 1 microgram/m³

Cont...2

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF DECEMBER 2022								
DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NO _x	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	-	400 Max	-
16-12-2022	SALT WEIGH BRIDGE	14.28	62.32	7.91	9.16	BDL	1.56	BDL
	PVC WATCH TOWER	11.76	50.75	8.26	16.35	BDL	4.12	BDL
17-12-2022	TWAD PUMP HOUSE	15.28	60.55	7.82	9.35	BDL	BDL	BDL
	A-BLOCK WATCH TOWER	12.45	54.46	8.08	17.14	BDL	2.85	BDL
18-12-2022	SALT WEIGH BRIDGE	16.35	65.34	7.56	12.35	BDL	2.36	BDL
	QUARTERS C-3 BLOCK	8.11	41.36	6.85	7.83	BDL	BDL	BDL
19-12-2022	TCEP CHILLED WATER COMPRESSOR ROOM	12.36	55.68	7.12	9.35	2.36	BDL	BDL
	A-BLOCK WATCH TOWER	13.16	59.72	8.36	20.78	BDL	5.16	BDL
20-12-2022	SALT WEIGH BRIDGE	16.34	70.44	8.08	14.30	BDL	2.36	BDL
	PVC WATCH TOWER	12.68	58.77	8.20	18.42	BDL	3.14	BDL
21-12-2022	TWAD PUMP HOUSE	17.65	70.56	9.16	12.36	BDL	1.52	BDL
	QUARTERS C-3 BLOCK	8.32	41.12	8.08	8.58	BDL	BDL	BDL
22-12-2022	SALT WEIGH BRIDGE	18.56	67.78	9.36	14.25	BDL	3.15	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	10.28	54.46	8.57	10.36	BDL	1.22	BDL
23-12-2022	A-BLOCK WATCH TOWER	11.35	67.35	8.61	11.32	BDL	2.58	BDL
	QUARTERS C-3 BLOCK	8.64	40.30	7.54	8.18	BDL	BDL	BDL
24-12-2022	TWAD PUMP HOUSE	12.36	57.54	8.12	11.65	BDL	2.08	BDL
	PVC WATCH TOWER	10.68	48.75	8.34	14.35	BDL	1.90	BDL
25-12-2022	TCEP CHILLED WATER COMPRESSOR ROOM	11.55	51.34	7.83	11.36	BDL	BDL	BDL
	A-BLOCK WATCH TOWER	12.36	59.35	8.11	16.35	BDL	4.51	BDL
26-12-2022	SALT WEIGH BRIDGE	13.14	56.78	8.76	15.46	BDL	3.04	BDL
	PVC WATCH TOWER	9.72	47.62	7.48	12.32	BDL	2.68	BDL
27-12-2022	TWAD PUMP HOUSE	11.76	50.66	7.51	13.26	BDL	3.74	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	9.10	45.78	7.40	9.28	1.56	BDL	BDL
28-12-2022	SALT WEIGH BRIDGE	13.35	55.78	7.68	19.36	BDL	BDL	BDL
	A-BLOCK WATCH TOWER	10.78	52.30	7.58	9.70	BDL	BDL	BDL
29-12-2022	TWAD PUMP HOUSE	12.78	50.36	7.28	18.90	BDL	2.94	BDL
	QUARTERS C-3 BLOCK	7.86	40.18	6.51	7.29	BDL	BDL	BDL
30-12-2022	A-BLOCK WATCH TOWER	13.35	57.30	7.38	9.82	BDL	1.54	BDL
	PVC WATCH TOWER	10.78	51.46	7.18	8.32	BDL	BDL	BDL
31-12-2022	TCEP CHILLED WATER COMPRESSOR ROOM	13.11	58.95	8.28	10.35	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	8.34	42.26	6.68	7.08	BDL	BDL	BDL

BDL = < 1 microgram/m³

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF NOVEMBER 2022								
DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NO _x	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
NAAQ Standard		60 Max	100 Max	80 Max	80 Max	-	400 Max	-
01-11-2022	TCEP CHILLED WATER COMPRESSOR ROOM	9.12	48.55	9.58	11.56	BDL	1.58	BDL
	A-BLOCK WATCH TOWER	8.56	45.68	8.63	16.25	BDL	3.52	BDL
02-11-2022	TWAD PUMP HOUSE	8.91	40.38	7.58	9.50	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	6.48	35.56	5.91	6.04	BDL	BDL	BDL
03-11-2022	SALT WEIGH BRIDGE	8.74	44.34	7.45	8.56	BDL	1.65	BDL
	PVC WATCH TOWER	7.65	41.12	7.34	9.62	BDL	2.04	BDL
04-11-2022	A-BLOCK WATCH TOWER	8.12	44.38	7.52	19.78	BDL	4.16	BDL
	QUARTERS C-3 BLOCK	7.08	37.79	6.14	6.88	BDL	BDL	BDL
05-11-2022	TWAD PUMP HOUSE	10.56	52.16	8.91	20.55	1.86	5.28	BDL
	PVC WATCH TOWER	8.50	43.35	7.63	8.36	BDL	1.50	BDL
06-11-2022	SALT WEIGH BRIDGE	9.58	59.78	8.32	12.35	BDL	1.42	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	9.04	50.52	8.56	11.62	2.84	3.14	BDL
07-11-2022	A-BLOCK WATCH TOWER	11.52	55.28	7.92	18.32	BDL	2.92	BDL
	QUARTERS C-3 BLOCK	7.46	39.55	7.28	8.62	BDL	BDL	BDL
08-11-2022	TWAD PUMP HOUSE	11.91	54.42	7.58	10.62	BDL	1.48	BDL
	PVC WATCH TOWER	10.56	49.94	7.36	15.24	BDL	2.56	BDL
09-11-2022	SALT WEIGH BRIDGE	13.25	60.72	8.51	11.28	BDL	1.64	BDL
	QUARTERS C-3 BLOCK	8.26	42.30	7.18	7.85	BDL	BDL	BDL
10-11-2022	TCEP CHILLED WATER COMPRESSOR ROOM	11.58	49.75	7.36	14.65	1.94	2.02	BDL
	A-BLOCK WATCH TOWER	12.64	58.64	7.52	18.30	BDL	5.64	BDL
11-11-2022	SALT WEIGH BRIDGE	13.35	63.34	8.18	20.52	BDL	3.68	BDL
	PVC WATCH TOWER	10.68	57.74	7.62	7.92	BDL	BDL	BDL
12-11-2022	TWAD PUMP HOUSE	8.62	45.54	8.36	10.56	BDL	BDL	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	8.48	42.28	8.21	16.25	BDL	4.08	BDL
13-11-2022	A-BLOCK WATCH TOWER	9.04	44.65	7.58	18.35	BDL	3.94	BDL
	QUARTERS C-3 BLOCK	7.86	36.60	7.40	7.86	BDL	BDL	BDL
14-11-2022	SALT WEIGH BRIDGE	10.56	52.54	8.48	9.55	BDL	1.86	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	9.84	50.78	8.86	16.78	BDL	2.06	BDL
15-11-2022	TWAD PUMP HOUSE	12.32	60.16	8.92	10.25	BDL	1.94	BDL
	PVC WATCH TOWER	11.58	49.85	9.04	17.24	BDL	3.16	BDL

BDL = < 1 microgram/m³

Cont...2

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF NOVEMBER 2022								
DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NOx	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	–	400 Max	–
16-11-2022	SALT WEIGH BRIDGE	14.16	58.75	8.48	11.55	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	8.30	41.28	7.58	8.04	BDL	BDL	BDL
17-11-2022	A-BLOCK WATCH TOWER	13.25	62.26	8.36	20.16	BDL	3.94	BDL
	PVC WATCH TOWER	12.16	59.74	8.24	16.20	BDL	3.78	BDL
18-11-2022	TCEP CHILLED WATER COMPRESSOR ROOM	9.58	52.28	7.58	12.35	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	8.20	45.56	7.44	8.12	BDL	BDL	BDL
19-11-2022	SALT WEIGH BRIDGE	16.28	64.42	7.68	9.74	BDL	1.84	BDL
	A-BLOCK WATCH TOWER	11.56	51.16	9.11	18.56	BDL	6.58	BDL
20-11-2022	TWAD PUMP HOUSE	17.18	65.56	8.02	8.95	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	8.26	42.36	6.92	7.18	BDL	BDL	BDL
21-11-2022	TCEP CHILLED WATER COMPRESSOR ROOM	13.26	50.78	7.58	15.28	1.58	3.14	BDL
	A-BLOCK WATCH TOWER	10.54	48.66	8.16	14.76	BDL	BDL	BDL
22-11-2022	SALT WEIGH BRIDGE	14.17	60.50	8.28	10.56	BDL	1.68	BDL
	PVC WATCH TOWER	9.58	47.76	7.56	9.58	BDL	BDL	BDL
23-11-2022	TWAD PUMP HOUSE	15.35	61.36	7.63	10.27	BDL	1.90	BDL
	QUARTERS C-3 BLOCK	8.38	41.45	6.56	7.28	BDL	BDL	BDL
24-11-2022	TCEP CHILLED WATER COMPRESSOR ROOM	12.35	57.69	9.11	12.68	BDL	2.34	BDL
	PVC WATCH TOWER	10.61	46.32	7.06	7.96	BDL	BDL	BDL
25-11-2022	SALT WEIGH BRIDGE	15.36	60.78	7.58	15.35	1.52	3.58	BDL
	A-BLOCK WATCH TOWER	12.28	54.46	8.12	16.20	BDL	4.06	BDL
26-11-2022	TWAD PUMP HOUSE	14.35	59.78	7.97	12.68	BDL	1.86	BDL
	PVC WATCH TOWER	9.56	50.61	7.54	13.54	BDL	2.64	BDL
27-11-2022	TCEP CHILLED WATER COMPRESSOR ROOM	8.91	44.68	8.12	12.75	1.64	2.52	BDL
	QUARTERS C-3 BLOCK	6.85	35.54	6.54	7.16	BDL	BDL	BDL
28-11-2022	SALT WEIGH BRIDGE	10.63	48.75	7.12	8.65	BDL	BDL	BDL
	PVC WATCH TOWER	9.82	47.65	6.88	9.12	BDL	BDL	BDL
29-11-2022	TWAD PUMP HOUSE	11.68	49.55	7.08	10.71	BDL	1.58	BDL
	A-BLOCK WATCH TOWER	9.74	45.50	7.34	11.34	BDL	4.68	BDL
30-11-2022	SALT WEIGH BRIDGE	12.35	52.68	8.18	9.56	BDL	BDL	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	9.88	46.28	7.24	8.27	BDL	BDL	BDL

BDL = < 1 microgram/m³

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF OCTOBER 2022

DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NO _x	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
		NAAQ Standard	60 Max	100 Max	80 Max	80 Max	–	400 Max
01-10-2022	TWAD PUMP HOUSE	16.25	64.46	8.12	19.20	BDL	3.12	BDL
	A-BLOCK WATCH TOWER	15.16	58.92	7.58	11.36	BDL	2.52	BDL
02-10-2022	QUARTERS C-3 BLOCK	7.58	40.57	7.08	7.86	BDL	BDL	BDL
	PVC WATCH TOWER	9.62	50.78	8.04	15.20	BDL	3.52	BDL
03-10-2022	SALT WEIGH BRIDGE	15.35	62.32	8.28	21.56	BDL	3.94	BDL
	A-BLOCK WATCH TOWER	14.28	60.78	8.15	12.90	BDL	4.04	BDL
04-10-2022	TWAD PUMP HOUSE	16.36	65.56	8.28	15.26	BDL	3.16	BDL
	PVC WATCH TOWER	12.28	59.78	8.10	9.58	BDL	2.58	BDL
05-10-2022	TCEP CHILLED WATER COMPRESSOR ROOM	6.86	38.52	7.52	9.56	BDL	2.16	BDL
	QUARTERS C-3 BLOCK	6.70	36.72	7.14	7.91	BDL	BDL	BDL
06-10-2022	SALT WEIGH BRIDGE	17.58	59.90	7.16	8.34	BDL	2.58	BDL
	PVC WATCH TOWER	10.66	49.98	7.20	7.56	BDL	BDL	BDL
07-10-2022	TWAD PUMP HOUSE	15.36	71.16	8.16	11.55	BDL	4.08	BDL
	A-BLOCK WATCH TOWER	13.28	61.30	7.26	17.58	BDL	BDL	BDL
08-10-2022	SALT WEIGH BRIDGE	14.56	60.16	8.04	13.38	BDL	BDL	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	11.28	64.42	8.18	12.56	BDL	BDL	BDL
09-10-2022	TWAD PUMP HOUSE	16.68	71.16	9.16	19.78	BDL	4.54	BDL
	QUARTERS C-3 BLOCK	7.16	42.36	7.58	7.94	BDL	BDL	BDL
10-10-2022	TCEP CHILLED WATER COMPRESSOR ROOM	11.68	69.70	7.91	15.40	BDL	BDL	BDL
	A-BLOCK WATCH TOWER	12.16	66.72	7.84	8.16	BDL	2.58	BDL
11-10-2022	SALT WEIGH BRIDGE	14.36	61.16	9.36	17.28	BDL	4.12	BDL
	QUARTERS C-3 BLOCK	8.14	45.56	7.58	8.26	BDL	BDL	BDL
12-10-2022	TWAD PUMP HOUSE	15.30	63.38	8.12	18.28	BDL	3.58	BDL
	PVC WATCH TOWER	12.28	54.42	7.56	9.14	BDL	1.94	BDL
13-10-2022	SALT WEIGH BRIDGE	18.36	70.92	9.52	16.58	BDL	5.16	BDL
	A-BLOCK WATCH TOWER	11.68	52.28	8.94	17.24	BDL	4.84	BDL
14-10-2022	TWAD PUMP HOUSE	15.22	61.12	8.52	16.20	BDL	3.16	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	13.61	57.76	8.14	14.58	1.54	2.48	BDL
15-10-2022	A-BLOCK WATCH TOWER	13.68	53.35	8.58	18.32	BDL	4.16	BDL
	QUARTERS C-3 BLOCK	8.14	41.16	7.04	7.61	BDL	BDL	BDL

BDL = < 1 microgram/m³

Cont...2

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF OCTOBER 2022								
DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NO _x	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	-	400 Max	-
16-10-2022	TWAD PUMP HOUSE	14.36	59.46	8.02	22.36	BDL	3.12	BDL
	PVC WATCH TOWER	9.86	44.38	7.68	7.95	BDL	1.48	BDL
17-10-2022	SALT WEIGH BRIDGE	10.56	50.16	7.14	17.28	BDL	4.54	BDL
	QUARTERS C-3 BLOCK	6.16	35.58	5.86	6.19	BDL	BDL	BDL
18-10-2022	TWAD PUMP HOUSE	9.28	48.78	8.12	14.56	2.58	3.16	BDL
	PVC WATCH TOWER	8.16	44.56	7.08	7.58	BDL	BDL	BDL
19-10-2022	TCEP CHILLED WATER COMPRESSOR ROOM	10.56	50.78	7.28	8.26	BDL	BDL	BDL
	A-BLOCK WATCH TOWER	9.86	53.25	7.34	15.30	BDL	4.86	BDL
20-10-2022	SALT WEIGH BRIDGE	9.66	49.65	8.02	14.68	BDL	2.84	BDL
	QUARTERS C-3 BLOCK	7.10	38.76	6.65	7.75	BDL	BDL	BDL
21-10-2022	TCEP CHILLED WATER COMPRESSOR ROOM	7.58	45.54	7.24	10.28	BDL	BDL	BDL
	PVC WATCH TOWER	7.14	40.56	7.02	8.16	BDL	BDL	BDL
22-10-2022	TWAD PUMP HOUSE	11.50	49.78	8.56	15.22	BDL	3.16	BDL
	A-BLOCK WATCH TOWER	9.86	47.56	8.21	11.85	BDL	2.84	BDL
23-10-2022	SALT WEIGH BRIDGE	14.52	55.72	9.16	21.56	BDL	5.80	BDL
	PVC WATCH TOWER	10.68	44.52	8.58	10.64	BDL	1.78	BDL
24-10-2022	TCEP CHILLED WATER COMPRESSOR ROOM	10.52	46.75	7.44	8.50	BDL	2.48	BDL
	QUARTERS C-3 BLOCK	7.56	40.12	6.92	7.18	BDL	BDL	BDL
25-10-2022	TWAD PUMP HOUSE	12.52	53.35	8.42	18.74	BDL	3.12	BDL
	PVC WATCH TOWER	8.86	41.32	7.35	10.68	BDL	BDL	BDL
26-10-2022	TCEP CHILLED WATER COMPRESSOR ROOM	8.08	43.55	7.74	12.35	2.48	2.92	BDL
	A-BLOCK WATCH TOWER	7.58	40.56	8.04	10.56	BDL	2.48	BDL
27-10-2022	SALT WEIGH BRIDGE	11.32	54.38	9.02	20.46	BDL	4.02	BDL
	TWAD PUMP HOUSE	13.46	58.72	8.67	17.40	BDL	3.58	BDL
28-10-2022	QUARTERS C-3 BLOCK	8.48	37.46	7.45	7.92	BDL	BDL	BDL
	PVC WATCH TOWER	8.74	40.82	7.62	9.54	BDL	1.84	BDL
29-10-2022	TWAD PUMP HOUSE	10.55	54.48	7.87	10.26	BDL	BDL	BDL
	A-BLOCK WATCH TOWER	8.68	46.36	8.18	20.56	BDL	5.15	BDL
30-10-2022	SALT WEIGH BRIDGE	9.86	52.28	7.86	11.58	BDL	2.16	BDL
	PVC WATCH TOWER	9.14	50.54	7.14	15.26	BDL	3.48	BDL
31-10-2022	TCEP CHILLED WATER COMPRESSOR ROOM	9.94	47.78	8.34	13.35	1.90	2.58	BDL
	QUARTERS C-3 BLOCK	8.02	39.54	7.50	7.96	BDL	BDL	BDL

BDL = < 1 microgram/m³

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF SEPTEMBER 2022

DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NO _x	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
		NAAQ Standard	60 Max	100 Max	80 Max	80 Max	–	400 Max
01-09-2022	TCEP CHILLED WATER COMPRESSOR ROOM	10.54	52.34	8.16	12.54	BDL	3.16	BDL
	A-BLOCK WATCH TOWER	11.08	54.68	7.85	15.36	BDL	4.24	BDL
02-09-2022	SALT WEIGH BRIDGE	15.20	62.35	9.16	20.58	BDL	5.16	BDL
	PVC WATCH TOWER	10.74	48.75	7.52	7.89	BDL	1.58	BDL
03-09-2022	TWAD PUMP HOUSE	15.78	61.16	8.58	18.72	BDL	3.58	BDL
	QUARTERS C-3 BLOCK	7.92	39.54	6.82	7.48	BDL	BDL	BDL
04-09-2022	A-BLOCK WATCH TOWER	12.55	54.48	7.86	9.58	BDL	3.58	BDL
	PVC WATCH TOWER	11.36	50.71	7.48	8.16	BDL	2.94	BDL
05-09-2022	TWAD PUMP HOUSE	10.35	49.54	7.58	19.16	BDL	4.16	BDL
	QUARTERS C-3 BLOCK	7.52	36.51	6.90	7.58	BDL	BDL	BDL
06-09-2022	SALT WEIGH BRIDGE	13.32	59.75	8.52	16.78	BDL	5.28	BDL
	PVC WATCH TOWER	10.65	46.36	7.48	8.04	BDL	1.28	BDL
07-09-2022	TCEP CHILLED WATER COMPRESSOR ROOM	11.62	51.35	7.64	8.91	1.90	2.08	BDL
	A-BLOCK WATCH TOWER	9.58	44.58	7.72	9.04	BDL	1.84	BDL
08-09-2022	SALT WEIGH BRIDGE	17.36	67.45	8.16	22.58	1.48	6.15	BDL
	QUARTERS C-3 BLOCK	10.58	41.32	7.02	7.64	BDL	BDL	BDL
09-09-2022	TWAD PUMP HOUSE	17.14	67.35	8.12	13.56	BDL	3.56	BDL
	PVC WATCH TOWER	11.58	42.34	7.16	8.55	BDL	2.02	BDL
10-09-2022	SALT WEIGH BRIDGE	16.35	66.30	8.16	16.58	BDL	3.12	BDL
	A-BLOCK WATCH TOWER	12.54	56.32	7.42	8.15	BDL	2.68	BDL
11-09-2022	TCEP CHILLED WATER COMPRESSOR ROOM	13.16	58.11	8.16	10.15	BDL	BDL	BDL
	PVC WATCH TOWER	11.55	54.28	7.58	7.97	BDL	2.04	BDL
12-09-2022	SALT WEIGH BRIDGE	15.28	68.71	8.16	22.91	BDL	6.12	BDL
	A-BLOCK WATCH TOWER	12.35	58.14	7.68	19.20	BDL	5.74	BDL
13-09-2022	QUARTERS C-3 BLOCK	8.52	44.78	6.85	7.42	BDL	BDL	BDL
	PVC WATCH TOWER	10.68	50.18	6.98	7.88	BDL	BDL	BDL
14-09-2022	TWAD PUMP HOUSE	16.35	70.14	7.56	18.72	BDL	4.58	BDL
	A-BLOCK WATCH TOWER	12.46	55.28	7.13	8.94	BDL	1.85	BDL
15-09-2022	TCEP CHILLED WATER COMPRESSOR ROOM	14.15	60.77	8.21	10.56	2.18	2.94	BDL
	QUARTERS C-3 BLOCK	8.68	46.78	7.02	8.16	BDL	BDL	BDL

BDL = < 1 microgram/m³

Cont...2

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF SEPTEMBER 2022								
DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NOx	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	–	400 Max	–
16-09-2022	SALT WEIGH BRIDGE	16.44	71.36	8.26	11.56	BDL	3.04	BDL
	PVC WATCH TOWER	11.55	51.28	7.63	7.12	BDL	1.48	BDL
17-09-2022	TWAD PUMP HOUSE	15.48	65.38	8.34	17.54	BDL	3.12	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	12.62	56.14	8.04	10.78	BDL	1.58	BDL
18-09-2022	A-BLOCK WATCH TOWER	12.55	54.46	8.95	16.78	BDL	2.16	BDL
	PVC WATCH TOWER	11.62	49.75	7.86	9.16	BDL	BDL	BDL
19-09-2022	TWAD PUMP HOUSE	16.32	72.16	9.04	19.62	BDL	4.16	BDL
	QUARTERS C-3 BLOCK	8.30	47.74	7.02	7.94	BDL	BDL	BDL
20-09-2022	SALT WEIGH BRIDGE	17.56	70.35	9.04	19.14	BDL	4.36	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	12.14	53.66	7.86	12.56	BDL	1.58	BDL
21-09-2022	QUARTERS C-3 BLOCK	7.86	44.56	6.56	7.18	BDL	BDL	BDL
	PVC WATCH TOWER	8.48	51.12	7.25	8.16	BDL	BDL	BDL
22-09-2022	TCEP CHILLED WATER COMPRESSOR ROOM	13.16	57.78	7.56	12.36	1.58	2.36	BDL
	A-BLOCK WATCH TOWER	12.84	55.26	7.63	9.56	BDL	BDL	BDL
23-09-2022	TWAD PUMP HOUSE	16.62	69.96	9.16	21.16	BDL	3.28	BDL
	QUARTERS C-3 BLOCK	8.20	44.55	7.11	7.84	BDL	BDL	BDL
24-09-2022	SALT WEIGH BRIDGE	17.56	72.35	8.08	17.78	BDL	4.26	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	13.30	56.68	7.63	9.16	BDL	BDL	BDL
25-09-2022	A-BLOCK WATCH TOWER	14.16	60.78	8.58	18.32	BDL	5.12	BDL
	QUARTERS C-3 BLOCK	8.46	45.54	7.28	7.67	BDL	BDL	BDL
26-09-2022	TWAD PUMP HOUSE	18.14	76.62	8.16	20.58	1.70	3.92	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	13.35	49.86	7.55	14.62	1.64	1.88	BDL
27-09-2022	SALT WEIGH BRIDGE	15.56	67.78	7.80	19.26	BDL	2.12	BDL
	PVC WATCH TOWER	13.21	58.12	7.94	18.14	BDL	1.80	BDL
28-09-2022	TWAD PUMP HOUSE	14.26	59.85	7.48	20.85	BDL	2.48	BDL
	QUARTERS C-3 BLOCK	7.58	40.28	6.51	7.04	BDL	BDL	BDL
29-09-2022	SALT WEIGH BRIDGE	18.35	75.56	8.46	23.36	BDL	6.14	BDL
	A-BLOCK WATCH TOWER	14.16	59.18	7.58	14.45	BDL	2.10	BDL
30-09-2022	TWAD PUMP HOUSE	17.32	68.75	8.38	18.32	1.76	2.56	BDL
	PVC WATCH TOWER	12.28	54.46	7.11	8.14	BDL	BDL	BDL

BDL = < 1 microgram/m³

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF AUGUST 2022

DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NO _x	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
		NAAQ Standard	60 Max	100 Max	80 Max	80 Max	–	400 Max
01-08-2022	TWAD PUMP HOUSE	14.53	62.25	8.12	19.21	BDL	4.56	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	11.66	51.74	7.58	14.66	2.56	3.14	BDL
02-08-2022	SALT WEIGH BRIDGE	15.20	67.70	8.56	16.78	BDL	4.62	BDL
	A-BLOCK WATCH TOWER	13.16	54.64	7.14	8.58	BDL	BDL	BDL
03-08-2022	QUARTERS C-3 BLOCK	8.26	41.28	6.64	7.02	BDL	BDL	BDL
	PVC WATCH TOWER	10.56	50.78	7.10	7.95	BDL	1.94	BDL
04-08-2022	TWAD PUMP HOUSE	16.68	70.16	7.48	15.28	BDL	5.76	BDL
	A-BLOCK WATCH TOWER	12.26	56.78	7.26	9.16	BDL	BDL	BDL
05-08-2022	SALT WEIGH BRIDGE	15.78	69.75	8.28	17.35	BDL	5.40	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	13.26	60.16	8.10	15.26	1.86	4.08	BDL
06-08-2022	TWAD PUMP HOUSE	16.25	70.92	8.28	20.78	1.94	6.25	BDL
	QUARTERS C-3 BLOCK	9.27	46.90	7.10	8.26	BDL	BDL	BDL
07-08-2022	TCEP CHILLED WATER COMPRESSOR ROOM	13.35	56.65	7.94	16.14	2.16	4.54	BDL
	PVC WATCH TOWER	11.16	50.28	6.85	7.14	BDL	1.82	BDL
08-08-2022	SALT WEIGH BRIDGE	17.35	76.35	8.46	24.46	BDL	7.14	BDL
	TWAD PUMP HOUSE	18.14	78.14	8.56	19.21	BDL	6.93	BDL
09-08-2022	A-BLOCK WATCH TOWER	12.36	59.75	7.68	8.35	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	7.86	45.24	7.08	7.24	BDL	BDL	BDL
10-08-2022	SALT WEIGH BRIDGE	14.35	62.32	8.44	18.34	BDL	5.28	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	13.16	60.74	8.27	15.20	BDL	4.12	BDL
11-08-2022	A-BLOCK WATCH TOWER	12.32	56.32	7.48	9.04	BDL	1.56	BDL
	PVC WATCH TOWER	12.40	57.18	7.36	8.67	BDL	1.44	BDL
12-08-2022	SALT WEIGH BRIDGE	18.35	75.56	8.43	21.56	BDL	3.12	BDL
	TWAD PUMP HOUSE	16.68	71.15	8.16	15.60	BDL	2.95	BDL
13-08-2022	TCEP CHILLED WATER COMPRESSOR ROOM	11.66	56.72	8.91	10.56	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	8.54	43.34	7.10	8.36	BDL	BDL	BDL
14-08-2022	A-BLOCK WATCH TOWER	13.28	56.74	7.83	10.68	BDL	1.86	BDL
	PVC WATCH TOWER	12.56	52.28	7.54	9.12	BDL	1.74	BDL
15-08-2022	TCEP CHILLED WATER COMPRESSOR ROOM	13.28	58.72	9.11	12.56	1.84	2.04	BDL
	QUARTERS C-3 BLOCK	8.61	46.74	8.43	8.70	BDL	BDL	BDL

BDL = < 1 microgram/m³

Cont...2

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF AUGUST 2022								
DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NOx	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	-	400 Max	-
16-08-2022	SALT WEIGH BRIDGE	16.54	60.84	8.04	10.68	BDL	2.56	BDL
	PVC WATCH TOWER	13.15	57.12	7.86	13.25	BDL	3.14	BDL
17-08-2022	TWAD PUMP HOUSE	18.33	76.16	7.48	10.32	BDL	1.50	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	12.78	58.34	7.57	17.45	2.18	4.56	BDL
18-08-2022	A-BLOCK WATCH TOWER	13.76	60.11	8.10	13.35	BDL	5.64	BDL
	QUARTERS C-3 BLOCK	8.64	50.75	7.08	7.67	BDL	BDL	BDL
19-08-2022	TWAD PUMP HOUSE	14.78	62.35	8.35	15.26	BDL	4.08	BDL
	PVC WATCH TOWER	11.25	56.24	7.91	8.52	BDL	BDL	BDL
20-08-2022	SALT WEIGH BRIDGE	16.76	72.16	9.12	18.40	1.86	5.32	BDL
	A-BLOCK WATCH TOWER	12.32	54.45	8.49	14.56	BDL	4.48	BDL
21-08-2022	TWAD PUMP HOUSE	17.16	74.46	8.67	19.20	2.14	3.52	BDL
	QUARTERS C-3 BLOCK	8.78	50.70	7.24	7.84	BDL	BDL	BDL
22-08-2022	SALT WEIGH BRIDGE	15.30	61.12	7.84	24.45	BDL	6.12	BDL
	PVC WATCH TOWER	11.68	52.35	6.78	8.04	BDL	BDL	BDL
23-08-2022	TCEP CHILLED WATER COMPRESSOR ROOM	12.56	54.48	7.46	9.18	BDL	BDL	BDL
	A-BLOCK WATCH TOWER	13.12	57.75	8.12	10.67	BDL	1.84	BDL
24-08-2022	SALT WEIGH BRIDGE	15.35	63.56	8.40	20.78	BDL	2.58	BDL
	QUARTERS C-3 BLOCK	7.86	39.78	6.48	7.28	BDL	BDL	BDL
25-08-2022	TWAD PUMP HOUSE	14.65	60.12	7.54	18.55	BDL	5.16	BDL
	PVC WATCH TOWER	10.56	48.71	7.10	8.34	BDL	BDL	BDL
26-08-2022	SALT WEIGH BRIDGE	16.30	67.56	7.92	17.65	BDL	2.34	BDL
	A-BLOCK WATCH TOWER	13.68	58.71	8.02	20.55	BDL	6.25	BDL
27-08-2022	TCEP CHILLED WATER COMPRESSOR ROOM	12.46	58.75	8.14	9.16	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	8.22	51.10	7.16	7.64	BDL	BDL	BDL
28-08-2022	A-BLOCK WATCH TOWER	11.38	58.64	7.54	10.35	BDL	1.58	BDL
	PVC WATCH TOWER	11.14	52.36	6.86	7.65	BDL	BDL	BDL
29-08-2022	TWAD PUMP HOUSE	14.56	60.78	7.08	20.54	1.92	4.16	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	11.38	50.64	8.35	18.20	BDL	1.74	BDL
30-08-2022	SALT WEIGH BRIDGE	13.22	57.22	8.28	19.48	BDL	3.54	BDL
	PVC WATCH TOWER	10.64	50.61	7.52	12.26	BDL	BDL	BDL
31-08-2022	TWAD PUMP HOUSE	14.16	58.48	7.87	16.54	BDL	5.24	BDL
	QUARTERS C-3 BLOCK	8.04	39.54	6.46	7.18	BDL	BDL	BDL

BDL = < 1 microgram/m³



AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF JULY 2022

DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NO _x	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	-	400 Max	-
01-07-2022	SALT WEIGH BRIDGE	16.78	71.16	9.14	20.78	1.52	BDL	BDL
	A-BLOCK WATCH TOWER	12.36	52.28	8.53	12.14	BDL	BDL	BDL
02-07-2022	TCEP CHILLED WATER COMPRESSOR ROOM	13.14	59.75	8.62	10.55	1.64	2.05	BDL
	QUARTERS C-3 BLOCK	8.48	46.74	7.02	7.94	BDL	BDL	BDL
03-07-2022	TWAD PUMP HOUSE	17.14	72.35	9.54	13.35	BDL	1.94	BDL
	PVC WATCH TOWER	12.08	58.76	8.50	9.14	BDL	BDL	BDL
04-07-2022	A-BLOCK WATCH TOWER	14.16	60.54	8.81	18.78	BDL	4.16	BDL
	QUARTERS C-3 BLOCK	8.68	48.76	7.48	8.92	BDL	BDL	BDL
05-07-2022	SALT WEIGH BRIDGE	16.75	74.54	7.85	14.56	BDL	2.54	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	13.64	60.35	7.54	9.16	BDL	BDL	BDL
06-07-2022	TWAD PUMP HOUSE	18.35	75.32	8.48	12.54	BDL	2.12	BDL
	PVC WATCH TOWER	12.12	56.75	8.02	8.80	BDL	1.56	BDL
07-07-2022	SALT WEIGH BRIDGE	18.46	76.34	9.14	22.35	BDL	3.52	BDL
	A-BLOCK WATCH TOWER	14.15	62.35	8.48	16.75	BDL	4.14	BDL
08-07-2022	TCEP CHILLED WATER COMPRESSOR ROOM	13.65	60.71	8.22	11.54	1.52	2.56	BDL
	QUARTERS C-3 BLOCK	8.61	48.34	7.44	7.68	BDL	BDL	BDL
09-07-2022	A-BLOCK WATCH TOWER	14.56	59.65	8.18	16.75	BDL	3.58	BDL
	PVC WATCH TOWER	11.64	52.34	7.54	8.94	BDL	BDL	BDL
10-07-2022	TWAD PUMP HOUSE	15.32	65.32	9.12	18.32	1.68	4.50	BDL
	QUARTERS C-3 BLOCK	8.64	45.78	8.11	8.58	BDL	BDL	BDL
11-07-2022	SALT WEIGH BRIDGE	19.32	78.94	8.48	20.74	BDL	3.14	BDL
	PVC WATCH TOWER	13.25	60.74	8.16	9.70	BDL	BDL	BDL
12-07-2022	TCEP CHILLED WATER COMPRESSOR ROOM	13.58	62.35	9.57	13.28	2.58	3.14	BDL
	QUARTERS C-3 BLOCK	9.14	51.16	8.14	8.58	BDL	BDL	BDL
13-07-2022	SALT WEIGH BRIDGE	17.48	75.56	8.58	24.48	BDL	5.14	BDL
	TWAD PUMP HOUSE	17.24	71.15	9.02	18.35	1.86	4.16	BDL
14-07-2022	TCEP CHILLED WATER COMPRESSOR ROOM	14.36	67.36	8.64	13.28	2.45	BDL	BDL
	A-BLOCK WATCH TOWER	13.25	60.24	7.86	14.46	BDL	3.16	BDL
15-07-2022	TWAD PUMP HOUSE	15.24	62.48	8.14	16.78	BDL	2.78	BDL
	PVC WATCH TOWER	11.36	54.46	7.58	8.92	BDL	1.45	BDL

BDL = < 1 microgram/m³

Cont...2

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF JULY 2022								
DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NO _x	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	-	400 Max	-
16-07-2022	SALT WEIGH BRIDGE	13.28	60.72	7.94	19.25	BDL	2.86	BDL
	A-BLOCK WATCH TOWER	11.56	56.78	7.12	8.58	BDL	BDL	BDL
17-07-2022	TCEP CHILLED WATER COMPRESSOR ROOM	12.78	55.72	8.52	14.42	BDL	1.90	BDL
	PVC WATCH TOWER	12.16	54.46	7.08	7.96	BDL	BDL	BDL
18-07-2022	TWAD PUMP HOUSE	14.46	61.12	8.86	18.12	4.12	2.84	BDL
	QUARTERS C-3 BLOCK	8.56	44.68	6.86	7.18	BDL	BDL	BDL
19-07-2022	SALT WEIGH BRIDGE	15.74	60.55	7.18	16.72	BDL	3.16	BDL
	PVC WATCH TOWER	11.18	52.78	6.54	7.86	BDL	BDL	BDL
20-07-2022	TWAD PUMP HOUSE	16.26	62.35	7.62	8.54	BDL	3.22	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	12.52	51.16	5.74	9.12	BDL	1.56	BDL
21-07-2022	SALT WEIGH BRIDGE	15.20	63.35	7.92	12.56	1.82	2.56	BDL
	A-BLOCK WATCH TOWER	10.66	51.12	7.14	14.95	BDL	3.38	BDL
22-07-2022	TCEP CHILLED WATER COMPRESSOR ROOM	12.35	57.70	7.58	11.46	1.90	2.16	BDL
	QUARTERS C-3 BLOCK	8.54	46.68	7.02	7.58	BDL	BDL	BDL
23-07-2022	TWAD PUMP HOUSE	16.72	66.74	8.14	15.36	BDL	1.85	BDL
	PVC WATCH TOWER	11.56	55.32	6.84	7.48	BDL	BDL	BDL
24-07-2022	SALT WEIGH BRIDGE	17.65	72.26	6.91	14.46	BDL	3.58	BDL
	QUARTERS C-3 BLOCK	8.26	46.55	5.78	6.78	BDL	BDL	BDL
25-07-2022	TWAD PUMP HOUSE	16.56	68.78	7.48	14.65	BDL	2.58	BDL
	PVC WATCH TOWER	13.12	58.75	7.04	10.56	BDL	3.12	BDL
26-07-2022	TCEP CHILLED WATER COMPRESSOR ROOM	13.48	59.85	8.18	16.25	BDL	1.90	BDL
	QUARTERS C-3 BLOCK	8.56	44.68	6.84	7.64	BDL	BDL	BDL
27-07-2022	SALT WEIGH BRIDGE	16.34	67.78	6.91	17.14	2.08	3.16	BDL
	A-BLOCK WATCH TOWER	13.16	60.72	7.04	11.55	BDL	4.70	BDL
28-07-2022	TWAD PUMP HOUSE	15.14	60.85	7.48	12.56	BDL	BDL	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	11.76	52.70	7.14	10.71	BDL	2.74	BDL
29-07-2022	SALT WEIGH BRIDGE	18.12	75.20	7.65	11.55	BDL	1.80	BDL
	PVC WATCH TOWER	13.35	56.70	7.02	12.82	BDL	2.16	BDL
30-07-2022	TCEP CHILLED WATER COMPRESSOR ROOM	14.28	58.60	8.56	16.16	BDL	3.12	BDL
	A-BLOCK WATCH TOWER	13.12	56.28	8.94	18.20	BDL	4.28	BDL
31-07-2022	TWAD PUMP HOUSE	17.46	72.35	7.85	15.20	BDL	3.54	BDL
	QUARTERS C-3 BLOCK	8.52	46.64	6.85	7.16	BDL	BDL	BDL

BDL = < 1 microgram/m³

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF JUNE 2022

DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NO _x	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	–	400 Max	–
01-06-2022	TWAD PUMP HOUSE	16.55	69.12	8.34	13.20	BDL	4.35	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	12.18	54.46	7.97	14.16	2.55	3.16	BDL
02-06-2022	SALT WEIGH BRIDGE	17.16	73.35	8.48	22.35	BDL	3.48	BDL
	QUARTERS C-3 BLOCK	8.46	45.28	6.86	7.28	BDL	BDL	BDL
03-06-2022	TWAD PUMP HOUSE	18.24	75.56	7.48	17.16	BDL	4.24	BDL
	PVC WATCH TOWER	11.45	50.28	7.21	8.04	BDL	1.64	BDL
04-06-2022	A-BLOCK WATCH TOWER	13.65	59.75	9.56	11.68	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	8.08	44.68	7.15	8.58	BDL	BDL	BDL
05-06-2022	TCEP CHILLED WATER COMPRESSOR ROOM	13.28	54.42	7.68	18.35	3.02	3.58	BDL
	PVC WATCH TOWER	11.66	46.78	6.74	7.91	BDL	BDL	BDL
06-06-2022	SALT WEIGH BRIDGE	18.45	76.16	8.95	13.26	BDL	2.92	BDL
	A-BLOCK WATCH TOWER	14.16	60.78	7.26	9.56	BDL	BDL	BDL
07-06-2022	TCEP CHILLED WATER COMPRESSOR ROOM	13.36	58.76	8.14	17.28	3.52	4.16	BDL
	QUARTERS C-3 BLOCK	8.27	46.65	7.10	7.56	BDL	BDL	BDL
08-06-2022	TWAD PUMP HOUSE	19.26	79.25	9.58	20.92	BDL	6.36	BDL
	PVC WATCH TOWER	11.78	52.28	7.51	8.04	BDL	1.28	BDL
09-06-2022	TCEP CHILLED WATER COMPRESSOR ROOM	14.16	60.72	9.26	16.35	4.18	4.50	BDL
	A-BLOCK WATCH TOWER	13.35	52.78	7.45	7.88	BDL	BDL	BDL
10-06-2022	SALT WEIGH BRIDGE	20.78	80.16	10.56	22.95	BDL	7.54	BDL
	PVC WATCH TOWER	12.35	54.46	7.21	8.14	BDL	BDL	BDL
11-06-2022	TCEP CHILLED WATER COMPRESSOR ROOM	13.35	57.78	9.14	20.55	BDL	3.16	BDL
	A-BLOCK WATCH TOWER	12.78	53.36	7.98	8.66	BDL	BDL	BDL
12-06-2022	SALT WEIGH BRIDGE	15.21	67.72	8.46	21.16	BDL	4.02	BDL
	QUARTERS C-3 BLOCK	8.28	46.68	7.02	7.95	BDL	BDL	BDL
13-06-2022	A-BLOCK WATCH TOWER	13.16	58.76	8.27	10.54	BDL	1.85	BDL
	PVC WATCH TOWER	10.26	49.92	7.56	8.06	BDL	1.70	BDL
14-06-2022	SALT WEIGH BRIDGE	18.15	72.83	9.12	20.56	BDL	1.98	BDL
	TWAD PUMP HOUSE	15.34	61.12	8.84	17.84	BDL	2.54	BDL
15-06-2022	TCEP CHILLED WATER COMPRESSOR ROOM	14.12	64.42	8.62	14.45	3.55	4.78	BDL
	A-BLOCK WATCH TOWER	13.64	60.58	9.12	12.85	BDL	6.12	BDL

BDL = < 1 microgram/m³

Cont...2

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF JUNE 2022								
DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NOx	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	-	400 Max	-
16-06-2022	SALT WEIGH BRIDGE	16.66	70.35	9.08	17.78	BDL	4.85	BDL
	QUARTERS C-3 BLOCK	7.84	40.72	6.92	7.38	BDL	BDL	BDL
17-06-2022	TWAD PUMP HOUSE	16.72	74.45	7.86	14.68	BDL	2.94	BDL
	PVC WATCH TOWER	11.34	52.28	8.26	18.72	BDL	3.04	BDL
18-06-2022	TCEP CHILLED WATER COMPRESSOR ROOM	12.46	59.75	8.30	15.10	BDL	3.28	BDL
	QUARTERS C-3 BLOCK	8.16	44.51	6.96	7.84	BDL	BDL	BDL
19-06-2022	SALT WEIGH BRIDGE	16.56	69.72	8.86	19.21	BDL	4.08	BDL
	TWAD PUMP HOUSE	15.28	67.55	8.54	18.76	BDL	3.52	BDL
20-06-2022	A-BLOCK WATCH TOWER	13.35	58.75	8.82	10.28	BDL	BDL	BDL
	PVC WATCH TOWER	12.24	54.46	7.12	8.91	BDL	BDL	BDL
21-06-2022	TWAD PUMP HOUSE	18.35	75.68	9.08	23.36	3.12	6.81	BDL
	QUARTERS C-3 BLOCK	8.10	40.78	6.54	7.12	BDL	BDL	BDL
22-06-2022	SALT WEIGH BRIDGE	19.25	79.12	9.12	24.45	BDL	4.26	BDL
	PVC WATCH TOWER	11.46	54.48	7.56	8.95	BDL	1.42	BDL
23-06-2022	TWAD PUMP HOUSE	20.12	73.36	8.12	14.56	BDL	5.28	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	14.28	60.72	7.87	15.20	2.68	1.85	BDL
24-06-2022	SALT WEIGH BRIDGE	21.16	75.58	8.85	28.72	2.54	7.16	BDL
	QUARTERS C-3 BLOCK	8.54	43.35	6.52	7.15	BDL	BDL	BDL
25-06-2022	TCEP CHILLED WATER COMPRESSOR ROOM	12.28	56.46	8.28	18.72	BDL	2.16	BDL
	A-BLOCK WATCH TOWER	13.16	59.72	7.68	9.14	BDL	BDL	BDL
26-06-2022	SALT WEIGH BRIDGE	19.25	73.36	8.14	19.56	BDL	4.08	BDL
	PVC WATCH TOWER	12.34	54.45	7.20	9.15	BDL	BDL	BDL
27-06-2022	TCEP CHILLED WATER COMPRESSOR ROOM	18.35	64.42	8.33	15.28	BDL	3.34	BDL
	A-BLOCK WATCH TOWER	13.28	57.74	7.08	8.36	BDL	BDL	BDL
28-06-2022	TWAD PUMP HOUSE	20.55	78.82	9.16	16.35	1.80	4.68	BDL
	PVC WATCH TOWER	12.68	52.78	7.61	8.39	BDL	BDL	BDL
29-06-2022	SALT WEIGH BRIDGE	19.54	75.32	8.48	20.55	BDL	3.38	BDL
	A-BLOCK WATCH TOWER	13.32	59.75	7.96	9.54	BDL	1.81	BDL
30-06-2022	TWAD PUMP HOUSE	17.46	71.46	8.36	18.02	BDL	6.16	BDL
	QUARTERS C-3 BLOCK	8.48	46.71	6.90	7.58	BDL	BDL	BDL

BDL = < 1 microgram/m³



AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF MAY 2022

DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NO _x	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	-	400 Max	-
01-05-2022	SALT WEIGH BRIDGE	15.28	66.78	7.91	20.72	BDL	3.28	BDL
	QUARTERS C-3 BLOCK	8.10	40.11	6.04	7.56	BDL	BDL	BDL
02-05-2022	TWAD PUMP HOUSE	16.16	73.38	9.12	24.46	2.05	4.16	BDL
	A-BLOCK WATCH TOWER	12.32	58.92	8.58	19.72	BDL	3.86	BDL
03-05-2022	TCEP CHILLED WATER COMPRESSOR ROOM	12.36	52.48	8.12	18.26	BDL	2.42	BDL
	PVC WATCH TOWER	10.85	49.85	7.58	11.55	BDL	BDL	BDL
04-05-2022	SALT WEIGH BRIDGE	17.20	74.46	8.58	21.84	BDL	3.12	BDL
	A-BLOCK WATCH TOWER	12.45	61.12	8.16	20.56	BDL	2.88	BDL
05-05-2022	TCEP CHILLED WATER COMPRESSOR ROOM	13.12	62.35	8.51	14.56	2.12	4.04	BDL
	PVC WATCH TOWER	12.16	59.16	7.48	16.18	BDL	3.52	BDL
06-05-2022	TWAD PUMP HOUSE	16.68	68.95	8.28	21.14	BDL	2.54	BDL
	QUARTERS C-3 BLOCK	8.56	43.50	7.10	7.66	BDL	BDL	BDL
07-05-2022	TCEP CHILLED WATER COMPRESSOR ROOM	13.12	60.12	8.16	14.52	BDL	1.98	BDL
	A-BLOCK WATCH TOWER	13.86	59.65	8.35	19.21	BDL	3.86	BDL
08-05-2022	SALT WEIGH BRIDGE	17.56	74.42	7.62	20.54	BDL	2.56	BDL
	TWAD PUMP HOUSE	16.68	71.16	7.58	13.12	BDL	3.60	BDL
09-05-2022	TCEP CHILLED WATER COMPRESSOR ROOM	12.54	58.72	8.08	15.35	2.56	2.80	BDL
	QUARTERS C-3 BLOCK	8.26	43.66	6.52	7.12	BDL	BDL	BDL
10-05-2022	A-BLOCK WATCH TOWER	12.08	61.16	7.56	9.80	BDL	BDL	BDL
	PVC WATCH TOWER	11.95	54.45	7.42	8.16	BDL	BDL	BDL
11-05-2022	TWAD PUMP HOUSE	18.24	76.35	7.91	20.68	1.90	4.28	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	10.35	54.40	7.44	8.86	BDL	BDL	BDL
12-05-2022	SALT WEIGH BRIDGE	18.36	70.35	8.28	18.35	BDL	2.38	BDL
	PVC WATCH TOWER	12.46	54.42	7.34	11.16	BDL	BDL	BDL
13-05-2022	TCEP CHILLED WATER COMPRESSOR ROOM	12.77	56.35	7.92	13.35	1.85	2.16	BDL
	A-BLOCK WATCH TOWER	13.34	58.12	8.02	9.84	BDL	1.78	BDL
14-05-2022	TWAD PUMP HOUSE	18.28	77.16	8.29	17.56	BDL	2.70	BDL
	QUARTERS C-3 BLOCK	8.14	44.35	7.04	8.34	BDL	BDL	BDL
15-05-2022	TCEP CHILLED WATER COMPRESSOR ROOM	11.68	50.78	8.16	18.72	2.92	1.86	BDL
	PVC WATCH TOWER	10.72	49.85	7.28	9.16	BDL	BDL	BDL

BDL = < 1 microgram/m³

Cont...2

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF MAY 2022								
DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NOx	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	-	400 Max	-
16-05-2022	TWAD PUMP HOUSE	17.26	68.72	7.42	22.34	BDL	5.24	BDL
	A-BLOCK WATCH TOWER	12.35	54.46	7.02	8.48	BDL	2.12	BDL
17-05-2022	SALT WEIGH BRIDGE	19.26	74.48	8.55	24.46	BDL	6.76	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	12.35	54.46	7.51	8.04	BDL	1.90	BDL
18-05-2022	TWAD PUMP HOUSE	18.54	70.60	8.42	18.72	BDL	2.58	BDL
	QUARTERS C-3 BLOCK	8.46	43.35	6.70	7.94	BDL	BDL	BDL
19-05-2022	TCEP CHILLED WATER COMPRESSOR ROOM	12.55	53.30	6.95	16.70	BDL	2.78	BDL
	PVC WATCH TOWER	9.86	48.51	6.14	7.85	BDL	BDL	BDL
20-05-2022	SALT WEIGH BRIDGE	18.42	74.08	7.66	12.74	BDL	5.95	BDL
	TWAD PUMP HOUSE	17.64	70.64	7.92	19.52	1.92	4.08	BDL
21-05-2022	A-BLOCK WATCH TOWER	13.74	57.62	8.26	11.60	BDL	1.42	BDL
	QUARTERS C-3 BLOCK	8.25	46.75	7.08	7.86	BDL	BDL	BDL
22-05-2022	TWAD PUMP HOUSE	16.65	67.64	8.29	21.55	BDL	3.38	BDL
	PVC WATCH TOWER	12.72	56.35	7.31	8.54	BDL	BDL	BDL
23-05-2022	SALT WEIGH BRIDGE	17.12	68.72	8.04	20.72	BDL	3.45	BDL
	QUARTERS C-3 BLOCK	7.86	40.35	6.56	7.96	BDL	BDL	BDL
24-05-2022	TCEP CHILLED WATER COMPRESSOR ROOM	12.68	55.16	7.48	16.85	3.58	4.88	BDL
	PVC WATCH TOWER	11.72	51.38	7.26	8.12	BDL	BDL	BDL
25-05-2022	TWAD PUMP HOUSE	18.35	75.30	7.72	18.34	BDL	2.80	BDL
	A-BLOCK WATCH TOWER	13.26	61.16	7.29	9.56	BDL	1.74	BDL
26-05-2022	TCEP CHILLED WATER COMPRESSOR ROOM	14.48	62.74	8.30	15.26	BDL	2.56	BDL
	QUARTERS C-3 BLOCK	8.25	45.56	6.97	8.14	BDL	BDL	BDL
27-05-2022	SALT WEIGH BRIDGE	17.68	73.24	8.41	20.65	BDL	3.94	BDL
	PVC WATCH TOWER	12.46	59.32	7.14	9.86	BDL	BDL	BDL
28-05-2022	TWAD PUMP HOUSE	18.15	71.12	8.28	19.24	2.45	3.10	BDL
	QUARTERS C-3 BLOCK	8.29	41.36	7.20	7.98	BDL	BDL	BDL
29-05-2022	TCEP CHILLED WATER COMPRESSOR ROOM	12.21	50.75	7.56	15.26	BDL	1.94	BDL
	A-BLOCK WATCH TOWER	13.10	59.95	8.08	10.78	BDL	2.10	BDL
30-05-2022	SALT WEIGH BRIDGE	19.75	75.78	8.29	20.14	BDL	3.54	BDL
	QUARTERS C-3 BLOCK	8.34	44.14	7.44	8.16	BDL	BDL	BDL
31-05-2022	TWAD PUMP HOUSE	18.78	68.72	7.86	17.55	BDL	4.08	BDL
	PVC WATCH TOWER	11.46	55.24	7.34	8.94	BDL	1.85	BDL

BDL = < 1 microgram/m³

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF APRIL 2022

DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NO _x	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	-	400 Max	-
01-04-2022	TCEP CHILLED WATER COMPRESSOR ROOM	13.11	60.36	7.18	18.26	2.16	3.36	BDL
	A-BLOCK WATCH TOWER	12.95	55.78	7.24	11.65	BDL	BDL	BDL
02-04-2022	TWAD PUMP HOUSE	16.56	76.65	8.12	22.36	BDL	4.12	BDL
	PVC WATCH TOWER	11.30	50.75	7.65	8.12	BDL	1.90	BDL
03-04-2022	SALT WEIGH BRIDGE	17.12	77.68	7.87	26.65	BDL	2.96	BDL
	QUARTERS C-3 BLOCK	8.36	43.35	6.78	7.14	BDL	BDL	BDL
04-04-2022	TWAD PUMP HOUSE	16.35	68.72	6.85	7.12	BDL	3.02	BDL
	A-BLOCK WATCH TOWER	13.11	59.35	7.44	9.35	BDL	1.48	BDL
05-04-2022	TCEP CHILLED WATER COMPRESSOR ROOM	12.66	60.12	7.52	18.70	BDL	1.56	BDL
	PVC WATCH TOWER	13.22	64.46	7.26	12.35	BDL	2.02	BDL
06-04-2022	SALT WEIGH BRIDGE	21.65	65.55	14.25	16.44	BDL	4.16	BDL
	A-BLOCK WATCH TOWER	12.12	51.63	8.08	19.78	BDL	5.86	BDL
07-04-2022	TCEP CHILLED WATER COMPRESSOR ROOM	12.85	58.75	8.25	20.72	2.72	6.14	BDL
	PVC WATCH TOWER	11.72	52.16	7.52	8.02	BDL	BDL	BDL
08-04-2022	TWAD PUMP HOUSE	14.14	62.12	7.68	12.36	BDL	3.12	BDL
	QUARTERS C-3 BLOCK	8.75	44.36	6.86	7.62	BDL	BDL	BDL
09-04-2022	TCEP CHILLED WATER COMPRESSOR ROOM	10.36	51.16	7.11	16.36	1.56	2.85	BDL
	A-BLOCK WATCH TOWER	11.46	58.70	7.82	9.28	BDL	BDL	BDL
10-04-2022	SALT WEIGH BRIDGE	13.14	56.65	7.14	13.36	BDL	3.14	BDL
	TWAD PUMP HOUSE	12.36	50.36	7.28	11.38	BDL	2.76	BDL
11-04-2022	TCEP CHILLED WATER COMPRESSOR ROOM	9.02	48.74	8.11	10.52	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	7.12	38.11	7.54	7.69	BDL	BDL	BDL
12-04-2022	A-BLOCK WATCH TOWER	9.28	49.84	7.36	21.35	BDL	2.32	BDL
	PVC WATCH TOWER	9.72	52.75	8.02	19.26	BDL	BDL	BDL
13-04-2022	TWAD PUMP HOUSE	10.25	50.76	8.28	11.56	BDL	2.16	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	10.46	53.45	7.62	10.84	BDL	BDL	BDL
14-04-2022	SALT WEIGH BRIDGE	13.25	57.63	8.48	17.78	BDL	4.08	BDL
	PVC WATCH TOWER	9.86	51.12	8.04	8.91	BDL	1.82	BDL
15-04-2022	TCEP CHILLED WATER COMPRESSOR ROOM	10.54	50.35	7.80	15.20	BDL	2.78	BDL
	A-BLOCK WATCH TOWER	10.20	48.74	7.98	14.12	BDL	3.86	BDL

BDL = < 1 microgram/m³

Cont...2

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF APRIL 2022								
DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NO _x	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	-	400 Max	-
16-04-2022	SALT WEIGH BRIDGE	14.45	66.78	8.46	20.35	BDL	3.54	BDL
	QUARTERS C-3 BLOCK	8.11	42.35	6.80	7.08	BDL	BDL	BDL
17-04-2022	TCEP CHILLED WATER COMPRESSOR ROOM	10.52	50.78	9.12	9.37	2.48	BDL	BDL
	PVC WATCH TOWER	11.66	51.12	8.59	10.28	BDL	BDL	BDL
18-04-2022	TWAD PUMP HOUSE	14.32	64.46	10.65	20.34	BDL	5.76	BDL
	A-BLOCK WATCH TOWER	11.38	60.76	8.91	11.46	BDL	2.12	BDL
19-04-2022	SALT WEIGH BRIDGE	18.32	72.68	12.34	21.45	BDL	4.74	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	12.35	60.31	9.85	18.25	3.16	2.72	BDL
20-04-2022	TWAD PUMP HOUSE	15.30	69.72	8.36	16.75	BDL	2.04	BDL
	QUARTERS C-3 BLOCK	8.35	42.16	7.02	7.65	BDL	BDL	BDL
21-04-2022	TCEP CHILLED WATER COMPRESSOR ROOM	12.35	59.42	11.65	17.52	BDL	3.16	BDL
	PVC WATCH TOWER	11.68	56.36	10.72	14.42	BDL	1.48	BDL
22-04-2022	SALT WEIGH BRIDGE	13.36	59.75	12.32	20.71	1.34	2.56	BDL
	QUARTERS C-3 BLOCK	8.48	47.78	8.52	9.16	BDL	BDL	BDL
23-04-2022	TCEP CHILLED WATER COMPRESSOR ROOM	13.12	59.72	9.04	19.21	2.56	3.18	BDL
	A-BLOCK WATCH TOWER	12.96	55.64	7.81	11.66	BDL	1.80	BDL
24-04-2022	TWAD PUMP HOUSE	16.35	76.12	8.51	18.32	BDL	3.50	BDL
	PVC WATCH TOWER	14.28	61.35	8.12	10.60	BDL	1.48	BDL
25-04-2022	TCEP CHILLED WATER COMPRESSOR ROOM	13.08	60.78	8.65	20.32	1.85	2.56	BDL
	A-BLOCK WATCH TOWER	11.35	54.45	8.78	13.12	BDL	BDL	BDL
26-04-2022	SALT WEIGH BRIDGE	18.32	74.48	8.95	21.46	BDL	4.62	BDL
	QUARTERS C-3 BLOCK	7.86	40.32	7.68	8.04	BDL	BDL	BDL
27-04-2022	TWAD PUMP HOUSE	16.25	72.56	8.35	18.28	BDL	3.58	BDL
	A-BLOCK WATCH TOWER	12.71	60.35	7.81	11.35	BDL	1.36	BDL
28-04-2022	TCEP CHILLED WATER COMPRESSOR ROOM	13.10	57.74	8.41	9.86	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	7.86	39.70	6.83	7.48	BDL	BDL	BDL
29-04-2022	SALT WEIGH BRIDGE	15.35	73.12	8.63	21.52	BDL	2.08	BDL
	PVC WATCH TOWER	12.38	62.28	7.57	8.84	BDL	BDL	BDL
30-04-2022	TWAD PUMP HOUSE	17.31	75.56	8.54	18.35	BDL	2.96	BDL
	QUARTERS C-3 BLOCK	8.08	43.14	6.81	7.48	BDL	BDL	BDL

BDL = < 1 microgram/m³

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF MARCH 2022								
DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NO _x	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	–	400 Max	–
01-03-2022	TWAD PUMP HOUSE	15.28	60.74	8.18	15.20	BDL	BDL	BDL
	PVC WATCH TOWER	11.51	49.85	7.24	24.46	BDL	2.95	BDL
02-03-2022	SALT WEIGH BRIDGE	16.25	64.45	7.56	11.68	BDL	3.16	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	10.56	50.16	7.68	10.36	BDL	BDL	BDL
03-03-2022	TWAD PUMP HOUSE	16.66	69.85	8.11	14.56	BDL	1.85	BDL
	QUARTERS C-3 BLOCK	8.15	42.34	6.48	7.16	BDL	BDL	BDL
04-03-2022	SALT WEIGH BRIDGE	15.54	63.38	7.16	16.68	BDL	2.16	BDL
	PVC WATCH TOWER	13.12	60.72	7.95	29.85	BDL	4.12	BDL
05-03-2022	TCEP CHILLED WATER COMPRESSOR ROOM	10.54	48.15	7.80	11.63	2.12	3.15	BDL
	A-BLOCK WATCH TOWER	10.62	47.74	7.36	10.35	BDL	BDL	BDL
06-03-2022	SALT WEIGH BRIDGE	17.35	74.28	7.45	12.65	BDL	2.54	BDL
	TWAD PUMP HOUSE	16.16	70.36	8.32	10.30	BDL	BDL	BDL
07-03-2022	QUARTERS C-3 BLOCK	7.54	38.78	6.42	6.58	BDL	BDL	BDL
	PVC WATCH TOWER	10.28	50.16	7.51	21.12	BDL	4.68	BDL
08-03-2022	TCEP CHILLED WATER COMPRESSOR ROOM	9.12	49.92	8.19	15.85	BDL	2.68	BDL
	A-BLOCK WATCH TOWER	9.54	45.56	7.54	16.72	BDL	3.12	BDL
09-03-2022	TWAD PUMP HOUSE	15.39	68.72	7.68	11.64	BDL	2.74	BDL
	QUARTERS C-3 BLOCK	8.08	41.15	7.02	8.15	BDL	BDL	BDL
10-03-2022	SALT WEIGH BRIDGE	16.64	76.38	6.94	13.34	BDL	4.78	BDL
	PVC WATCH TOWER	12.32	44.35	7.48	28.72	BDL	4.12	BDL
11-03-2022	TCEP CHILLED WATER COMPRESSOR ROOM	12.68	54.45	7.51	12.35	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	7.49	38.36	7.06	7.58	BDL	BDL	BDL
12-03-2022	TWAD PUMP HOUSE	14.55	59.32	8.12	11.35	BDL	3.12	BDL
	A-BLOCK WATCH TOWER	11.60	54.45	7.67	16.68	BDL	4.16	BDL
13-03-2022	TCEP CHILLED WATER COMPRESSOR ROOM	10.55	49.95	7.36	8.12	BDL	BDL	BDL
	PVC WATCH TOWER	12.28	57.31	8.50	29.65	BDL	5.32	BDL
14-03-2022	SALT WEIGH BRIDGE	16.33	71.12	8.67	20.26	BDL	4.48	BDL
	A-BLOCK WATCH TOWER	13.16	59.96	8.72	10.35	BDL	1.55	BDL
15-03-2022	QUARTERS C-3 BLOCK	8.04	39.92	7.58	8.12	BDL	BDL	BDL
	PVC WATCH TOWER	13.16	69.78	7.63	20.58	BDL	3.42	BDL

BDL = < 1 microgram/m³

Cont...2

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF MARCH 2022								
DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NO _x	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	-	400 Max	-
16-03-2022	SALT WEIGH BRIDGE	17.12	74.56	8.11	18.18	1.84	2.54	BDL
	TWAD PUMP HOUSE	16.65	72.34	8.05	17.35	1.96	3.15	BDL
17-03-2022	TCEP CHILLED WATER COMPRESSOR ROOM	11.46	50.68	7.67	16.35	2.48	2.94	BDL
	A-BLOCK WATCH TOWER	12.35	52.74	7.84	15.54	BDL	3.58	BDL
18-03-2022	QUARTERS C-3 BLOCK	7.96	38.71	6.82	7.91	BDL	BDL	BDL
	PVC WATCH TOWER	10.30	53.38	7.76	14.48	BDL	2.08	BDL
19-03-2022	SALT WEIGH BRIDGE	14.36	61.12	9.11	16.28	BDL	3.45	BDL
	A-BLOCK WATCH TOWER	12.60	58.74	8.36	18.12	BDL	2.16	BDL
20-03-2022	SALT WEIGH BRIDGE	17.11	68.64	8.24	17.24	BDL	2.50	BDL
	PVC WATCH TOWER	10.58	48.75	7.56	8.14	BDL	BDL	BDL
21-03-2022	TCEP CHILLED WATER COMPRESSOR ROOM	9.68	54.46	7.91	14.56	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	8.56	40.65	7.52	7.69	BDL	BDL	BDL
22-03-2022	TWAD PUMP HOUSE	16.35	71.12	8.11	14.56	BDL	3.54	BDL
	PVC WATCH TOWER	13.12	58.74	8.02	13.16	BDL	BDL	BDL
23-03-2022	A-BLOCK WATCH TOWER	11.16	57.68	7.86	12.58	BDL	2.95	BDL
	QUARTERS C-3 BLOCK	8.18	41.36	7.11	7.69	BDL	BDL	BDL
24-03-2022	SALT WEIGH BRIDGE	17.65	73.68	7.91	32.65	1.72	5.38	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	12.46	52.65	7.10	10.68	BDL	BDL	BDL
25-03-2022	TWAD PUMP HOUSE	16.65	69.98	8.36	26.65	BDL	4.38	BDL
	A-BLOCK WATCH TOWER	13.35	58.74	8.48	28.72	BDL	6.12	BDL
26-03-2022	TCEP CHILLED WATER COMPRESSOR ROOM	13.46	60.62	8.37	20.48	2.74	3.56	BDL
	PVC WATCH TOWER	11.55	56.54	7.22	7.69	BDL	1.48	BDL
27-03-2022	SALT WEIGH BRIDGE	15.54	70.36	7.85	21.35	BDL	4.02	BDL
	QUARTERS C-3 BLOCK	7.94	38.65	6.80	7.61	BDL	BDL	BDL
28-03-2022	TWAD PUMP HOUSE	16.45	67.52	9.48	22.46	BDL	2.52	BDL
	A-BLOCK WATCH TOWER	13.56	58.78	8.51	9.04	BDL	2.04	BDL
29-03-2022	TCEP CHILLED WATER COMPRESSOR ROOM	12.65	60.12	8.64	19.78	3.52	3.95	BDL
	QUARTERS C-3 BLOCK	8.24	41.55	7.08	7.56	BDL	BDL	BDL
30-03-2022	TWAD PUMP HOUSE	14.48	60.52	8.20	20.92	BDL	3.48	BDL
	PVC WATCH TOWER	10.56	55.75	7.61	8.08	BDL	1.44	BDL
31-03-2022	A-BLOCK WATCH TOWER	12.65	61.34	8.28	15.25	BDL	1.56	BDL
	QUARTERS C-3 BLOCK	8.16	42.35	7.26	7.90	BDL	BDL	BDL

BDL = < 1 microgram/m³

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF FEBRUARY- 2022

DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NO _x	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	–	400 Max	–
01-02-2022	SALT WEIGH BRIDGE	16.28	70.25	7.51	11.35	BDL	BDL	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	12.31	57.78	7.14	10.68	BDL	BDL	BDL
02-02-2022	A-BLOCK WATCH TOWER	15.26	67.72	7.08	16.75	BDL	3.56	BDL
	PVC WATCH TOWER	11.36	52.28	8.10	14.46	BDL	1.94	BDL
03-02-2022	SALT WEIGH BRIDGE	17.42	74.46	7.19	15.35	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	9.30	44.30	6.86	7.12	BDL	BDL	BDL
04-02-2022	A-BLOCK WATCH TOWER	13.16	63.35	8.12	19.26	BDL	3.48	BDL
	PVC WATCH TOWER	11.68	55.78	8.02	20.78	BDL	3.16	BDL
05-02-2022	TCEP CHILLED WATER COMPRESSOR ROOM	10.37	52.16	8.12	15.39	BDL	1.85	BDL
	QUARTERS C-3 BLOCK	9.46	43.38	6.82	8.12	BDL	BDL	BDL
06-02-2022	SALT WEIGH BRIDGE	15.28	68.72	7.12	9.85	BDL	1.86	BDL
	A-BLOCK WATCH TOWER	11.46	54.45	6.70	9.76	BDL	1.90	BDL
07-02-2022	TWAD PUMP HOUSE	12.35	58.70	7.08	9.12	BDL	BDL	BDL
	PVC WATCH TOWER	10.78	55.66	8.35	29.92	BDL	3.50	BDL
08-02-2022	SALT WEIGH BRIDGE	14.54	65.54	6.58	8.52	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	7.68	39.75	6.02	7.16	BDL	BDL	BDL
09-02-2022	TWAD PUMP HOUSE	16.70	73.35	7.56	9.36	BDL	BDL	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	8.12	42.28	6.51	7.02	BDL	BDL	BDL
10-02-2022	SALT WEIGH BRIDGE	15.68	67.87	7.67	14.78	2.51	2.06	BDL
	PVC WATCH TOWER	12.35	58.71	7.54	27.62	BDL	3.28	BDL
11-02-2022	A-BLOCK WATCH TOWER	13.75	59.75	8.12	11.55	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	7.11	40.78	6.91	7.58	BDL	BDL	BDL
12-02-2022	SALT WEIGH BRIDGE	11.54	57.62	7.15	13.28	BDL	BDL	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	9.78	41.16	6.86	12.36	BDL	BDL	BDL
13-02-2022	TWAD PUMP HOUSE	12.78	59.75	8.36	10.78	BDL	BDL	BDL
	A-BLOCK WATCH TOWER	9.95	50.34	8.41	13.12	BDL	2.56	BDL
14-02-2022	TCEP CHILLED WATER COMPRESSOR ROOM	10.56	51.12	7.69	11.75	2.65	3.58	BDL
	PVC WATCH TOWER	11.62	54.78	7.84	26.08	BDL	4.12	BDL
15-02-2022	SALT WEIGH BRIDGE	16.78	73.45	7.91	15.35	BDL	3.60	BDL
	QUARTERS C-3 BLOCK	7.28	40.88	6.83	8.16	BDL	BDL	BDL

BDL = < 1 microgram/m³

Cont...2

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF FEBRUARY 2022								
DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NO _x	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	–	400 Max	–
16-02-2022	TWAD PUMP HOUSE	16.50	64.35	7.87	13.22	BDL	BDL	BDL
	A-BLOCK WATCH TOWER	11.44	50.27	8.16	20.56	BDL	2.16	BDL
17-02-2022	TCEP CHILLED WATER COMPRESSOR ROOM	10.66	51.64	7.59	8.12	BDL	BDL	BDL
	PVC WATCH TOWER	12.72	58.75	8.22	30.62	BDL	3.45	BDL
18-02-2022	SALT WEIGH BRIDGE	14.65	70.36	7.48	16.35	BDL	4.12	BDL
	TWAD PUMP HOUSE	13.72	61.12	7.39	9.48	BDL	2.02	BDL
19-02-2022	TCEP CHILLED WATER COMPRESSOR ROOM	10.65	44.62	8.12	8.48	BDL	BDL	BDL
	A-BLOCK WATCH TOWER	12.78	59.60	8.36	15.38	BDL	3.40	BDL
20-02-2022	TWAD PUMP HOUSE	15.63	69.54	8.02	13.25	BDL	1.84	BDL
	QUARTERS C-3 BLOCK	8.10	42.75	7.16	8.24	BDL	BDL	BDL
21-02-2022	TCEP CHILLED WATER COMPRESSOR ROOM	9.56	47.78	8.56	14.10	1.85	2.26	BDL
	PVC WATCH TOWER	11.30	54.45	7.80	23.26	BDL	3.16	BDL
22-02-2022	TWAD PUMP HOUSE	16.36	70.65	7.91	16.28	BDL	BDL	BDL
	A-BLOCK WATCH TOWER	11.64	41.16	8.04	10.31	BDL	3.26	BDL
23-02-2022	SALT WEIGH BRIDGE	17.28	76.68	8.12	15.20	BDL	2.54	BDL
	QUARTERS C-3 BLOCK	8.16	41.12	6.14	7.08	BDL	BDL	BDL
24-02-2022	TWAD PUMP HOUSE	15.30	70.72	7.16	14.55	BDL	3.12	BDL
	PVC WATCH TOWER	12.68	57.64	7.59	31.16	BDL	4.65	BDL
25-02-2022	SALT WEIGH BRIDGE	16.65	71.14	7.67	13.34	BDL	1.85	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	11.36	52.35	7.28	11.56	2.06	2.32	BDL
26-02-2022	TWAD PUMP HOUSE	16.12	69.31	8.11	12.68	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	8.14	43.16	6.48	7.16	BDL	BDL	BDL
27-02-2022	A-BLOCK WATCH TOWER	12.63	59.16	8.11	9.34	BDL	2.51	BDL
	PVC WATCH TOWER	11.54	47.70	8.36	27.78	BDL	4.06	BDL
28-02-2022	TWAD PUMP HOUSE	16.10	68.71	7.85	13.26	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	8.52	40.52	6.36	7.04	BDL	BDL	BDL

BDL = < 1 microgram/m³

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF JANUARY - 2022

DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NO _x	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	-	400 Max	-
01-01-2022	A-BLOCK WATCH TOWER	10.56	52.36	8.74	16.70	BDL	3.12	BDL
	PVC WATCH TOWER	11.08	58.74	8.21	18.34	BDL	2.54	BDL
02-01-2022	TWAD PUMP HOUSE	13.36	61.12	7.68	8.12	BDL	BDL	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	10.08	50.75	7.75	8.80	BDL	BDL	BDL
03-01-2022	A-BLOCK WATCH TOWER	11.54	54.48	8.12	14.25	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	8.26	41.12	6.48	7.18	BDL	BDL	BDL
04-01-2022	SALT WEIGH BRIDGE	17.28	74.42	7.12	16.72	BDL	3.16	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	11.32	51.12	8.10	15.35	2.16	4.04	BDL
05-01-2022	TWAD PUMP HOUSE	18.12	77.36	8.35	14.28	BDL	3.35	BDL
	PVC WATCH TOWER	12.02	58.27	7.51	24.48	BDL	4.52	BDL
06-01-2022	SALT WEIGH BRIDGE	15.30	62.35	7.25	12.30	BDL	4.12	BDL
	A-BLOCK WATCH TOWER	10.35	50.16	6.86	10.36	BDL	BDL	BDL
07-01-2022	TWAD PUMP HOUSE	14.61	63.24	6.91	17.12	BDL	2.94	BDL
	QUARTERS C-3 BLOCK	8.16	42.45	6.18	8.95	BDL	BDL	BDL
08-01-2022	A-BLOCK WATCH TOWER	11.68	52.46	7.12	13.26	BDL	3.16	BDL
	PVC WATCH TOWER	12.02	56.72	7.28	22.51	BDL	3.02	BDL
09-01-2022	TWAD PUMP HOUSE	16.28	68.75	8.08	11.78	BDL	4.12	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	11.56	53.20	7.65	10.36	BDL	BDL	BDL
10-01-2022	QUARTERS C-3 BLOCK	7.52	38.56	6.48	7.10	BDL	BDL	BDL
	PVC WATCH TOWER	10.86	50.74	7.87	18.26	BDL	2.12	BDL
11-01-2022	TWAD PUMP HOUSE	14.35	66.72	7.91	9.54	BDL	BDL	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	8.26	50.12	7.48	8.51	BDL	BDL	BDL
12-01-2022	A-BLOCK WATCH TOWER	11.66	57.75	8.12	20.78	BDL	3.12	BDL
	PVC WATCH TOWER	11.30	56.35	7.50	24.46	BDL	4.12	BDL
13-01-2022	TCEP CHILLED WATER COMPRESSOR ROOM	8.12	48.74	7.68	9.12	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	7.58	41.12	7.08	8.42	BDL	BDL	BDL
14-01-2022	SALT WEIGH BRIDGE	14.65	60.75	8.18	12.65	BDL	BDL	BDL
	A-BLOCK WATCH TOWER	13.16	58.56	9.16	17.62	BDL	3.42	BDL
15-01-2022	TWAD PUMP HOUSE	15.35	67.72	8.21	10.68	BDL	2.98	BDL
	PVC WATCH TOWER	12.68	56.34	8.45	26.65	BDL	3.14	BDL

BDL = < 1 microgram/m³

Cont...2

AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF JANUARY 2022								
DATE	STATION (At the top of)	PM _{2.5}	PM ₁₀	NO _x	SO ₂	Cl ₂	NH ₃	VCM
		Microgram/m ³						
	NAAQ Standard	60 Max	100 Max	80 Max	80 Max	-	400 Max	-
16-01-2022	SALT WEIGH BRIDGE	13.12	58.16	8.51	10.68	BDL	4.16	BDL
	QUARTERS C-3 BLOCK	7.56	39.28	6.93	7.68	BDL	BDL	BDL
17-01-2022	TWAD PUMP HOUSE	13.64	60.75	7.12	11.65	BDL	3.56	BDL
	PVC WATCH TOWER	11.72	52.36	7.51	29.70	BDL	2.90	BDL
18-01-2022	SALT WEIGH BRIDGE	15.61	64.46	8.12	12.35	BDL	1.86	BDL
	A-BLOCK WATCH TOWER	12.36	57.32	8.56	18.72	BDL	3.84	BDL
19-01-2022	TWAD PUMP HOUSE	13.92	61.35	7.48	10.56	BDL	BDL	BDL
	QUARTERS C-3 BLOCK	8.04	42.28	6.74	8.10	BDL	BDL	BDL
20-01-2022	TCEP CHILLED WATER COMPRESSOR ROOM	10.68	48.11	8.83	13.28	2.12	2.50	BDL
	A-BLOCK WATCH TOWER	12.75	54.45	9.16	20.36	BDL	3.48	BDL
21-01-2022	SALT WEIGH BRIDGE	16.55	70.16	8.57	11.58	BDL	4.12	BDL
	QUARTERS C-3 BLOCK	7.56	40.08	7.28	7.91	BDL	BDL	BDL
22-01-2022	TWAD PUMP HOUSE	18.95	74.46	9.36	21.32	1.86	3.16	BDL
	PVC WATCH TOWER	10.56	52.28	7.30	9.12	BDL	1.90	BDL
23-01-2022	SALT WEIGH BRIDGE	17.35	75.52	8.12	12.28	BDL	2.45	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	6.92	48.75	6.86	16.72	BDL	BDL	BDL
24-01-2022	A-BLOCK WATCH TOWER	10.68	58.75	7.18	28.12	BDL	6.48	BDL
	PVC WATCH TOWER	9.72	51.36	6.46	14.25	BDL	2.30	BDL
25-01-2022	TWAD PUMP HOUSE	16.56	70.12	7.67	24.46	2.52	4.56	BDL
	QUARTERS C-3 BLOCK	6.80	37.76	7.10	7.86	BDL	BDL	BDL
26-01-2022	SALT WEIGH BRIDGE	16.36	66.78	7.19	22.36	BDL	3.16	BDL
	TCEP CHILLED WATER COMPRESSOR ROOM	11.28	52.36	7.28	11.30	BDL	BDL	BDL
27-01-2022	TWAD PUMP HOUSE	14.64	67.35	7.67	10.78	BDL	BDL	BDL
	A-BLOCK WATCH TOWER	14.39	60.78	7.81	26.70	BDL	4.94	BDL
28-01-2022	SALT WEIGH BRIDGE	16.65	73.30	8.05	20.35	BDL	5.52	BDL
	PVC WATCH TOWER	12.44	62.35	8.12	22.68	BDL	3.85	BDL
29-01-2022	TCEP CHILLED WATER COMPRESSOR ROOM	11.68	52.38	7.95	16.64	2.64	2.08	BDL
	QUARTERS C-3 BLOCK	8.18	42.24	6.80	7.76	BDL	BDL	BDL
30-01-2022	SALT WEIGH BRIDGE	15.34	64.46	7.98	18.75	BDL	3.16	BDL
	A-BLOCK WATCH TOWER	12.66	57.78	8.11	15.28	BDL	4.04	BDL
31-01-2022	QUARTERS C-3 BLOCK	7.44	38.70	6.52	8.14	BDL	BDL	BDL
	PVC WATCH TOWER	10.78	50.66	7.42	21.15	BDL	1.84	BDL

BDL = < 1 microgram/m³