

| AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF MAY 2026 |                                    |                          |                  |                 |                 |                 |                 |     |
|---------------------------------------------------------|------------------------------------|--------------------------|------------------|-----------------|-----------------|-----------------|-----------------|-----|
| DATE                                                    | STATION (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NO <sub>x</sub> | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                         |                                    | Microgram/m <sup>3</sup> |                  |                 |                 |                 |                 |     |
|                                                         | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max          | 80 Max          | –               | 400 Max         | –   |
| 01-05-2026                                              | SALT WEIGH BRIDGE                  | 16.86                    | 72.65            | 8.52            | 10.94           | BDL             | 3.12            | BDL |
|                                                         | QUARTERS C-3 BLOCK                 | 11.25                    | 46.72            | 8.48            | 7.96            | BDL             | BDL             | BDL |
| 02-05-2026                                              | TWAD PUMP HOUSE                    | 15.94                    | 70.32            | 8.76            | 8.40            | BDL             | BDL             | BDL |
|                                                         | PVC WATCH TOWER                    | 12.46                    | 54.45            | 8.48            | 10.16           | BDL             | 3.52            | BDL |
| 03-05-2026                                              | SALT WEIGH BRIDGE                  | 16.45                    | 64.28            | 8.62            | 12.52           | BDL             | 2.85            | BDL |
|                                                         | QUARTERS C-3 BLOCK                 | 10.78                    | 44.62            | 8.40            | 8.24            | BDL             | BDL             | BDL |
| 04-05-2026                                              | TWAD PUMP HOUSE                    | 14.66                    | 66.35            | 8.48            | 8.92            | BDL             | 1.90            | BDL |
|                                                         | A-BLOCK WATCH TOWER                | 13.10                    | 58.78            | 8.92            | 8.38            | BDL             | 1.50            | BDL |
| 05-05-2026                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 12.86                    | 57.15            | 8.46            | 7.95            | BDL             | BDL             | BDL |
|                                                         | PVC WATCH TOWER                    | 13.25                    | 60.76            | 9.16            | 11.76           | BDL             | 3.12            | BDL |
| 06-05-2026                                              | SALT WEIGH BRIDGE                  | 16.24                    | 72.15            | 8.86            | 8.52            | BDL             | 1.78            | BDL |
|                                                         | A-BLOCK WATCH TOWER                | 13.35                    | 62.75            | 8.45            | 9.10            | BDL             | 2.16            | BDL |
| 07-05-2026                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 11.62                    | 59.28            | 8.36            | 10.98           | 1.48            | 2.56            | BDL |
|                                                         | PVC WATCH TOWER                    | 10.75                    | 51.15            | 8.52            | 8.45            | BDL             | BDL             | BDL |
| 08-05-2026                                              | TWAD PUMP HOUSE                    | 10.62                    | 46.26            | 8.40            | 7.96            | BDL             | BDL             | BDL |
|                                                         | QUARTERS C-3 BLOCK                 | 8.48                     | 40.75            | 7.86            | 7.10            | BDL             | BDL             | BDL |
| 09-05-2026                                              | A-BLOCK WATCH TOWER                | 11.76                    | 52.36            | 8.45            | 10.76           | BDL             | 3.10            | BDL |
|                                                         | PVC WATCH TOWER                    | 11.10                    | 50.76            | 8.52            | 7.88            | BDL             | BDL             | BDL |
| 10-05-2026                                              | SALT WEIGH BRIDGE                  | 14.55                    | 65.36            | 8.86            | 11.26           | BDL             | 2.15            | BDL |
|                                                         | TWAD PUMP HOUSE                    | 15.20                    | 68.72            | 8.52            | 8.12            | BDL             | 1.80            | BDL |
| 11-05-2026                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 13.28                    | 59.35            | 8.95            | 11.08           | 1.55            | 2.80            | BDL |
|                                                         | QUARTERS C-3 BLOCK                 | 10.56                    | 42.35            | 7.86            | 7.54            | BDL             | BDL             | BDL |
| 12-05-2026                                              | A-BLOCK WATCH TOWER                | 12.90                    | 57.42            | 8.08            | 9.32            | BDL             | 2.74            | BDL |
|                                                         | PVC WATCH TOWER                    | 11.85                    | 51.16            | 8.32            | 7.90            | BDL             | BDL             | BDL |
| 13-05-2026                                              | TWAD PUMP HOUSE                    | 13.26                    | 59.65            | 8.46            | 9.18            | BDL             | 2.80            | BDL |
|                                                         | TCEP CHILLED WATER COMPRESSOR ROOM | 12.56                    | 52.70            | 8.60            | 10.26           | 1.20            | 2.65            | BDL |
| 14-05-2026                                              | SALT WEIGH BRIDGE                  | 15.36                    | 59.25            | 9.16            | 12.76           | BDL             | 1.80            | BDL |
|                                                         | PVC WATCH TOWER                    | 11.60                    | 50.78            | 8.56            | 7.95            | BDL             | BDL             | BDL |
| 15-05-2026                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 13.26                    | 56.66            | 9.32            | 11.08           | BDL             | 3.12            | BDL |
|                                                         | A-BLOCK WATCH TOWER                | 12.98                    | 54.20            | 8.92            | 8.48            | BDL             | BDL             | BDL |

BDL = < 1 microgram/m<sup>3</sup>

Cont...2

...2...

| AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF MAY 2026 |                                    |                          |                  |        |                 |                 |                 |     |
|---------------------------------------------------------|------------------------------------|--------------------------|------------------|--------|-----------------|-----------------|-----------------|-----|
| DATE                                                    | STATION (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NOx    | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                         |                                    | Microgram/m <sup>3</sup> |                  |        |                 |                 |                 |     |
|                                                         | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max | 80 Max          | –               | 400 Max         | –   |
| 16-05-2026                                              | TWAD PUMP HOUSE                    | 16.08                    | 64.35            | 8.56   | 9.02            | BDL             | 1.68            | BDL |
|                                                         | QUARTERS C-3 BLOCK                 | 11.16                    | 48.74            | 8.30   | 7.68            | BDL             | BDL             | BDL |
| 17-05-2026                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 13.36                    | 59.26            | 8.85   | 12.76           | 1.36            | 2.45            | BDL |
|                                                         | PVC WATCH TOWER                    | 13.22                    | 55.18            | 8.74   | 8.45            | BDL             | BDL             | BDL |
| 18-05-2026                                              | TWAD PUMP HOUSE                    | 17.56                    | 68.76            | 8.92   | 11.20           | BDL             | 3.16            | BDL |
|                                                         | A-BLOCK WATCH TOWER                | 13.15                    | 58.15            | 8.54   | 8.16            | BDL             | 1.50            | BDL |
| 19-05-2026                                              | SALT WEIGH BRIDGE                  | 18.25                    | 70.28            | 9.16   | 10.50           | BDL             | 3.25            | BDL |
|                                                         | TCEP CHILLED WATER COMPRESSOR ROOM | 13.20                    | 57.32            | 8.68   | 11.16           | 1.58            | 2.96            | BDL |
| 20-05-2026                                              | TWAD PUMP HOUSE                    | 16.85                    | 64.35            | 8.74   | 9.38            | BDL             | 2.10            | BDL |
|                                                         | QUARTERS C-3 BLOCK                 | 10.75                    | 44.68            | 7.85   | 7.68            | BDL             | BDL             | BDL |
| 21-05-2026                                              | A-BLOCK WATCH TOWER                | 14.08                    | 62.46            | 8.26   | 8.15            | BDL             | BDL             | BDL |
|                                                         | PVC WATCH TOWER                    | 13.36                    | 60.15            | 8.32   | 8.45            | BDL             | BDL             | BDL |
| 22-05-2026                                              | SALT WEIGH BRIDGE                  | 18.42                    | 74.45            | 9.14   | 8.86            | BDL             | 1.80            | BDL |
|                                                         | TWAD PUMP HOUSE                    | 16.56                    | 68.25            | 8.96   | 8.65            | BDL             | 1.48            | BDL |
| 23-05-2026                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 13.25                    | 55.76            | 8.62   | 9.90            | 1.45            | 1.95            | BDL |
|                                                         | QUARTERS C-3 BLOCK                 | 10.62                    | 44.16            | 8.28   | 7.98            | BDL             | BDL             | BDL |
| 24-05-2026                                              | SALT WEIGH BRIDGE                  | 17.56                    | 67.36            | 9.36   | 8.50            | BDL             | BDL             | BDL |
|                                                         | A-BLOCK WATCH TOWER                | 13.25                    | 56.15            | 8.91   | 8.48            | BDL             | 1.45            | BDL |
| 25-05-2026                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 14.10                    | 60.76            | 8.48   | 8.85            | BDL             | BDL             | BDL |
|                                                         | PVC WATCH TOWER                    | 14.80                    | 62.35            | 9.15   | 11.76           | BDL             | 3.10            | BDL |
| 26-05-2026                                              | SALT WEIGH BRIDGE                  | 16.36                    | 69.32            | 10.12  | 9.20            | BDL             | BDL             | BDL |
|                                                         | QUARTERS C-3 BLOCK                 | 11.08                    | 48.75            | 9.82   | 8.76            | BDL             | BDL             | BDL |
| 27-05-2026                                              | TWAD PUMP HOUSE                    | 17.08                    | 59.75            | 9.08   | 8.85            | BDL             | BDL             | BDL |
|                                                         | A-BLOCK WATCH TOWER                | 11.66                    | 51.35            | 8.84   | 10.52           | BDL             | 2.85            | BDL |
| 28-05-2026                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 12.76                    | 58.42            | 8.72   | 9.02            | BDL             | BDL             | BDL |
|                                                         | QUARTERS C-3 BLOCK                 | 10.28                    | 50.42            | 8.95   | 8.28            | BDL             | BDL             | BDL |
| 29-05-2026                                              | SALT WEIGH BRIDGE                  | 18.26                    | 79.35            | 8.45   | 9.04            | BDL             | 1.25            | BDL |
|                                                         | A-BLOCK WATCH TOWER                | 14.20                    | 63.28            | 8.60   | 10.78           | BDL             | 3.45            | BDL |
| 30-05-2026                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 12.78                    | 52.08            | 8.75   | 8.02            | BDL             | BDL             | BDL |
|                                                         | QUARTERS C-3 BLOCK                 | 9.52                     | 41.15            | 8.48   | 8.54            | BDL             | BDL             | BDL |
| 31-05-2026                                              | TWAD PUMP HOUSE                    | 16.76                    | 70.62            | 9.10   | 8.36            | BDL             | BDL             | BDL |
|                                                         | PVC WATCH TOWER                    | 12.35                    | 54.40            | 8.56   | 11.80           | BDL             | 2.90            | BDL |
| BDL = < 1 microgram/m <sup>3</sup>                      |                                    |                          |                  |        |                 |                 |                 |     |

| AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF APRIL 2026 |                                    |                          |                  |                 |                 |                 |                 |     |
|-----------------------------------------------------------|------------------------------------|--------------------------|------------------|-----------------|-----------------|-----------------|-----------------|-----|
| DATE                                                      | STATION (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NO <sub>x</sub> | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                           |                                    | Microgram/m <sup>3</sup> |                  |                 |                 |                 |                 |     |
|                                                           | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max          | 80 Max          | –               | 400 Max         | –   |
| 01-04-2026                                                | SALT WEIGH BRIDGE                  | 16.46                    | 68.74            | 8.48            | 9.34            | BDL             | 1.86            | BDL |
|                                                           | PVC WATCH TOWER                    | 13.28                    | 56.36            | 8.30            | 11.08           | BDL             | 2.90            | BDL |
| 02-04-2026                                                | TWAD PUMP HOUSE                    | 18.20                    | 74.45            | 8.40            | 9.75            | BDL             | BDL             | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 11.32                    | 45.26            | 8.12            | 7.85            | BDL             | BDL             | BDL |
| 03-04-2026                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 13.35                    | 58.72            | 9.36            | 12.75           | 1.25            | 3.54            | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 14.26                    | 62.65            | 7.84            | 8.16            | BDL             | BDL             | BDL |
| 04-04-2026                                                | TWAD PUMP HOUSE                    | 15.94                    | 70.50            | 8.30            | 9.12            | BDL             | 1.65            | BDL |
|                                                           | PVC WATCH TOWER                    | 13.36                    | 60.65            | 8.46            | 8.18            | BDL             | BDL             | BDL |
| 05-04-2026                                                | SALT WEIGH BRIDGE                  | 17.78                    | 75.46            | 8.95            | 11.98           | BDL             | 3.14            | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 10.65                    | 46.60            | 8.34            | 7.85            | BDL             | BDL             | BDL |
| 06-04-2026                                                | TWAD PUMP HOUSE                    | 17.28                    | 70.45            | 8.48            | 8.34            | BDL             | 1.50            | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 13.12                    | 62.36            | 8.95            | 8.64            | BDL             | BDL             | BDL |
| 07-04-2026                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 12.86                    | 58.25            | 9.12            | 10.36           | 1.35            | 2.48            | BDL |
|                                                           | PVC WATCH TOWER                    | 12.76                    | 54.48            | 8.68            | 9.08            | BDL             | 2.15            | BDL |
| 08-04-2026                                                | SALT WEIGH BRIDGE                  | 18.36                    | 76.84            | 8.86            | 10.48           | BDL             | 2.36            | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 13.45                    | 60.12            | 8.92            | 9.40            | BDL             | 3.10            | BDL |
| 09-04-2026                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 13.20                    | 58.35            | 8.65            | 10.08           | 1.60            | 2.90            | BDL |
|                                                           | PVC WATCH TOWER                    | 13.48                    | 60.26            | 8.78            | 8.24            | BDL             | BDL             | BDL |
| 10-04-2026                                                | TWAD PUMP HOUSE                    | 16.35                    | 65.82            | 8.64            | 8.70            | BDL             | BDL             | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 11.16                    | 48.74            | 7.85            | 7.42            | BDL             | BDL             | BDL |
| 11-04-2026                                                | A-BLOCK WATCH TOWER                | 13.36                    | 62.75            | 8.44            | 8.16            | BDL             | 2.45            | BDL |
|                                                           | PVC WATCH TOWER                    | 13.10                    | 57.18            | 8.62            | 9.45            | BDL             | 2.10            | BDL |
| 12-04-2026                                                | SALT WEIGH BRIDGE                  | 17.15                    | 74.68            | 9.15            | 10.02           | BDL             | 1.80            | BDL |
|                                                           | TWAD PUMP HOUSE                    | 16.46                    | 67.54            | 8.92            | 8.60            | BDL             | 1.70            | BDL |
| 13-04-2026                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 12.86                    | 54.45            | 8.90            | 11.08           | 1.68            | 3.40            | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 10.75                    | 42.34            | 7.85            | 7.42            | BDL             | BDL             | BDL |
| 14-04-2026                                                | A-BLOCK WATCH TOWER                | 13.10                    | 64.48            | 8.35            | 8.10            | BDL             | BDL             | BDL |
|                                                           | PVC WATCH TOWER                    | 12.78                    | 56.16            | 8.08            | 7.68            | BDL             | BDL             | BDL |
| 15-04-2026                                                | TWAD PUMP HOUSE                    | 15.80                    | 70.24            | 9.32            | 8.50            | BDL             | 1.70            | BDL |
|                                                           | TCEP CHILLED WATER COMPRESSOR ROOM | 13.22                    | 59.78            | 8.86            | 10.56           | BDL             | 2.95            | BDL |

BDL = < 1 microgram/m<sup>3</sup>

Cont...2

...2...

| AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF APRIL 2026 |                                    |                          |                  |        |                 |                 |                 |     |
|-----------------------------------------------------------|------------------------------------|--------------------------|------------------|--------|-----------------|-----------------|-----------------|-----|
| DATE                                                      | STATION (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NOx    | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                           |                                    | Microgram/m <sup>3</sup> |                  |        |                 |                 |                 |     |
|                                                           | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max | 80 Max          | –               | 400 Max         | –   |
| 16-04-2026                                                | SALT WEIGH BRIDGE                  | 17.42                    | 74.48            | 8.90   | 8.58            | BDL             | 2.04            | BDL |
|                                                           | PVC WATCH TOWER                    | 13.02                    | 60.15            | 8.74   | 8.60            | BDL             | BDL             | BDL |
| 17-04-2026                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 11.16                    | 51.36            | 8.96   | 10.25           | 1.25            | 2.40            | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 13.42                    | 60.44            | 8.85   | 9.02            | BDL             | BDL             | BDL |
| 18-04-2026                                                | SALT WEIGH BRIDGE                  | 17.35                    | 75.78            | 9.12   | 11.65           | BDL             | 2.65            | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 11.25                    | 50.04            | 8.48   | 8.10            | BDL             | BDL             | BDL |
| 19-04-2026                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 13.42                    | 61.25            | 9.32   | 11.74           | 1.15            | 2.95            | BDL |
|                                                           | PVC WATCH TOWER                    | 13.56                    | 64.46            | 8.66   | 8.40            | BDL             | BDL             | BDL |
| 20-04-2026                                                | TWAD PUMP HOUSE                    | 17.15                    | 63.20            | 8.90   | 8.94            | BDL             | BDL             | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 12.85                    | 54.75            | 8.52   | 8.65            | BDL             | 2.08            | BDL |
| 21-04-2026                                                | SALT WEIGH BRIDGE                  | 16.34                    | 70.55            | 8.64   | 10.50           | BDL             | 2.18            | BDL |
|                                                           | PVC WATCH TOWER                    | 12.46                    | 55.16            | 8.78   | 9.86            | BDL             | 1.90            | BDL |
| 22-04-2026                                                | TWAD PUMP HOUSE                    | 15.68                    | 68.34            | 8.94   | 8.28            | BDL             | BDL             | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 10.56                    | 48.74            | 7.86   | 7.25            | BDL             | BDL             | BDL |
| 23-04-2026                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 11.66                    | 50.25            | 8.48   | 10.94           | 1.35            | 3.10            | BDL |
|                                                           | PVC WATCH TOWER                    | 12.48                    | 56.34            | 8.52   | 9.08            | BDL             | 2.55            | BDL |
| 24-04-2026                                                | SALT WEIGH BRIDGE                  | 16.10                    | 64.48            | 8.52   | 10.36           | BDL             | 3.12            | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 10.56                    | 42.36            | 7.86   | 7.56            | BDL             | BDL             | BDL |
| 25-04-2026                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 13.25                    | 56.72            | 8.34   | 12.45           | 1.68            | 2.95            | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 13.50                    | 57.85            | 8.42   | 8.36            | BDL             | 1.50            | BDL |
| 26-04-2026                                                | TWAD PUMP HOUSE                    | 15.56                    | 68.64            | 9.16   | 9.40            | BDL             | BDL             | BDL |
|                                                           | PVC WATCH TOWER                    | 13.42                    | 55.70            | 8.95   | 10.46           | BDL             | 3.10            | BDL |
| 27-04-2026                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 12.96                    | 58.92            | 9.36   | 10.55           | BDL             | 1.60            | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 13.16                    | 55.40            | 8.84   | 8.26            | BDL             | 2.45            | BDL |
| 28-04-2026                                                | SALT WEIGH BRIDGE                  | 17.42                    | 73.45            | 8.96   | 8.45            | BDL             | BDL             | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 12.12                    | 50.55            | 8.48   | 7.95            | BDL             | BDL             | BDL |
| 29-04-2026                                                | TWAD PUMP HOUSE                    | 18.55                    | 75.88            | 9.15   | 10.56           | BDL             | 2.55            | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 12.42                    | 54.42            | 8.48   | 8.32            | BDL             | BDL             | BDL |
| 30-04-2026                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 13.26                    | 62.16            | 8.58   | 10.96           | BDL             | 3.16            | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 11.78                    | 49.55            | 7.84   | 7.45            | BDL             | BDL             | BDL |
| BDL = < 1 microgram/m <sup>3</sup>                        |                                    |                          |                  |        |                 |                 |                 |     |



| AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF MARCH 2026 |                                    |                          |                  |                 |                 |                 |                 |     |
|-----------------------------------------------------------|------------------------------------|--------------------------|------------------|-----------------|-----------------|-----------------|-----------------|-----|
| DATE                                                      | STATION (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NO <sub>x</sub> | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                           |                                    | Microgram/m <sup>3</sup> |                  |                 |                 |                 |                 |     |
|                                                           | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max          | 80 Max          | –               | 400 Max         | –   |
| 01-03-2026                                                | TWAD PUMP HOUSE                    | 15.48                    | 68.35            | 8.36            | 10.66           | BDL             | 2.12            | BDL |
|                                                           | PVC WATCH TOWER                    | 13.10                    | 59.72            | 8.52            | 10.45           | BDL             | 2.30            | BDL |
| 02-03-2026                                                | A-BLOCK WATCH TOWER                | 12.96                    | 50.55            | 8.45            | 8.90            | BDL             | 1.85            | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 10.85                    | 42.65            | 8.38            | 9.04            | BDL             | BDL             | BDL |
| 03-03-2026                                                | SALT WEIGH BRIDGE                  | 14.78                    | 62.36            | 8.22            | 10.76           | BDL             | 1.78            | BDL |
|                                                           | TWAD PUMP HOUSE                    | 15.14                    | 67.45            | 8.30            | 8.15            | BDL             | BDL             | BDL |
| 04-03-2026                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 12.96                    | 58.55            | 8.68            | 11.54           | 1.72            | 2.86            | BDL |
|                                                           | PVC WATCH TOWER                    | 13.08                    | 60.12            | 8.75            | 11.02           | BDL             | 2.50            | BDL |
| 05-03-2026                                                | TWAD PUMP HOUSE                    | 16.14                    | 70.54            | 8.92            | 8.65            | BDL             | BDL             | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 13.26                    | 59.32            | 9.16            | 8.78            | BDL             | BDL             | BDL |
| 06-03-2026                                                | SALT WEIGH BRIDGE                  | 16.36                    | 66.72            | 8.85            | 12.96           | 1.08            | 3.15            | BDL |
|                                                           | PVC WATCH TOWER                    | 12.85                    | 54.46            | 8.46            | 8.04            | BDL             | BDL             | BDL |
| 07-03-2026                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 11.56                    | 51.68            | 8.52            | 11.05           | 1.24            | 3.50            | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 10.04                    | 48.15            | 7.85            | 7.48            | BDL             | BDL             | BDL |
| 08-03-2026                                                | A-BLOCK WATCH TOWER                | 13.26                    | 58.14            | 8.45            | 10.26           | BDL             | 3.24            | BDL |
|                                                           | PVC WATCH TOWER                    | 12.45                    | 54.35            | 9.16            | 12.08           | BDL             | 3.58            | BDL |
| 09-03-2026                                                | SALT WEIGH BRIDGE                  | 15.54                    | 68.32            | 10.08           | 9.25            | BDL             | BDL             | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 10.26                    | 42.24            | 8.76            | 8.10            | BDL             | BDL             | BDL |
| 10-03-2026                                                | TWAD PUMP HOUSE                    | 16.34                    | 74.40            | 9.25            | 8.86            | BDL             | 1.40            | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 13.28                    | 58.68            | 8.85            | 11.02           | BDL             | 3.56            | BDL |
| 11-03-2026                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 12.96                    | 54.48            | 8.65            | 8.25            | BDL             | BDL             | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 9.78                     | 43.26            | 8.08            | 7.54            | BDL             | BDL             | BDL |
| 12-03-2026                                                | TWAD PUMP HOUSE                    | 15.54                    | 62.75            | 8.45            | 8.35            | BDL             | BDL             | BDL |
|                                                           | PVC WATCH TOWER                    | 12.14                    | 53.22            | 8.60            | 10.96           | BDL             | 2.50            | BDL |
| 13-03-2026                                                | SALT WEIGH BRIDGE                  | 14.96                    | 66.72            | 8.78            | 8.60            | BDL             | 2.68            | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 12.85                    | 54.28            | 8.54            | 11.04           | BDL             | 3.12            | BDL |
| 14-03-2026                                                | QUARTERS C-3 BLOCK                 | 10.76                    | 48.68            | 8.45            | 7.90            | BDL             | BDL             | BDL |
|                                                           | PVC WATCH TOWER                    | 13.12                    | 60.15            | 8.62            | 10.65           | BDL             | 2.85            | BDL |
| 15-03-2026                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 12.08                    | 53.36            | 8.45            | 10.02           | 1.25            | 2.40            | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 12.74                    | 56.18            | 8.28            | 8.14            | BDL             | BDL             | BDL |

BDL = < 1 microgram/m<sup>3</sup>

Cont...2

...2...

| AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF MARCH 2026 |                                    |                          |                  |                 |                 |                 |                 |     |
|-----------------------------------------------------------|------------------------------------|--------------------------|------------------|-----------------|-----------------|-----------------|-----------------|-----|
| DATE                                                      | STATION (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NO <sub>x</sub> | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                           |                                    | Microgram/m <sup>3</sup> |                  |                 |                 |                 |                 |     |
|                                                           | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max          | 80 Max          | –               | 400 Max         | –   |
| 16-03-2026                                                | SALT WEIGH BRIDGE                  | 13.10                    | 58.65            | 8.90            | 12.36           | BDL             | 1.50            | BDL |
|                                                           | TWAD PUMP HOUSE                    | 12.85                    | 55.32            | 8.58            | 8.65            | BDL             | 1.40            | BDL |
| 17-03-2026                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 12.42                    | 54.26            | 8.94            | 11.02           | 1.65            | 3.15            | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 12.68                    | 57.18            | 8.78            | 10.32           | BDL             | 2.90            | BDL |
| 18-03-2026                                                | TWAD PUMP HOUSE                    | 14.25                    | 68.72            | 8.65            | 8.48            | BDL             | BDL             | BDL |
|                                                           | PVC WATCH TOWER                    | 12.95                    | 58.64            | 8.45            | 10.54           | BDL             | BDL             | BDL |
| 19-03-2026                                                | SALT WEIGH BRIDGE                  | 15.36                    | 70.55            | 9.02            | 9.45            | BDL             | 2.60            | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 10.48                    | 44.60            | 8.45            | 8.25            | BDL             | BDL             | BDL |
| 20-03-2026                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 12.92                    | 51.15            | 9.04            | 11.32           | 1.40            | 2.78            | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 13.10                    | 56.78            | 8.65            | 8.48            | BDL             | BDL             | BDL |
| 21-03-2026                                                | SALT WEIGH BRIDGE                  | 16.28                    | 67.75            | 9.24            | 11.08           | BDL             | 3.14            | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 10.56                    | 44.26            | 8.76            | 7.95            | BDL             | BDL             | BDL |
| 22-03-2026                                                | TWAD PUMP HOUSE                    | 15.54                    | 65.30            | 8.84            | 8.10            | BDL             | BDL             | BDL |
|                                                           | PVC WATCH TOWER                    | 12.26                    | 53.34            | 7.95            | 10.76           | BDL             | 2.94            | BDL |
| 23-03-2026                                                | SALT WEIGH BRIDGE                  | 16.08                    | 61.16            | 8.12            | 10.08           | BDL             | 1.90            | BDL |
|                                                           | TCEP CHILLED WATER COMPRESSOR ROOM | 13.15                    | 56.75            | 7.95            | 8.15            | BDL             | BDL             | BDL |
| 24-03-2026                                                | TWAD PUMP HOUSE                    | 15.20                    | 59.76            | 8.12            | 8.34            | BDL             | 1.85            | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 11.04                    | 49.85            | 7.86            | 7.62            | BDL             | BDL             | BDL |
| 25-03-2026                                                | SALT WEIGH BRIDGE                  | 17.28                    | 74.48            | 8.36            | 8.48            | BDL             | BDL             | BDL |
|                                                           | PVC WATCH TOWER                    | 13.16                    | 60.35            | 8.12            | 11.12           | BDL             | 3.50            | BDL |
| 26-03-2026                                                | TWAD PUMP HOUSE                    | 15.25                    | 68.36            | 8.46            | 8.25            | BDL             | 1.50            | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 12.28                    | 54.45            | 8.68            | 11.20           | BDL             | 3.12            | BDL |
| 27-03-2026                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 13.10                    | 59.20            | 8.36            | 8.48            | BDL             | BDL             | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 10.96                    | 45.32            | 7.80            | 7.65            | BDL             | BDL             | BDL |
| 28-03-2026                                                | SALT WEIGH BRIDGE                  | 17.22                    | 74.45            | 8.45            | 8.32            | BDL             | BDL             | BDL |
|                                                           | TWAD PUMP HOUSE                    | 16.36                    | 68.64            | 8.54            | 8.15            | BDL             | BDL             | BDL |
| 29-03-2026                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 12.84                    | 52.45            | 8.94            | 10.08           | 1.85            | 2.95            | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 13.28                    | 58.66            | 8.48            | 8.96            | BDL             | 1.80            | BDL |
| 30-03-2026                                                | QUARTERS C-3 BLOCK                 | 11.05                    | 42.25            | 8.56            | 8.28            | BDL             | BDL             | BDL |
|                                                           | PVC WATCH TOWER                    | 13.20                    | 57.85            | 8.68            | 10.34           | BDL             | 3.14            | BDL |
| 31-03-2026                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 12.96                    | 53.32            | 9.14            | 9.85            | 1.26            | 1.78            | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 13.35                    | 60.74            | 8.86            | 8.12            | BDL             | 2.50            | BDL |
| BDL = < 1 microgram/m <sup>3</sup>                        |                                    |                          |                  |                 |                 |                 |                 |     |

| AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF FEBRUARY 2026 |                                    |                          |                  |                 |                 |                 |                 |     |
|--------------------------------------------------------------|------------------------------------|--------------------------|------------------|-----------------|-----------------|-----------------|-----------------|-----|
| DATE                                                         | STATION (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NO <sub>x</sub> | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                              |                                    | Microgram/m <sup>3</sup> |                  |                 |                 |                 |                 |     |
|                                                              | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max          | 80 Max          | –               | 400 Max         | –   |
| 01-02-2026                                                   | TCEP CHILLED WATER COMPRESSOR ROOM | 12.32                    | 51.15            | 8.36            | 7.54            | BDL             | BDL             | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 11.02                    | 48.76            | 7.86            | 7.62            | BDL             | BDL             | BDL |
| 02-02-2026                                                   | TWAD PUMP HOUSE                    | 16.55                    | 68.35            | 8.92            | 8.14            | BDL             | BDL             | BDL |
|                                                              | PVC WATCH TOWER                    | 13.08                    | 54.45            | 8.85            | 11.16           | BDL             | 3.56            | BDL |
| 03-02-2026                                                   | SALT WEIGH BRIDGE                  | 15.96                    | 70.35            | 9.18            | 8.80            | BDL             | BDL             | BDL |
|                                                              | A-BLOCK WATCH TOWER                | 13.28                    | 60.24            | 9.08            | 11.36           | BDL             | 3.65            | BDL |
| 04-02-2026                                                   | TWAD PUMP HOUSE                    | 17.26                    | 74.54            | 9.28            | 8.54            | BDL             | BDL             | BDL |
|                                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 12.95                    | 54.32            | 8.48            | 7.80            | BDL             | BDL             | BDL |
| 05-02-2026                                                   | SALT WEIGH BRIDGE                  | 15.46                    | 71.26            | 9.32            | 8.48            | BDL             | BDL             | BDL |
|                                                              | PVC WATCH TOWER                    | 13.20                    | 59.78            | 8.48            | 10.76           | BDL             | 2.48            | BDL |
| 06-02-2026                                                   | A-BLOCK WATCH TOWER                | 13.35                    | 62.40            | 9.25            | 12.04           | BDL             | 4.12            | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 9.76                     | 42.25            | 7.94            | 7.68            | BDL             | BDL             | BDL |
| 07-02-2026                                                   | TWAD PUMP HOUSE                    | 15.76                    | 66.15            | 8.35            | 7.95            | BDL             | 1.95            | BDL |
|                                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 12.86                    | 52.38            | 7.82            | 7.85            | BDL             | BDL             | BDL |
| 08-02-2026                                                   | SALT WEIGH BRIDGE                  | 16.08                    | 68.42            | 8.25            | 8.54            | BDL             | BDL             | BDL |
|                                                              | PVC WATCH TOWER                    | 13.14                    | 54.76            | 8.16            | 10.82           | BDL             | 3.16            | BDL |
| 09-02-2026                                                   | TCEP CHILLED WATER COMPRESSOR ROOM | 12.92                    | 49.52            | 8.04            | 7.84            | BDL             | BDL             | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 10.77                    | 44.35            | 8.16            | 7.48            | BDL             | BDL             | BDL |
| 10-02-2026                                                   | SALT WEIGH BRIDGE                  | 15.56                    | 69.64            | 9.24            | 8.34            | BDL             | 2.10            | BDL |
|                                                              | PVC WATCH TOWER                    | 13.10                    | 52.40            | 8.58            | 11.74           | BDL             | 3.84            | BDL |
| 11-02-2026                                                   | TWAD PUMP HOUSE                    | 17.38                    | 72.32            | 8.40            | 8.21            | BDL             | BDL             | BDL |
|                                                              | A-BLOCK WATCH TOWER                | 13.24                    | 56.74            | 7.95            | 11.26           | BDL             | 3.14            | BDL |
| 12-02-2026                                                   | QUARTERS C-3 BLOCK                 | 11.02                    | 48.12            | 8.04            | 7.85            | BDL             | BDL             | BDL |
|                                                              | PVC WATCH TOWER                    | 12.85                    | 53.48            | 8.54            | 10.95           | BDL             | 2.90            | BDL |
| 13-02-2026                                                   | SALT WEIGH BRIDGE                  | 16.18                    | 72.68            | 8.85            | 8.36            | BDL             | BDL             | BDL |
|                                                              | TWAD PUMP HOUSE                    | 15.55                    | 59.75            | 8.55            | 7.90            | BDL             | BDL             | BDL |
| 14-02-2026                                                   | TCEP CHILLED WATER COMPRESSOR ROOM | 12.18                    | 51.28            | 8.40            | 8.26            | BDL             | BDL             | BDL |
|                                                              | A-BLOCK WATCH TOWER                | 13.22                    | 60.74            | 9.12            | 11.08           | BDL             | 2.85            | BDL |
| 15-02-2026                                                   | QUARTERS C-3 BLOCK                 | 11.34                    | 50.60            | 8.48            | 8.08            | BDL             | BDL             | BDL |
|                                                              | PVC WATCH TOWER                    | 13.28                    | 58.78            | 8.64            | 10.86           | BDL             | 2.90            | BDL |

BDL = < 1 microgram/m<sup>3</sup>

Cont...2

...2...

| AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF FEBRUARY 2026 |                                    |                          |                  |        |                 |                 |                 |     |
|--------------------------------------------------------------|------------------------------------|--------------------------|------------------|--------|-----------------|-----------------|-----------------|-----|
| DATE                                                         | STATION (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NOx    | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                              |                                    | Microgram/m <sup>3</sup> |                  |        |                 |                 |                 |     |
|                                                              | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max | 80 Max          | –               | 400 Max         | –   |
| 16-02-2026                                                   | SALT WEIGH BRIDGE                  | 16.10                    | 70.35            | 8.68   | 8.36            | BDL             | 1.54            | BDL |
|                                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 13.26                    | 54.46            | 8.74   | 7.95            | BDL             | BDL             | BDL |
| 17-02-2026                                                   | A-BLOCK WATCH TOWER                | 13.12                    | 55.20            | 9.32   | 11.08           | BDL             | 3.12            | BDL |
|                                                              | PVC WATCH TOWER                    | 12.95                    | 54.32            | 8.84   | 12.15           | BDL             | 3.16            | BDL |
| 18-02-2026                                                   | SALT WEIGH BRIDGE                  | 16.86                    | 65.75            | 8.78   | 8.85            | BDL             | BDL             | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 10.78                    | 40.54            | 8.64   | 8.40            | BDL             | BDL             | BDL |
| 19-02-2026                                                   | TWAD PUMP HOUSE                    | 15.56                    | 67.45            | 8.72   | 7.54            | BDL             | BDL             | BDL |
|                                                              | PVC WATCH TOWER                    | 12.45                    | 51.76            | 8.45   | 11.84           | BDL             | 2.84            | BDL |
| 20-02-2026                                                   | TCEP CHILLED WATER COMPRESSOR ROOM | 11.04                    | 50.08            | 8.62   | 7.95            | BDL             | BDL             | BDL |
|                                                              | A-BLOCK WATCH TOWER                | 12.36                    | 53.86            | 8.92   | 10.78           | BDL             | 3.45            | BDL |
| 21-02-2026                                                   | TWAD PUMP HOUSE                    | 16.28                    | 72.38            | 8.52   | 8.40            | BDL             | BDL             | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 10.36                    | 43.26            | 7.86   | 7.64            | BDL             | BDL             | BDL |
| 22-02-2026                                                   | SALT WEIGH BRIDGE                  | 15.75                    | 70.35            | 8.48   | 9.08            | BDL             | 3.12            | BDL |
|                                                              | PVC WATCH TOWER                    | 12.68                    | 51.86            | 9.12   | 10.86           | BDL             | 2.86            | BDL |
| 23-02-2026                                                   | TWAD PUMP HOUSE                    | 14.76                    | 65.80            | 8.34   | 8.94            | BDL             | 1.56            | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 10.22                    | 48.76            | 8.28   | 8.85            | BDL             | BDL             | BDL |
| 24-02-2026                                                   | TCEP CHILLED WATER COMPRESSOR ROOM | 13.04                    | 55.34            | 8.85   | 9.02            | 1.22            | 1.65            | BDL |
|                                                              | A-BLOCK WATCH TOWER                | 13.36                    | 58.76            | 8.48   | 10.30           | BDL             | 2.90            | BDL |
| 25-02-2026                                                   | SALT WEIGH BRIDGE                  | 16.14                    | 67.25            | 8.54   | 9.68            | BDL             | 1.60            | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 10.26                    | 40.68            | 7.78   | 7.60            | BDL             | BDL             | BDL |
| 26-02-2026                                                   | TWAD PUMP HOUSE                    | 15.42                    | 65.16            | 8.34   | 9.12            | BDL             | 1.75            | BDL |
|                                                              | A-BLOCK WATCH TOWER                | 12.86                    | 56.70            | 8.28   | 8.90            | BDL             | BDL             | BDL |
| 27-02-2026                                                   | TCEP CHILLED WATER COMPRESSOR ROOM | 13.20                    | 54.36            | 8.76   | 10.28           | 1.45            | 2.38            | BDL |
|                                                              | PVC WATCH TOWER                    | 12.86                    | 52.65            | 8.12   | 7.84            | BDL             | BDL             | BDL |
| 28-02-2026                                                   | SALT WEIGH BRIDGE                  | 16.08                    | 75.46            | 9.08   | 10.36           | BDL             | 1.60            | BDL |
|                                                              | A-BLOCK WATCH TOWER                | 13.15                    | 60.58            | 8.65   | 10.85           | BDL             | 2.10            | BDL |
| BDL = < 1 microgram/m <sup>3</sup>                           |                                    |                          |                  |        |                 |                 |                 |     |

| AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF JANUARY 2026 |                                    |                          |                  |                 |                 |                 |                 |     |
|-------------------------------------------------------------|------------------------------------|--------------------------|------------------|-----------------|-----------------|-----------------|-----------------|-----|
| DATE                                                        | STATION (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NO <sub>x</sub> | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                             |                                    | Microgram/m <sup>3</sup> |                  |                 |                 |                 |                 |     |
|                                                             | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max          | 80 Max          | –               | 400 Max         | –   |
| 01-01-2026                                                  | SALT WEIGH BRIDGE                  | 14.84                    | 62.36            | 8.28            | 7.94            | BDL             | BDL             | BDL |
|                                                             | A-BLOCK WATCH TOWER                | 12.92                    | 54.45            | 8.34            | 10.76           | BDL             | 3.74            | BDL |
| 02-01-2026                                                  | TCEP CHILLED WATER COMPRESSOR ROOM | 11.96                    | 52.18            | 8.24            | 8.30            | BDL             | BDL             | BDL |
|                                                             | PVC WATCH TOWER                    | 12.88                    | 56.28            | 9.12            | 11.48           | BDL             | 2.85            | BDL |
| 03-01-2026                                                  | A-BLOCK WATCH TOWER                | 13.10                    | 59.08            | 8.62            | 10.74           | BDL             | 3.14            | BDL |
|                                                             | QUARTERS C-3 BLOCK                 | 10.58                    | 45.72            | 8.48            | 7.80            | BDL             | BDL             | BDL |
| 04-01-2026                                                  | TWAD PUMP HOUSE                    | 15.48                    | 65.48            | 8.25            | 8.30            | BDL             | BDL             | BDL |
|                                                             | PVC WATCH TOWER                    | 12.90                    | 51.14            | 8.54            | 10.70           | BDL             | 2.95            | BDL |
| 05-01-2026                                                  | A-BLOCK WATCH TOWER                | 13.02                    | 64.30            | 8.36            | 11.54           | BDL             | 3.48            | BDL |
|                                                             | QUARTERS C-3 BLOCK                 | 10.56                    | 45.40            | 7.80            | 7.42            | BDL             | BDL             | BDL |
| 06-01-2026                                                  | SALT WEIGH BRIDGE                  | 15.25                    | 59.76            | 8.16            | 8.95            | BDL             | BDL             | BDL |
|                                                             | TCEP CHILLED WATER COMPRESSOR ROOM | 12.85                    | 50.92            | 7.95            | 8.08            | BDL             | BDL             | BDL |
| 07-01-2026                                                  | TWAD PUMP HOUSE                    | 14.86                    | 61.35            | 8.36            | 8.48            | BDL             | BDL             | BDL |
|                                                             | PVC WATCH TOWER                    | 13.10                    | 52.76            | 8.27            | 10.76           | BDL             | 2.52            | BDL |
| 08-01-2026                                                  | TCEP CHILLED WATER COMPRESSOR ROOM | 12.80                    | 51.08            | 8.36            | 8.42            | BDL             | BDL             | BDL |
|                                                             | A-BLOCK WATCH TOWER                | 13.18                    | 56.82            | 8.25            | 10.95           | BDL             | 3.16            | BDL |
| 09-01-2026                                                  | TWAD PUMP HOUSE                    | 14.08                    | 59.78            | 8.48            | 8.54            | BDL             | BDL             | BDL |
|                                                             | QUARTERS C-3 BLOCK                 | 10.25                    | 42.32            | 7.86            | 7.78            | BDL             | BDL             | BDL |
| 10-01-2026                                                  | SALT WEIGH BRIDGE                  | 13.26                    | 60.12            | 8.62            | 8.22            | BDL             | BDL             | BDL |
|                                                             | PVC WATCH TOWER                    | 12.68                    | 52.30            | 8.04            | 11.76           | BDL             | 2.68            | BDL |
| 11-01-2026                                                  | TWAD PUMP HOUSE                    | 16.76                    | 69.35            | 9.12            | 8.70            | BDL             | BDL             | BDL |
|                                                             | TCEP CHILLED WATER COMPRESSOR ROOM | 13.24                    | 60.12            | 7.80            | 7.92            | BDL             | BDL             | BDL |
| 12-01-2026                                                  | SALT WEIGH BRIDGE                  | 15.88                    | 67.76            | 8.32            | 8.45            | BDL             | BDL             | BDL |
|                                                             | PVC WATCH TOWER                    | 12.46                    | 53.35            | 8.48            | 10.68           | BDL             | 3.10            | BDL |
| 13-01-2026                                                  | TWAD PUMP HOUSE                    | 14.55                    | 64.45            | 9.16            | 8.58            | BDL             | BDL             | BDL |
|                                                             | TCEP CHILLED WATER COMPRESSOR ROOM | 12.62                    | 51.74            | 8.08            | 7.94            | BDL             | BDL             | BDL |
| 14-01-2026                                                  | A-BLOCK WATCH TOWER                | 13.12                    | 57.15            | 8.85            | 11.22           | BDL             | 3.56            | BDL |
|                                                             | PVC WATCH TOWER                    | 12.86                    | 50.78            | 8.78            | 11.85           | BDL             | 3.14            | BDL |
| 15-01-2026                                                  | TCEP CHILLED WATER COMPRESSOR ROOM | 12.16                    | 52.35            | 8.45            | 8.32            | BDL             | BDL             | BDL |
|                                                             | QUARTERS C-3 BLOCK                 | 10.72                    | 44.64            | 7.86            | 7.48            | BDL             | BDL             | BDL |

BDL = < 1 microgram/m<sup>3</sup>

Cont...2

...2...

| Ambient Air Quality Analysis Report - Month of January 2026 |                                    |                          |                  |        |                 |                 |                 |     |
|-------------------------------------------------------------|------------------------------------|--------------------------|------------------|--------|-----------------|-----------------|-----------------|-----|
| Date                                                        | Station (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NOx    | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                             |                                    | Microgram/m <sup>3</sup> |                  |        |                 |                 |                 |     |
|                                                             | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max | 80 Max          | –               | 400 Max         | –   |
| 16-01-2026                                                  | SALT WEIGH BRIDGE                  | 16.35                    | 72.38            | 8.45   | 7.86            | BDL             | BDL             | BDL |
|                                                             | A-BLOCK WATCH TOWER                | 13.46                    | 60.26            | 8.80   | 11.04           | BDL             | 4.28            | BDL |
| 17-01-2026                                                  | TWAD PUMP HOUSE                    | 16.42                    | 68.36            | 9.12   | 8.50            | BDL             | BDL             | BDL |
|                                                             | PVC WATCH TOWER                    | 12.96                    | 52.78            | 8.58   | 11.12           | BDL             | 3.54            | BDL |
| 18-01-2026                                                  | TCEP CHILLED WATER COMPRESSOR ROOM | 13.12                    | 54.45            | 8.54   | 8.40            | BDL             | BDL             | BDL |
|                                                             | QUARTERS C-3 BLOCK                 | 10.76                    | 46.55            | 7.86   | 7.68            | BDL             | BDL             | BDL |
| 19-01-2026                                                  | TWAD PUMP HOUSE                    | 15.48                    | 64.32            | 8.45   | 8.95            | BDL             | BDL             | BDL |
|                                                             | PVC WATCH TOWER                    | 12.50                    | 52.66            | 8.64   | 10.75           | BDL             | 3.48            | BDL |
| 20-01-2026                                                  | SALT WEIGH BRIDGE                  | 16.60                    | 72.20            | 9.36   | 8.56            | BDL             | BDL             | BDL |
|                                                             | A-BLOCK WATCH TOWER                | 13.48                    | 60.35            | 9.12   | 12.56           | BDL             | 3.65            | BDL |
| 21-01-2026                                                  | TWAD PUMP HOUSE                    | 16.42                    | 74.20            | 8.92   | 8.28            | BDL             | BDL             | BDL |
|                                                             | QUARTERS C-3 BLOCK                 | 11.08                    | 49.44            | 7.80   | 7.15            | BDL             | BDL             | BDL |
| 22-01-2026                                                  | TCEP CHILLED WATER COMPRESSOR ROOM | 12.32                    | 50.36            | 8.12   | 8.25            | BDL             | BDL             | BDL |
|                                                             | A-BLOCK WATCH TOWER                | 13.16                    | 56.78            | 8.94   | 10.86           | BDL             | 3.12            | BDL |
| 23-01-2026                                                  | SALT WEIGH BRIDGE                  | 16.10                    | 72.40            | 9.12   | 8.48            | BDL             | BDL             | BDL |
|                                                             | QUARTERS C-3 BLOCK                 | 10.36                    | 42.48            | 7.86   | 7.40            | BDL             | BDL             | BDL |
| 24-01-2026                                                  | TWAD PUMP HOUSE                    | 15.96                    | 68.55            | 8.86   | 8.38            | BDL             | BDL             | BDL |
|                                                             | PVC WATCH TOWER                    | 12.81                    | 54.36            | 8.42   | 11.08           | BDL             | 2.94            | BDL |
| 25-01-2026                                                  | SALT WEIGH BRIDGE                  | 15.40                    | 60.46            | 8.78   | 8.36            | BDL             | BDL             | BDL |
|                                                             | TCEP CHILLED WATER COMPRESSOR ROOM | 12.70                    | 46.74            | 8.64   | 8.70            | BDL             | BDL             | BDL |
| 26-01-2026                                                  | A-BLOCK WATCH TOWER                | 13.26                    | 55.46            | 9.12   | 10.36           | BDL             | 3.38            | BDL |
|                                                             | PVC WATCH TOWER                    | 13.42                    | 58.26            | 9.30   | 11.22           | BDL             | 2.85            | BDL |
| 27-01-2026                                                  | TWAD PUMP HOUSE                    | 15.84                    | 67.32            | 10.12  | 8.94            | BDL             | BDL             | BDL |
|                                                             | QUARTERS C-3 BLOCK                 | 10.96                    | 48.70            | 8.36   | 7.68            | BDL             | BDL             | BDL |
| 28-01-2026                                                  | SALT WEIGH BRIDGE                  | 16.35                    | 74.46            | 8.78   | 8.82            | BDL             | BDL             | BDL |
|                                                             | TCEP CHILLED WATER COMPRESSOR ROOM | 12.32                    | 51.15            | 8.94   | 8.26            | BDL             | BDL             | BDL |
| 29-01-2026                                                  | TWAD PUMP HOUSE                    | 14.45                    | 60.74            | 9.12   | 8.52            | BDL             | BDL             | BDL |
|                                                             | A-BLOCK WATCH TOWER                | 13.20                    | 58.12            | 9.28   | 11.08           | BDL             | 3.36            | BDL |
| 30-01-2026                                                  | SALT WEIGH BRIDGE                  | 16.12                    | 70.84            | 8.80   | 8.48            | BDL             | BDL             | BDL |
|                                                             | PVC WATCH TOWER                    | 13.46                    | 58.96            | 8.74   | 10.96           | BDL             | 3.25            | BDL |
| 31-01-2026                                                  | TCEP CHILLED WATER COMPRESSOR ROOM | 11.18                    | 50.76            | 9.10   | 8.45            | BDL             | BDL             | BDL |
|                                                             | QUARTERS C-3 BLOCK                 | 10.84                    | 45.28            | 8.68   | 8.32            | BDL             | BDL             | BDL |
| BDL = < 1 microgram/m <sup>3</sup>                          |                                    |                          |                  |        |                 |                 |                 |     |

| AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF DECEMBER 2025 |                                    |                          |                  |                 |                 |                 |                 |     |
|--------------------------------------------------------------|------------------------------------|--------------------------|------------------|-----------------|-----------------|-----------------|-----------------|-----|
| DATE                                                         | STATION (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NO <sub>x</sub> | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                              |                                    | Microgram/m <sup>3</sup> |                  |                 |                 |                 |                 |     |
|                                                              | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max          | 80 Max          | –               | 400 Max         | –   |
| 01-12-2025                                                   | TWAD PUMP HOUSE                    | 13.25                    | 59.16            | 8.12            | 8.50            | BDL             | BDL             | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 10.76                    | 45.80            | 7.16            | 7.28            | BDL             | BDL             | BDL |
| 02-12-2025                                                   | SALT WEIGH BRIDGE                  | 14.46                    | 64.45            | 8.40            | 11.92           | BDL             | 3.16            | BDL |
|                                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 12.65                    | 52.38            | 8.95            | 10.88           | 1.65            | 3.56            | BDL |
| 03-12-2025                                                   | A-BLOCK WATCH TOWER                | 11.08                    | 51.20            | 8.48            | 8.62            | BDL             | BDL             | BDL |
|                                                              | PVC WATCH TOWER                    | 11.22                    | 52.32            | 7.80            | 7.64            | BDL             | BDL             | BDL |
| 04-12-2025                                                   | TCEP CHILLED WATER COMPRESSOR ROOM | 10.96                    | 48.68            | 7.86            | 8.04            | BDL             | BDL             | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 9.75                     | 39.26            | 7.34            | 7.45            | BDL             | BDL             | BDL |
| 05-12-2025                                                   | SALT WEIGH BRIDGE                  | 14.56                    | 60.15            | 8.38            | 8.15            | BDL             | BDL             | BDL |
|                                                              | A-BLOCK WATCH TOWER                | 12.82                    | 53.45            | 8.56            | 12.75           | BDL             | 4.16            | BDL |
| 06-12-2025                                                   | TCEP CHILLED WATER COMPRESSOR ROOM | 12.12                    | 50.60            | 7.95            | 7.86            | BDL             | BDL             | BDL |
|                                                              | PVC WATCH TOWER                    | 11.50                    | 49.76            | 8.16            | 10.48           | BDL             | 3.14            | BDL |
| 07-12-2025                                                   | TWAD PUMP HOUSE                    | 13.56                    | 56.68            | 8.26            | 8.25            | BDL             | BDL             | BDL |
|                                                              | A-BLOCK WATCH TOWER                | 12.78                    | 52.15            | 8.38            | 11.26           | BDL             | 3.58            | BDL |
| 08-12-2025                                                   | QUARTERS C-3 BLOCK                 | 9.40                     | 42.65            | 7.62            | 7.45            | BDL             | BDL             | BDL |
|                                                              | PVC WATCH TOWER                    | 12.68                    | 51.16            | 8.12            | 10.65           | BDL             | 2.68            | BDL |
| 09-12-2025                                                   | TWAD PUMP HOUSE                    | 14.36                    | 62.76            | 8.48            | 7.68            | BDL             | BDL             | BDL |
|                                                              | A-BLOCK WATCH TOWER                | 13.12                    | 60.35            | 8.65            | 12.76           | BDL             | 3.95            | BDL |
| 10-12-2025                                                   | SALT WEIGH BRIDGE                  | 15.46                    | 68.48            | 9.16            | 8.45            | BDL             | BDL             | BDL |
|                                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 12.95                    | 54.24            | 8.40            | 7.86            | BDL             | BDL             | BDL |
| 11-12-2025                                                   | TWAD PUMP HOUSE                    | 14.85                    | 59.75            | 8.58            | 8.08            | BDL             | BDL             | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 9.48                     | 42.40            | 7.56            | 7.22            | BDL             | BDL             | BDL |
| 12-12-2025                                                   | SALT WEIGH BRIDGE                  | 16.08                    | 71.38            | 8.56            | 8.40            | BDL             | BDL             | BDL |
|                                                              | A-BLOCK WATCH TOWER                | 13.56                    | 60.20            | 8.74            | 11.85           | BDL             | 4.02            | BDL |
| 13-12-2025                                                   | TCEP CHILLED WATER COMPRESSOR ROOM | 12.92                    | 53.16            | 7.86            | 7.94            | BDL             | BDL             | BDL |
|                                                              | PVC WATCH TOWER                    | 12.48                    | 52.35            | 8.32            | 10.95           | BDL             | 3.12            | BDL |
| 14-12-2025                                                   | SALT WEIGH BRIDGE                  | 15.66                    | 68.70            | 8.45            | 8.28            | BDL             | BDL             | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 9.34                     | 40.65            | 7.86            | 7.48            | BDL             | BDL             | BDL |
| 15-12-2025                                                   | TWAD PUMP HOUSE                    | 14.56                    | 66.35            | 8.45            | 8.32            | BDL             | BDL             | BDL |
|                                                              | PVC WATCH TOWER                    | 13.25                    | 56.45            | 7.80            | 11.55           | BDL             | 3.50            | BDL |

BDL = < 1 microgram/m<sup>3</sup>

Cont...2

...2...

| AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF DECEMBER 2025 |                                    |                          |                  |        |                 |                 |                 |     |
|--------------------------------------------------------------|------------------------------------|--------------------------|------------------|--------|-----------------|-----------------|-----------------|-----|
| DATE                                                         | STATION (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NOx    | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                              |                                    | Microgram/m <sup>3</sup> |                  |        |                 |                 |                 |     |
|                                                              | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max | 80 Max          | –               | 400 Max         | –   |
| 16-12-2025                                                   | TCEP CHILLED WATER COMPRESSOR ROOM | 12.86                    | 52.62            | 8.36   | 8.62            | BDL             | BDL             | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 10.76                    | 42.54            | 7.65   | 7.44            | BDL             | BDL             | BDL |
| 17-12-2025                                                   | SALT WEIGH BRIDGE                  | 15.55                    | 66.80            | 8.48   | 8.60            | BDL             | BDL             | BDL |
|                                                              | A-BLOCK WATCH TOWER                | 13.10                    | 56.72            | 8.10   | 11.55           | BDL             | 3.14            | BDL |
| 18-12-2025                                                   | TWAD PUMP HOUSE                    | 14.92                    | 69.78            | 8.40   | 8.65            | BDL             | BDL             | BDL |
|                                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 12.64                    | 48.58            | 7.86   | 8.12            | BDL             | BDL             | BDL |
| 19-12-2025                                                   | SALT WEIGH BRIDGE                  | 14.12                    | 68.15            | 8.26   | 8.20            | BDL             | BDL             | BDL |
|                                                              | PVC WATCH TOWER                    | 12.96                    | 51.08            | 9.14   | 11.04           | BDL             | 3.02            | BDL |
| 20-12-2025                                                   | TWAD PUMP HOUSE                    | 15.36                    | 71.22            | 8.10   | 7.85            | BDL             | BDL             | BDL |
|                                                              | A-BLOCK WATCH TOWER                | 12.85                    | 56.75            | 8.48   | 10.56           | BDL             | 4.18            | BDL |
| 21-12-2025                                                   | SALT WEIGH BRIDGE                  | 13.48                    | 59.15            | 8.25   | 7.92            | BDL             | BDL             | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 11.02                    | 48.36            | 7.84   | 7.75            | BDL             | BDL             | BDL |
| 22-12-2025                                                   | TCEP CHILLED WATER COMPRESSOR ROOM | 11.80                    | 51.74            | 7.68   | 8.12            | BDL             | BDL             | BDL |
|                                                              | A-BLOCK WATCH TOWER                | 12.78                    | 54.68            | 8.36   | 9.85            | BDL             | 2.40            | BDL |
| 23-12-2025                                                   | SALT WEIGH BRIDGE                  | 16.16                    | 74.46            | 8.60   | 8.30            | BDL             | BDL             | BDL |
|                                                              | PVC WATCH TOWER                    | 13.05                    | 60.75            | 8.64   | 10.54           | BDL             | 2.28            | BDL |
| 24-12-2025                                                   | TWAD PUMP HOUSE                    | 15.64                    | 66.78            | 8.72   | 8.28            | BDL             | BDL             | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 10.75                    | 46.64            | 7.78   | 7.52            | BDL             | BDL             | BDL |
| 25-12-2025                                                   | SALT WEIGH BRIDGE                  | 14.86                    | 70.84            | 8.95   | 8.21            | BDL             | BDL             | BDL |
|                                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 13.32                    | 56.65            | 7.80   | 7.48            | BDL             | BDL             | BDL |
| 26-12-2025                                                   | A-BLOCK WATCH TOWER                | 12.94                    | 50.54            | 8.34   | 10.76           | BDL             | 3.14            | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 9.78                     | 42.60            | 7.96   | 7.52            | BDL             | BDL             | BDL |
| 27-12-2025                                                   | TWAD PUMP HOUSE                    | 13.86                    | 64.45            | 8.12   | 8.34            | BDL             | BDL             | BDL |
|                                                              | PVC WATCH TOWER                    | 12.94                    | 59.76            | 8.48   | 10.85           | BDL             | 3.48            | BDL |
| 28-12-2025                                                   | TCEP CHILLED WATER COMPRESSOR ROOM | 12.46                    | 54.86            | 8.36   | 8.08            | BDL             | BDL             | BDL |
|                                                              | A-BLOCK WATCH TOWER                | 13.12                    | 60.55            | 8.48   | 10.78           | BDL             | 3.25            | BDL |
| 29-12-2025                                                   | SALT WEIGH BRIDGE                  | 14.68                    | 67.65            | 8.54   | 7.92            | BDL             | BDL             | BDL |
|                                                              | PVC WATCH TOWER                    | 13.14                    | 59.76            | 8.34   | 11.68           | BDL             | 3.02            | BDL |
| 30-12-2025                                                   | TWAD PUMP HOUSE                    | 15.86                    | 62.48            | 9.12   | 8.56            | BDL             | BDL             | BDL |
|                                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 12.25                    | 50.35            | 8.36   | 8.25            | BDL             | BDL             | BDL |
| 31-12-2025                                                   | A-BLOCK WATCH TOWER                | 13.10                    | 61.90            | 8.28   | 8.55            | BDL             | BDL             | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 10.78                    | 45.32            | 7.86   | 7.68            | BDL             | BDL             | BDL |
| BDL = < 1 microgram/m <sup>3</sup>                           |                                    |                          |                  |        |                 |                 |                 |     |

| AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF NOVEMBER 2025 |                                    |                          |                  |                 |                 |                 |                 |     |
|--------------------------------------------------------------|------------------------------------|--------------------------|------------------|-----------------|-----------------|-----------------|-----------------|-----|
| DATE                                                         | STATION (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NO <sub>x</sub> | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                              |                                    | Microgram/m <sup>3</sup> |                  |                 |                 |                 |                 |     |
|                                                              | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max          | 80 Max          | –               | 400 Max         | –   |
| 01-11-2025                                                   | TWAD PUMP HOUSE                    | 15.26                    | 65.20            | 8.88            | 9.94            | BDL             | 2.15            | BDL |
|                                                              | PVC WATCH TOWER                    | 11.85                    | 50.45            | 8.24            | 9.10            | BDL             | 1.50            | BDL |
| 02-11-2025                                                   | SALT WEIGH BRIDGE                  | 16.32                    | 70.24            | 9.18            | 10.36           | BDL             | 1.74            | BDL |
|                                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 13.40                    | 56.80            | 8.54            | 12.45           | 1.45            | 3.86            | BDL |
| 03-11-2025                                                   | A-BLOCK WATCH TOWER                | 12.64                    | 54.36            | 8.32            | 8.10            | BDL             | BDL             | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 9.78                     | 40.15            | 7.84            | 7.48            | BDL             | BDL             | BDL |
| 04-11-2025                                                   | TWAD PUMP HOUSE                    | 12.76                    | 52.76            | 8.36            | 12.76           | BDL             | 3.12            | BDL |
|                                                              | PVC WATCH TOWER                    | 11.85                    | 51.85            | 8.10            | 7.56            | BDL             | BDL             | BDL |
| 05-11-2025                                                   | SALT WEIGH BRIDGE                  | 13.75                    | 60.76            | 9.12            | 10.50           | BDL             | 2.15            | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 9.48                     | 39.46            | 7.78            | 7.65            | BDL             | BDL             | BDL |
| 06-11-2025                                                   | TCEP CHILLED WATER COMPRESSOR ROOM | 12.78                    | 51.48            | 8.40            | 10.35           | 1.48            | 2.35            | BDL |
|                                                              | A-BLOCK WATCH TOWER                | 11.20                    | 48.75            | 8.56            | 8.40            | BDL             | BDL             | BDL |
| 07-11-2025                                                   | SALT WEIGH BRIDGE                  | 12.12                    | 50.85            | 9.04            | 9.15            | BDL             | 1.50            | BDL |
|                                                              | PVC WATCH TOWER                    | 11.56                    | 49.36            | 8.48            | 9.48            | BDL             | 1.25            | BDL |
| 08-11-2025                                                   | TWAD PUMP HOUSE                    | 13.62                    | 59.75            | 8.56            | 10.50           | BDL             | 2.58            | BDL |
|                                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 12.95                    | 52.68            | 9.02            | 11.65           | 1.65            | 3.12            | BDL |
| 09-11-2025                                                   | A-BLOCK WATCH TOWER                | 12.60                    | 55.36            | 8.48            | 8.25            | BDL             | BDL             | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 10.55                    | 42.78            | 7.94            | 7.48            | BDL             | BDL             | BDL |
| 10-11-2025                                                   | SALT WEIGH BRIDGE                  | 14.68                    | 65.36            | 8.65            | 10.56           | BDL             | 4.10            | BDL |
|                                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 12.86                    | 54.48            | 7.96            | 10.12           | 1.70            | 3.55            | BDL |
| 11-11-2025                                                   | TWAD PUMP HOUSE                    | 11.68                    | 53.32            | 8.12            | 8.50            | BDL             | BDL             | BDL |
|                                                              | PVC WATCH TOWER                    | 10.92                    | 50.15            | 8.32            | 9.30            | BDL             | 2.15            | BDL |
| 12-11-2025                                                   | SALT WEIGH BRIDGE                  | 11.76                    | 52.20            | 8.32            | 10.36           | BDL             | 1.58            | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 8.92                     | 38.26            | 7.48            | 7.30            | BDL             | BDL             | BDL |
| 13-11-2025                                                   | A-BLOCK WATCH TOWER                | 10.76                    | 50.38            | 8.26            | 12.76           | BDL             | 4.58            | BDL |
|                                                              | PVC WATCH TOWER                    | 10.28                    | 48.25            | 8.08            | 10.35           | BDL             | 3.65            | BDL |
| 14-11-2025                                                   | TCEP CHILLED WATER COMPRESSOR ROOM | 10.72                    | 46.65            | 8.26            | 8.30            | BDL             | BDL             | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 9.10                     | 39.78            | 7.18            | 6.86            | BDL             | BDL             | BDL |
| 15-11-2025                                                   | SALT WEIGH BRIDGE                  | 12.48                    | 47.15            | 8.35            | 8.08            | BDL             | BDL             | BDL |
|                                                              | A-BLOCK WATCH TOWER                | 12.56                    | 50.28            | 9.14            | 9.87            | BDL             | 4.52            | BDL |

BDL = < 1 microgram/m<sup>3</sup>

Cont...2

...2...

| AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF NOVEMBER 2025 |                                    |                          |                  |        |                 |                 |                 |     |
|--------------------------------------------------------------|------------------------------------|--------------------------|------------------|--------|-----------------|-----------------|-----------------|-----|
| DATE                                                         | STATION (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NOx    | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                              |                                    | Microgram/m <sup>3</sup> |                  |        |                 |                 |                 |     |
|                                                              | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max | 80 Max          | –               | 400 Max         | –   |
| 16-11-2025                                                   | TWAD PUMP HOUSE                    | 13.44                    | 58.45            | 8.68   | 7.95            | BDL             | BDL             | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 10.70                    | 42.38            | 7.75   | 7.28            | BDL             | BDL             | BDL |
| 17-11-2025                                                   | TCEP CHILLED WATER COMPRESSOR ROOM | 12.78                    | 50.26            | 8.18   | 7.94            | BDL             | BDL             | BDL |
|                                                              | A-BLOCK WATCH TOWER                | 11.95                    | 45.40            | 7.80   | 12.78           | BDL             | 4.50            | BDL |
| 18-11-2025                                                   | SALT WEIGH BRIDGE                  | 10.14                    | 48.56            | 8.12   | 7.85            | BDL             | BDL             | BDL |
|                                                              | PVC WATCH TOWER                    | 9.86                     | 46.78            | 7.78   | 9.62            | BDL             | 2.56            | BDL |
| 19-11-2025                                                   | TWAD PUMP HOUSE                    | 12.46                    | 51.08            | 8.42   | 8.78            | BDL             | BDL             | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 8.65                     | 38.42            | 7.48   | 7.56            | BDL             | BDL             | BDL |
| 20-11-2025                                                   | TCEP CHILLED WATER COMPRESSOR ROOM | 11.32                    | 51.78            | 8.36   | 7.95            | BDL             | BDL             | BDL |
|                                                              | PVC WATCH TOWER                    | 11.25                    | 50.65            | 8.42   | 10.72           | BDL             | 4.80            | BDL |
| 21-11-2025                                                   | SALT WEIGH BRIDGE                  | 9.78                     | 45.15            | 8.30   | 9.15            | BDL             | 3.12            | BDL |
|                                                              | A-BLOCK WATCH TOWER                | 9.26                     | 42.36            | 8.48   | 11.62           | BDL             | 4.36            | BDL |
| 22-11-2025                                                   | TWAD PUMP HOUSE                    | 9.08                     | 40.12            | 7.75   | 7.08            | BDL             | BDL             | BDL |
|                                                              | PVC WATCH TOWER                    | 8.76                     | 38.30            | 6.78   | 6.86            | BDL             | BDL             | BDL |
| 23-11-2025                                                   | TCEP CHILLED WATER COMPRESSOR ROOM | 8.85                     | 37.80            | 7.12   | 6.92            | BDL             | BDL             | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 7.98                     | 35.62            | 6.95   | 6.58            | BDL             | BDL             | BDL |
| 24-11-2025                                                   | SALT WEIGH BRIDGE                  | 11.76                    | 52.48            | 7.56   | 7.65            | BDL             | BDL             | BDL |
|                                                              | PVC WATCH TOWER                    | 10.85                    | 49.36            | 7.12   | 8.25            | BDL             | BDL             | BDL |
| 25-11-2025                                                   | TWAD PUMP HOUSE                    | 11.95                    | 53.18            | 7.86   | 7.48            | BDL             | BDL             | BDL |
|                                                              | A-BLOCK WATCH TOWER                | 10.78                    | 49.32            | 8.02   | 10.18           | BDL             | 3.15            | BDL |
| 26-11-2025                                                   | SALT WEIGH BRIDGE                  | 11.55                    | 50.75            | 8.18   | 7.80            | BDL             | BDL             | BDL |
|                                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 10.78                    | 49.66            | 7.86   | 7.36            | BDL             | BDL             | BDL |
| 27-11-2025                                                   | A-BLOCK WATCH TOWER                | 9.78                     | 39.55            | 7.58   | 9.86            | BDL             | 4.85            | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 7.86                     | 36.10            | 7.12   | 6.80            | BDL             | BDL             | BDL |
| 28-11-2025                                                   | SALT WEIGH BRIDGE                  | 10.25                    | 45.75            | 8.08   | 10.78           | BDL             | 2.78            | BDL |
|                                                              | PVC WATCH TOWER                    | 8.74                     | 40.36            | 7.52   | 7.12            | BDL             | BDL             | BDL |
| 29-11-2025                                                   | TCEP CHILLED WATER COMPRESSOR ROOM | 10.56                    | 48.20            | 7.95   | 7.48            | BDL             | BDL             | BDL |
|                                                              | A-BLOCK WATCH TOWER                | 9.80                     | 44.78            | 8.08   | 10.15           | BDL             | 3.56            | BDL |
| 30-11-2025                                                   | TWAD PUMP HOUSE                    | 12.76                    | 56.25            | 8.86   | 8.15            | BDL             | BDL             | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 9.50                     | 41.32            | 7.24   | 7.02            | BDL             | BDL             | BDL |
| BDL = < 1 microgram/m <sup>3</sup>                           |                                    |                          |                  |        |                 |                 |                 |     |

| AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF OCTOBER 2025 |                                    |                          |                  |                 |                 |                 |                 |     |
|-------------------------------------------------------------|------------------------------------|--------------------------|------------------|-----------------|-----------------|-----------------|-----------------|-----|
| DATE                                                        | STATION (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NO <sub>x</sub> | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                             |                                    | Microgram/m <sup>3</sup> |                  |                 |                 |                 |                 |     |
|                                                             | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max          | 80 Max          | –               | 400 Max         | –   |
| 01-10-2025                                                  | TWAD PUMP HOUSE                    | 16.24                    | 68.72            | 8.46            | 8.68            | BDL             | 1.90            | BDL |
|                                                             | A-BLOCK WATCH TOWER                | 12.36                    | 51.20            | 7.95            | 8.08            | BDL             | BDL             | BDL |
| 02-10-2025                                                  | SALT WEIGH BRIDGE                  | 17.46                    | 72.34            | 8.98            | 11.04           | BDL             | 2.34            | BDL |
|                                                             | PVC WATCH TOWER                    | 12.48                    | 52.32            | 8.34            | 7.58            | BDL             | BDL             | BDL |
| 03-10-2025                                                  | TWAD PUMP HOUSE                    | 15.50                    | 64.35            | 8.56            | 8.22            | BDL             | BDL             | BDL |
|                                                             | QUARTERS C-3 BLOCK                 | 9.48                     | 40.15            | 7.58            | 7.16            | BDL             | BDL             | BDL |
| 04-10-2025                                                  | TCEP CHILLED WATER COMPRESSOR ROOM | 11.50                    | 50.08            | 8.45            | 9.12            | 1.04            | 2.16            | BDL |
|                                                             | A-BLOCK WATCH TOWER                | 10.64                    | 48.46            | 8.56            | 10.35           | BDL             | 3.40            | BDL |
| 05-10-2025                                                  | SALT WEIGH BRIDGE                  | 14.30                    | 57.14            | 8.20            | 9.76            | BDL             | 1.50            | BDL |
|                                                             | QUARTERS C-3 BLOCK                 | 10.26                    | 40.48            | 7.60            | 7.14            | BDL             | BDL             | BDL |
| 06-10-2025                                                  | TCEP CHILLED WATER COMPRESSOR ROOM | 12.32                    | 52.44            | 8.12            | 9.80            | 1.15            | 2.45            | BDL |
|                                                             | A-BLOCK WATCH TOWER                | 13.10                    | 56.35            | 8.04            | 9.15            | BDL             | 1.80            | BDL |
| 07-10-2025                                                  | TWAD PUMP HOUSE                    | 14.80                    | 57.85            | 8.65            | 7.95            | BDL             | BDL             | BDL |
|                                                             | PVC WATCH TOWER                    | 12.45                    | 51.75            | 9.15            | 9.78            | BDL             | 2.10            | BDL |
| 08-10-2025                                                  | TCEP CHILLED WATER COMPRESSOR ROOM | 13.35                    | 58.12            | 8.36            | 10.25           | 1.68            | 2.85            | BDL |
|                                                             | QUARTERS C-3 BLOCK                 | 10.68                    | 46.75            | 7.94            | 8.16            | BDL             | BDL             | BDL |
| 09-10-2025                                                  | A-BLOCK WATCH TOWER                | 13.14                    | 58.94            | 8.45            | 8.12            | BDL             | BDL             | BDL |
|                                                             | PVC WATCH TOWER                    | 12.86                    | 50.34            | 7.85            | 7.90            | BDL             | BDL             | BDL |
| 10-10-2025                                                  | TWAD PUMP HOUSE                    | 16.40                    | 75.86            | 8.54            | 11.72           | BDL             | 3.12            | BDL |
|                                                             | QUARTERS C-3 BLOCK                 | 10.26                    | 41.14            | 7.85            | 7.56            | BDL             | BDL             | BDL |
| 11-10-2025                                                  | SALT WEIGH BRIDGE                  | 15.85                    | 68.15            | 8.92            | 11.85           | BDL             | 3.80            | BDL |
|                                                             | TCEP CHILLED WATER COMPRESSOR ROOM | 12.70                    | 52.68            | 8.56            | 9.10            | BDL             | 2.10            | BDL |
| 12-10-2025                                                  | TWAD PUMP HOUSE                    | 16.32                    | 72.45            | 9.12            | 12.16           | BDL             | 4.12            | BDL |
|                                                             | A-BLOCK WATCH TOWER                | 14.10                    | 60.36            | 8.20            | 9.25            | BDL             | 3.52            | BDL |
| 13-10-2025                                                  | TCEP CHILLED WATER COMPRESSOR ROOM | 13.25                    | 55.20            | 8.36            | 10.68           | 1.78            | 2.50            | BDL |
|                                                             | PVC WATCH TOWER                    | 12.36                    | 51.76            | 8.40            | 7.95            | BDL             | BDL             | BDL |
| 14-10-2025                                                  | SALT WEIGH BRIDGE                  | 12.45                    | 48.15            | 9.12            | 11.75           | BDL             | 1.80            | BDL |
|                                                             | QUARTERS C-3 BLOCK                 | 8.56                     | 39.74            | 8.25            | 7.86            | BDL             | BDL             | BDL |
| 15-10-2025                                                  | TWAD PUMP HOUSE                    | 11.68                    | 49.30            | 8.46            | 8.22            | BDL             | 1.50            | BDL |
|                                                             | A-BLOCK WATCH TOWER                | 10.72                    | 46.75            | 8.68            | 10.56           | BDL             | 3.50            | BDL |

BDL = < 1 microgram/m<sup>3</sup>

Cont...2

...2...

| AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF OCTOBER 2025 |                                    |                          |                  |                 |                 |                 |                 |     |
|-------------------------------------------------------------|------------------------------------|--------------------------|------------------|-----------------|-----------------|-----------------|-----------------|-----|
| DATE                                                        | STATION (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NO <sub>x</sub> | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                             |                                    | Microgram/m <sup>3</sup> |                  |                 |                 |                 |                 |     |
|                                                             | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max          | 80 Max          | –               | 400 Max         | –   |
| 16-10-2025                                                  | SALT WEIGH BRIDGE                  | 11.26                    | 47.64            | 9.44            | 12.76           | BDL             | 2.45            | BDL |
|                                                             | PVC WATCH TOWER                    | 10.12                    | 45.14            | 8.62            | 10.65           | BDL             | 2.10            | BDL |
| 17-10-2025                                                  | TWAD PUMP HOUSE                    | 9.65                     | 42.75            | 8.54            | 8.28            | BDL             | BDL             | BDL |
|                                                             | TCEP CHILLED WATER COMPRESSOR ROOM | 9.56                     | 41.80            | 8.48            | 8.15            | BDL             | BDL             | BDL |
| 18-10-2025                                                  | SALT WEIGH BRIDGE                  | 11.60                    | 51.15            | 8.62            | 12.54           | BDL             | 3.12            | BDL |
|                                                             | A-BLOCK WATCH TOWER                | 10.86                    | 49.72            | 8.56            | 10.68           | BDL             | 2.94            | BDL |
| 19-10-2025                                                  | TWAD PUMP HOUSE                    | 10.78                    | 44.78            | 8.74            | 8.50            | BDL             | BDL             | BDL |
|                                                             | PVC WATCH TOWER                    | 9.86                     | 41.64            | 8.10            | 7.95            | BDL             | BDL             | BDL |
| 20-10-2025                                                  | A-BLOCK WATCH TOWER                | 10.80                    | 40.54            | 8.35            | 11.75           | BDL             | 2.68            | BDL |
|                                                             | QUARTERS C-3 BLOCK                 | 8.94                     | 37.46            | 7.85            | 8.08            | BDL             | BDL             | BDL |
| 21-10-2025                                                  | SALT WEIGH BRIDGE                  | 12.85                    | 50.36            | 8.14            | 11.08           | BDL             | 2.02            | BDL |
|                                                             | TCEP CHILLED WATER COMPRESSOR ROOM | 10.72                    | 48.18            | 7.54            | 7.24            | BDL             | BDL             | BDL |
| 22-10-2025                                                  | TWAD PUMP HOUSE                    | 13.36                    | 54.34            | 8.16            | 10.92           | BDL             | 3.14            | BDL |
|                                                             | A-BLOCK WATCH TOWER                | 11.40                    | 50.65            | 7.80            | 8.10            | BDL             | BDL             | BDL |
| 23-10-2025                                                  | SALT WEIGH BRIDGE                  | 13.25                    | 58.32            | 8.18            | 10.55           | BDL             | 1.80            | BDL |
|                                                             | QUARTERS C-3 BLOCK                 | 9.10                     | 40.36            | 7.52            | 7.25            | BDL             | BDL             | BDL |
| 24-10-2025                                                  | TCEP CHILLED WATER COMPRESSOR ROOM | 11.54                    | 50.45            | 8.10            | 7.85            | BDL             | BDL             | BDL |
|                                                             | PVC WATCH TOWER                    | 10.48                    | 49.70            | 7.86            | 7.45            | BDL             | BDL             | BDL |
| 25-10-2025                                                  | A-BLOCK WATCH TOWER                | 11.68                    | 50.15            | 8.68            | 8.14            | BDL             | BDL             | BDL |
|                                                             | QUARTERS C-3 BLOCK                 | 9.40                     | 38.56            | 7.78            | 7.26            | BDL             | BDL             | BDL |
| 26-10-2025                                                  | SALT WEIGH BRIDGE                  | 13.48                    | 60.75            | 8.36            | 11.45           | BDL             | 2.85            | BDL |
|                                                             | PVC WATCH TOWER                    | 10.74                    | 45.62            | 7.84            | 7.48            | BDL             | BDL             | BDL |
| 27-10-2025                                                  | TCEP CHILLED WATER COMPRESSOR ROOM | 11.04                    | 48.35            | 8.25            | 8.38            | BDL             | BDL             | BDL |
|                                                             | QUARTERS C-3 BLOCK                 | 10.36                    | 42.46            | 7.80            | 7.42            | BDL             | BDL             | BDL |
| 28-10-2025                                                  | TWAD PUMP HOUSE                    | 13.65                    | 64.40            | 8.45            | 9.36            | BDL             | BDL             | BDL |
|                                                             | PVC WATCH TOWER                    | 11.15                    | 48.88            | 8.04            | 7.86            | BDL             | BDL             | BDL |
| 29-10-2025                                                  | TCEP CHILLED WATER COMPRESSOR ROOM | 14.20                    | 60.36            | 9.12            | 8.55            | BDL             | BDL             | BDL |
|                                                             | A-BLOCK WATCH TOWER                | 12.86                    | 50.15            | 8.92            | 8.40            | BDL             | BDL             | BDL |
| 30-10-2025                                                  | SALT WEIGH BRIDGE                  | 15.20                    | 64.45            | 9.14            | 12.26           | BDL             | 1.56            | BDL |
|                                                             | TWAD PUMP HOUSE                    | 16.12                    | 68.76            | 8.78            | 11.15           | BDL             | 2.15            | BDL |
| 31-10-2025                                                  | TCEP CHILLED WATER COMPRESSOR ROOM | 13.20                    | 57.46            | 8.85            | 10.84           | 1.76            | 3.20            | BDL |
|                                                             | PVC WATCH TOWER                    | 11.78                    | 50.35            | 7.96            | 8.02            | BDL             | BDL             | BDL |

BDL = < 1 microgram/m<sup>3</sup>

| AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF SEPTEMBER 2025 |                                    |                          |                  |                 |                 |                 |                 |     |
|---------------------------------------------------------------|------------------------------------|--------------------------|------------------|-----------------|-----------------|-----------------|-----------------|-----|
| DATE                                                          | STATION (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NO <sub>x</sub> | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                               |                                    | Microgram/m <sup>3</sup> |                  |                 |                 |                 |                 |     |
|                                                               | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max          | 80 Max          | –               | 400 Max         | –   |
| 01-09-2025                                                    | TWAD PUMP HOUSE                    | 15.26                    | 61.25            | 8.12            | 8.54            | BDL             | BDL             | BDL |
|                                                               | QUARTERS C-3 BLOCK                 | 11.68                    | 46.32            | 7.92            | 7.48            | BDL             | BDL             | BDL |
| 02-09-2025                                                    | SALT WEIGH BRIDGE                  | 16.14                    | 66.35            | 9.14            | 11.48           | BDL             | 2.12            | BDL |
|                                                               | A-BLOCK WATCH TOWER                | 13.08                    | 56.72            | 8.60            | 8.68            | BDL             | 1.54            | BDL |
| 03-09-2025                                                    | TWAD PUMP HOUSE                    | 15.26                    | 60.75            | 9.12            | 8.86            | BDL             | BDL             | BDL |
|                                                               | PVC WATCH TOWER                    | 12.82                    | 48.28            | 8.14            | 7.50            | BDL             | BDL             | BDL |
| 04-09-2025                                                    | TCEP CHILLED WATER COMPRESSOR ROOM | 13.20                    | 58.35            | 8.94            | 10.56           | 1.48            | 2.56            | BDL |
|                                                               | A-BLOCK WATCH TOWER                | 13.56                    | 60.74            | 8.58            | 8.40            | BDL             | BDL             | BDL |
| 05-09-2025                                                    | SALT WEIGH BRIDGE                  | 15.86                    | 64.48            | 9.12            | 12.58           | BDL             | 1.50            | BDL |
|                                                               | PVC WATCH TOWER                    | 12.08                    | 50.12            | 7.94            | 7.56            | BDL             | BDL             | BDL |
| 06-09-2025                                                    | TWAD PUMP HOUSE                    | 16.08                    | 65.74            | 8.36            | 8.50            | BDL             | BDL             | BDL |
|                                                               | QUARTERS C-3 BLOCK                 | 10.58                    | 44.60            | 8.16            | 7.64            | BDL             | BDL             | BDL |
| 07-09-2025                                                    | TCEP CHILLED WATER COMPRESSOR ROOM | 12.94                    | 56.15            | 8.58            | 9.94            | 1.24            | 3.12            | BDL |
|                                                               | A-BLOCK WATCH TOWER                | 13.10                    | 59.70            | 8.96            | 9.04            | BDL             | 2.80            | BDL |
| 08-09-2025                                                    | TWAD PUMP HOUSE                    | 15.74                    | 61.78            | 8.56            | 9.12            | BDL             | 1.86            | BDL |
|                                                               | QUARTERS C-3 BLOCK                 | 11.04                    | 48.16            | 7.94            | 7.48            | BDL             | BDL             | BDL |
| 09-09-2025                                                    | SALT WEIGH BRIDGE                  | 16.86                    | 68.72            | 8.12            | 8.56            | BDL             | BDL             | BDL |
|                                                               | PVC WATCH TOWER                    | 12.78                    | 55.20            | 8.20            | 10.28           | BDL             | BDL             | BDL |
| 10-09-2025                                                    | TCEP CHILLED WATER COMPRESSOR ROOM | 13.12                    | 60.11            | 8.48            | 9.56            | BDL             | 1.60            | BDL |
|                                                               | A-BLOCK WATCH TOWER                | 13.54                    | 57.48            | 8.52            | 10.15           | BDL             | 2.75            | BDL |
| 11-09-2025                                                    | SALT WEIGH BRIDGE                  | 15.76                    | 66.20            | 8.42            | 11.26           | BDL             | 2.88            | BDL |
|                                                               | QUARTERS C-3 BLOCK                 | 11.08                    | 44.65            | 7.94            | 7.68            | BDL             | BDL             | BDL |
| 12-09-2025                                                    | TWAD PUMP HOUSE                    | 16.04                    | 67.56            | 8.12            | 8.60            | BDL             | BDL             | BDL |
|                                                               | PVC WATCH TOWER                    | 12.76                    | 54.48            | 7.86            | 8.08            | BDL             | BDL             | BDL |
| 13-09-2025                                                    | SALT WEIGH BRIDGE                  | 14.45                    | 59.72            | 8.48            | 12.34           | BDL             | 3.12            | BDL |
|                                                               | A-BLOCK WATCH TOWER                | 12.84                    | 55.60            | 8.34            | 8.02            | BDL             | BDL             | BDL |
| 14-09-2025                                                    | TCEP CHILLED WATER COMPRESSOR ROOM | 12.30                    | 52.80            | 7.94            | 7.55            | BDL             | BDL             | BDL |
|                                                               | PVC WATCH TOWER                    | 11.56                    | 48.72            | 7.56            | 7.84            | BDL             | BDL             | BDL |
| 15-09-2025                                                    | SALT WEIGH BRIDGE                  | 15.50                    | 61.64            | 8.24            | 11.08           | BDL             | 2.56            | BDL |
|                                                               | A-BLOCK WATCH TOWER                | 12.68                    | 54.40            | 8.16            | 8.40            | BDL             | BDL             | BDL |

BDL = < 1 microgram/m<sup>3</sup>

Cont...2

...2...

| AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF SEPTEMBER 2025 |                                    |                          |                  |        |                 |                 |                 |     |
|---------------------------------------------------------------|------------------------------------|--------------------------|------------------|--------|-----------------|-----------------|-----------------|-----|
| DATE                                                          | STATION (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NOx    | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                               |                                    | Microgram/m <sup>3</sup> |                  |        |                 |                 |                 |     |
|                                                               | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max | 80 Max          | –               | 400 Max         | –   |
| 16-09-2025                                                    | QUARTERS C-3 BLOCK                 | 11.54                    | 44.36            | 7.52   | 7.12            | BDL             | BDL             | BDL |
|                                                               | PVC WATCH TOWER                    | 12.60                    | 50.48            | 8.10   | 7.86            | BDL             | BDL             | BDL |
| 17-09-2025                                                    | TWAD PUMP HOUSE                    | 13.94                    | 59.34            | 9.10   | 8.68            | BDL             | BDL             | BDL |
|                                                               | A-BLOCK WATCH TOWER                | 12.85                    | 52.78            | 8.65   | 10.56           | BDL             | 3.28            | BDL |
| 18-09-2025                                                    | TCEP CHILLED WATER COMPRESSOR ROOM | 12.92                    | 54.14            | 8.94   | 10.40           | BDL             | 2.86            | BDL |
|                                                               | QUARTERS C-3 BLOCK                 | 9.54                     | 40.18            | 7.80   | 7.48            | BDL             | BDL             | BDL |
| 19-09-2025                                                    | SALT WEIGH BRIDGE                  | 16.20                    | 66.36            | 8.56   | 11.76           | BDL             | 1.86            | BDL |
|                                                               | PVC WATCH TOWER                    | 12.72                    | 50.08            | 7.88   | 7.95            | BDL             | BDL             | BDL |
| 20-09-2025                                                    | TWAD PUMP HOUSE                    | 15.56                    | 68.76            | 8.14   | 8.28            | BDL             | BDL             | BDL |
|                                                               | TCEP CHILLED WATER COMPRESSOR ROOM | 12.84                    | 51.10            | 8.92   | 10.56           | 1.64            | 3.12            | BDL |
| 21-09-2025                                                    | A-BLOCK WATCH TOWER                | 12.85                    | 54.28            | 8.45   | 8.78            | BDL             | BDL             | BDL |
|                                                               | PVC WATCH TOWER                    | 11.70                    | 44.16            | 7.94   | 7.60            | BDL             | BDL             | BDL |
| 22-09-2025                                                    | TWAD PUMP HOUSE                    | 16.35                    | 71.38            | 8.82   | 8.48            | BDL             | BDL             | BDL |
|                                                               | QUARTERS C-3 BLOCK                 | 11.06                    | 45.34            | 7.94   | 7.60            | BDL             | BDL             | BDL |
| 23-09-2025                                                    | SALT WEIGH BRIDGE                  | 15.90                    | 69.35            | 8.54   | 12.16           | BDL             | 2.68            | BDL |
|                                                               | TCEP CHILLED WATER COMPRESSOR ROOM | 13.04                    | 57.75            | 8.65   | 10.04           | 1.26            | 3.12            | BDL |
| 24-09-2025                                                    | QUARTERS C-3 BLOCK                 | 10.56                    | 42.78            | 8.12   | 7.56            | BDL             | BDL             | BDL |
|                                                               | PVC WATCH TOWER                    | 12.62                    | 48.16            | 8.34   | 8.08            | BDL             | BDL             | BDL |
| 25-09-2025                                                    | TCEP CHILLED WATER COMPRESSOR ROOM | 13.16                    | 54.28            | 8.48   | 10.16           | 1.34            | 3.08            | BDL |
|                                                               | A-BLOCK WATCH TOWER                | 13.60                    | 56.64            | 8.56   | 8.40            | BDL             | BDL             | BDL |
| 26-09-2025                                                    | TWAD PUMP HOUSE                    | 15.86                    | 67.56            | 8.64   | 9.12            | BDL             | BDL             | BDL |
|                                                               | QUARTERS C-3 BLOCK                 | 11.70                    | 44.12            | 7.85   | 7.54            | BDL             | BDL             | BDL |
| 27-09-2025                                                    | SALT WEIGH BRIDGE                  | 16.08                    | 70.50            | 9.12   | 11.50           | BDL             | 1.68            | BDL |
|                                                               | TCEP CHILLED WATER COMPRESSOR ROOM | 13.20                    | 55.70            | 8.68   | 9.15            | BDL             | BDL             | BDL |
| 28-09-2025                                                    | A-BLOCK WATCH TOWER                | 12.28                    | 49.80            | 7.54   | 8.10            | BDL             | BDL             | BDL |
|                                                               | QUARTERS C-3 BLOCK                 | 10.54                    | 42.76            | 7.48   | 7.08            | BDL             | BDL             | BDL |
| 29-09-2025                                                    | TWAD PUMP HOUSE                    | 14.48                    | 59.32            | 8.16   | 11.36           | BDL             | 2.16            | BDL |
|                                                               | TCEP CHILLED WATER COMPRESSOR ROOM | 12.60                    | 51.28            | 8.48   | 9.45            | BDL             | BDL             | BDL |
| 30-09-2025                                                    | SALT WEIGH BRIDGE                  | 16.54                    | 69.34            | 9.14   | 12.64           | BDL             | 2.48            | BDL |
|                                                               | PVC WATCH TOWER                    | 12.35                    | 50.66            | 7.86   | 7.68            | BDL             | BDL             | BDL |
| BDL = < 1 microgram/m <sup>3</sup>                            |                                    |                          |                  |        |                 |                 |                 |     |

| AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF AUGUST 2025 |                                    |                          |                  |                 |                 |                 |                 |     |
|------------------------------------------------------------|------------------------------------|--------------------------|------------------|-----------------|-----------------|-----------------|-----------------|-----|
| DATE                                                       | STATION (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NO <sub>x</sub> | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                            |                                    | Microgram/m <sup>3</sup> |                  |                 |                 |                 |                 |     |
|                                                            | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max          | 80 Max          | –               | 400 Max         | –   |
| 01-08-2025                                                 | SALT WEIGH BRIDGE                  | 12.32                    | 54.88            | 8.12            | 9.54            | BDL             | BDL             | BDL |
|                                                            | TCEP CHILLED WATER COMPRESSOR ROOM | 11.56                    | 50.76            | 8.26            | 8.14            | BDL             | BDL             | BDL |
| 02-08-2025                                                 | TWAD PUMP HOUSE                    | 14.25                    | 57.88            | 9.14            | 10.56           | BDL             | 2.12            | BDL |
|                                                            | QUARTERS C-3 BLOCK                 | 10.86                    | 44.78            | 7.86            | 7.54            | BDL             | BDL             | BDL |
| 03-08-2025                                                 | TCEP CHILLED WATER COMPRESSOR ROOM | 12.78                    | 54.18            | 8.12            | 9.14            | 1.52            | BDL             | BDL |
|                                                            | PVC WATCH TOWER                    | 11.08                    | 50.12            | 7.62            | 8.04            | BDL             | BDL             | BDL |
| 04-08-2025                                                 | SALT WEIGH BRIDGE                  | 15.78                    | 56.78            | 8.12            | 9.10            | BDL             | 3.14            | BDL |
|                                                            | TWAD PUMP HOUSE                    | 14.68                    | 55.16            | 7.60            | 8.94            | BDL             | 2.86            | BDL |
| 05-08-2025                                                 | A-BLOCK WATCH TOWER                | 13.74                    | 57.32            | 8.32            | 8.80            | BDL             | 2.90            | BDL |
|                                                            | QUARTERS C-3 BLOCK                 | 11.25                    | 48.54            | 7.56            | 7.48            | BDL             | BDL             | BDL |
| 06-08-2025                                                 | SALT WEIGH BRIDGE                  | 15.85                    | 60.36            | 8.26            | 11.76           | BDL             | 3.12            | BDL |
|                                                            | TCEP CHILLED WATER COMPRESSOR ROOM | 12.74                    | 51.08            | 7.60            | 7.58            | BDL             | BDL             | BDL |
| 07-08-2025                                                 | A-BLOCK WATCH TOWER                | 13.12                    | 54.48            | 8.32            | 8.12            | BDL             | BDL             | BDL |
|                                                            | PVC WATCH TOWER                    | 12.76                    | 50.15            | 8.12            | 7.55            | BDL             | BDL             | BDL |
| 08-08-2025                                                 | SALT WEIGH BRIDGE                  | 16.78                    | 72.32            | 8.92            | 8.54            | BDL             | 3.56            | BDL |
|                                                            | TWAD PUMP HOUSE                    | 15.86                    | 68.15            | 8.34            | 8.10            | BDL             | BDL             | BDL |
| 09-08-2025                                                 | TCEP CHILLED WATER COMPRESSOR ROOM | 13.12                    | 56.35            | 8.48            | 10.55           | 1.48            | 2.95            | BDL |
|                                                            | QUARTERS C-3 BLOCK                 | 10.56                    | 45.76            | 7.94            | 7.48            | BDL             | BDL             | BDL |
| 10-08-2025                                                 | A-BLOCK WATCH TOWER                | 12.85                    | 50.28            | 8.12            | 7.68            | BDL             | BDL             | BDL |
|                                                            | PVC WATCH TOWER                    | 11.48                    | 52.70            | 7.48            | 7.54            | BDL             | BDL             | BDL |
| 11-08-2025                                                 | TCEP CHILLED WATER COMPRESSOR ROOM | 13.36                    | 57.65            | 8.30            | 8.92            | BDL             | 2.48            | BDL |
|                                                            | QUARTERS C-3 BLOCK                 | 11.48                    | 50.15            | 7.54            | 7.60            | BDL             | BDL             | BDL |
| 12-08-2025                                                 | SALT WEIGH BRIDGE                  | 15.18                    | 64.46            | 8.40            | 11.46           | BDL             | 3.15            | BDL |
|                                                            | PVC WATCH TOWER                    | 10.76                    | 50.18            | 7.86            | 7.50            | BDL             | BDL             | BDL |
| 13-08-2025                                                 | TWAD PUMP HOUSE                    | 16.14                    | 67.26            | 8.40            | 8.95            | BDL             | 1.54            | BDL |
|                                                            | TCEP CHILLED WATER COMPRESSOR ROOM | 12.32                    | 52.35            | 8.16            | 7.94            | BDL             | BDL             | BDL |
| 14-08-2025                                                 | A-BLOCK WATCH TOWER                | 13.48                    | 54.74            | 8.54            | 8.62            | BDL             | BDL             | BDL |
|                                                            | QUARTERS C-3 BLOCK                 | 10.62                    | 42.68            | 7.68            | 7.56            | BDL             | BDL             | BDL |
| 15-08-2025                                                 | TWAD PUMP HOUSE                    | 15.75                    | 64.70            | 8.12            | 11.60           | BDL             | 3.08            | BDL |
|                                                            | PVC WATCH TOWER                    | 12.68                    | 52.36            | 8.08            | 7.12            | BDL             | BDL             | BDL |

BDL = < 1 microgram/m<sup>3</sup>

Cont...2

...2...

| AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF AUGUST 2025 |                                    |                          |                  |        |                 |                 |                 |     |
|------------------------------------------------------------|------------------------------------|--------------------------|------------------|--------|-----------------|-----------------|-----------------|-----|
| DATE                                                       | STATION (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NOx    | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                            |                                    | Microgram/m <sup>3</sup> |                  |        |                 |                 |                 |     |
|                                                            | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max | 80 Max          | –               | 400 Max         | –   |
| 16-08-2025                                                 | SALT WEIGH BRIDGE                  | 16.08                    | 66.28            | 8.68   | 12.40           | BDL             | 4.12            | BDL |
|                                                            | A-BLOCK WATCH TOWER                | 12.74                    | 51.12            | 8.04   | 8.56            | BDL             | BDL             | BDL |
| 17-08-2025                                                 | TWAD PUMP HOUSE                    | 14.60                    | 62.32            | 8.34   | 8.68            | BDL             | BDL             | BDL |
|                                                            | QUARTERS C-3 BLOCK                 | 11.04                    | 50.02            | 7.94   | 7.58            | BDL             | BDL             | BDL |
| 18-08-2025                                                 | SALT WEIGH BRIDGE                  | 16.26                    | 68.30            | 9.25   | 10.56           | BDL             | 2.16            | BDL |
|                                                            | PVC WATCH TOWER                    | 12.74                    | 52.60            | 7.68   | 7.78            | BDL             | BDL             | BDL |
| 19-08-2025                                                 | TCEP CHILLED WATER COMPRESSOR ROOM | 13.08                    | 54.45            | 8.22   | 7.90            | BDL             | BDL             | BDL |
|                                                            | A-BLOCK WATCH TOWER                | 12.76                    | 52.24            | 8.60   | 8.95            | BDL             | 3.10            | BDL |
| 20-08-2025                                                 | SALT WEIGH BRIDGE                  | 15.84                    | 64.40            | 9.02   | 11.64           | BDL             | 2.86            | BDL |
|                                                            | QUARTERS C-3 BLOCK                 | 10.62                    | 42.46            | 7.80   | 7.48            | BDL             | BDL             | BDL |
| 21-08-2025                                                 | TWAD PUMP HOUSE                    | 14.76                    | 63.25            | 8.78   | 11.02           | BDL             | 2.94            | BDL |
|                                                            | PVC WATCH TOWER                    | 13.18                    | 55.75            | 8.60   | 11.26           | BDL             | 3.14            | BDL |
| 22-08-2025                                                 | SALT WEIGH BRIDGE                  | 15.25                    | 65.46            | 8.94   | 9.04            | BDL             | BDL             | BDL |
|                                                            | A-BLOCK WATCH TOWER                | 13.66                    | 56.32            | 8.68   | 11.04           | BDL             | 2.90            | BDL |
| 23-08-2025                                                 | TCEP CHILLED WATER COMPRESSOR ROOM | 13.25                    | 61.38            | 8.74   | 10.25           | BDL             | 1.56            | BDL |
|                                                            | QUARTERS C-3 BLOCK                 | 11.08                    | 50.40            | 7.60   | 7.64            | BDL             | BDL             | BDL |
| 24-08-2025                                                 | A-BLOCK WATCH TOWER                | 12.54                    | 52.56            | 8.12   | 8.68            | BDL             | BDL             | BDL |
|                                                            | PVC WATCH TOWER                    | 11.60                    | 50.75            | 7.84   | 7.45            | BDL             | BDL             | BDL |
| 25-08-2025                                                 | TWAD PUMP HOUSE                    | 15.35                    | 57.42            | 8.44   | 8.50            | BDL             | 2.35            | BDL |
|                                                            | TCEP CHILLED WATER COMPRESSOR ROOM | 12.68                    | 49.56            | 9.26   | 10.35           | 1.25            | 3.12            | BDL |
| 26-08-2025                                                 | SALT WEIGH BRIDGE                  | 16.25                    | 67.46            | 8.92   | 10.24           | BDL             | 1.54            | BDL |
|                                                            | PVC WATCH TOWER                    | 12.74                    | 51.35            | 7.94   | 7.86            | BDL             | BDL             | BDL |
| 27-08-2025                                                 | TWAD PUMP HOUSE                    | 15.86                    | 66.38            | 8.04   | 8.20            | BDL             | BDL             | BDL |
|                                                            | QUARTERS C-3 BLOCK                 | 10.48                    | 42.75            | 7.95   | 7.28            | BDL             | BDL             | BDL |
| 28-08-2025                                                 | SALT WEIGH BRIDGE                  | 15.60                    | 62.32            | 8.92   | 11.04           | BDL             | 2.12            | BDL |
|                                                            | A-BLOCK WATCH TOWER                | 13.16                    | 57.46            | 8.50   | 9.84            | BDL             | 3.54            | BDL |
| 29-08-2025                                                 | TWAD PUMP HOUSE                    | 16.48                    | 66.78            | 9.12   | 8.68            | BDL             | BDL             | BDL |
|                                                            | TCEP CHILLED WATER COMPRESSOR ROOM | 13.20                    | 58.62            | 8.40   | 8.25            | BDL             | BDL             | BDL |
| 30-08-2025                                                 | QUARTERS C-3 BLOCK                 | 10.72                    | 44.70            | 7.62   | 7.78            | BDL             | BDL             | BDL |
|                                                            | PVC WATCH TOWER                    | 11.08                    | 50.48            | 8.14   | 7.85            | BDL             | BDL             | BDL |
| 31-08-2025                                                 | TWAD PUMP HOUSE                    | 16.08                    | 69.12            | 8.50   | 8.65            | BDL             | BDL             | BDL |
|                                                            | A-BLOCK WATCH TOWER                | 12.90                    | 52.40            | 8.44   | 9.10            | BDL             | BDL             | BDL |
| BDL = < 1 microgram/m <sup>3</sup>                         |                                    |                          |                  |        |                 |                 |                 |     |

| AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF JULY 2025 |                                    |                          |                  |                 |                 |                 |                 |     |
|----------------------------------------------------------|------------------------------------|--------------------------|------------------|-----------------|-----------------|-----------------|-----------------|-----|
| DATE                                                     | STATION (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NO <sub>x</sub> | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                          |                                    | Microgram/m <sup>3</sup> |                  |                 |                 |                 |                 |     |
|                                                          | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max          | 80 Max          | –               | 400 Max         | –   |
| 01-07-2025                                               | TCEP CHILLED WATER COMPRESSOR ROOM | 12.86                    | 52.74            | 8.16            | 8.42            | BDL             | BDL             | BDL |
|                                                          | A-BLOCK WATCH TOWER                | 11.78                    | 50.85            | 8.24            | 8.18            | BDL             | BDL             | BDL |
| 02-07-2025                                               | SALT WEIGH BRIDGE                  | 15.80                    | 60.15            | 9.12            | 12.85           | BDL             | 1.52            | BDL |
|                                                          | PVC WATCH TOWER                    | 12.08                    | 51.28            | 8.15            | 7.94            | BDL             | BDL             | BDL |
| 03-07-2025                                               | TWAD PUMP HOUSE                    | 14.75                    | 59.12            | 8.55            | 8.12            | BDL             | BDL             | BDL |
|                                                          | QUARTERS C-3 BLOCK                 | 11.16                    | 45.54            | 7.78            | 7.28            | BDL             | BDL             | BDL |
| 04-07-2025                                               | SALT WEIGH BRIDGE                  | 16.20                    | 62.35            | 8.56            | 12.56           | BDL             | BDL             | BDL |
|                                                          | A-BLOCK WATCH TOWER                | 13.32                    | 56.40            | 8.86            | 8.75            | BDL             | BDL             | BDL |
| 05-07-2025                                               | TCEP CHILLED WATER COMPRESSOR ROOM | 15.28                    | 54.38            | 7.78            | 7.95            | BDL             | BDL             | BDL |
|                                                          | QUARTERS C-3 BLOCK                 | 11.76                    | 46.62            | 7.62            | 7.50            | BDL             | BDL             | BDL |
| 06-07-2025                                               | TWAD PUMP HOUSE                    | 16.76                    | 66.72            | 8.04            | 8.88            | BDL             | 2.56            | BDL |
|                                                          | PVC WATCH TOWER                    | 12.38                    | 50.12            | 8.12            | 7.56            | BDL             | BDL             | BDL |
| 07-07-2025                                               | A-BLOCK WATCH TOWER                | 14.76                    | 58.72            | 9.14            | 8.52            | BDL             | BDL             | BDL |
|                                                          | QUARTERS C-3 BLOCK                 | 12.55                    | 50.15            | 7.94            | 7.82            | BDL             | BDL             | BDL |
| 08-07-2025                                               | SALT WEIGH BRIDGE                  | 17.32                    | 70.12            | 8.52            | 13.35           | BDL             | 5.56            | BDL |
|                                                          | TCEP CHILLED WATER COMPRESSOR ROOM | 13.56                    | 52.35            | 8.12            | 7.85            | BDL             | BDL             | BDL |
| 09-07-2025                                               | TWAD PUMP HOUSE                    | 16.56                    | 60.15            | 8.74            | 8.94            | BDL             | BDL             | BDL |
|                                                          | PVC WATCH TOWER                    | 12.78                    | 50.32            | 8.22            | 8.35            | BDL             | BDL             | BDL |
| 10-07-2025                                               | SALT WEIGH BRIDGE                  | 16.28                    | 63.36            | 9.32            | 12.46           | BDL             | 3.12            | BDL |
|                                                          | A-BLOCK WATCH TOWER                | 14.34                    | 57.85            | 8.48            | 9.14            | BDL             | 1.58            | BDL |
| 11-07-2025                                               | TCEP CHILLED WATER COMPRESSOR ROOM | 13.25                    | 55.14            | 8.84            | 8.95            | BDL             | BDL             | BDL |
|                                                          | QUARTERS C-3 BLOCK                 | 10.68                    | 48.75            | 7.58            | 7.86            | BDL             | BDL             | BDL |
| 12-07-2025                                               | A-BLOCK WATCH TOWER                | 13.68                    | 58.28            | 8.18            | 9.10            | BDL             | BDL             | BDL |
|                                                          | PVC WATCH TOWER                    | 12.70                    | 52.35            | 7.86            | 8.02            | BDL             | BDL             | BDL |
| 13-07-2025                                               | TWAD PUMP HOUSE                    | 15.92                    | 61.20            | 8.18            | 8.94            | BDL             | BDL             | BDL |
|                                                          | QUARTERS C-3 BLOCK                 | 11.56                    | 50.15            | 7.80            | 7.52            | BDL             | BDL             | BDL |
| 14-07-2025                                               | SALT WEIGH BRIDGE                  | 15.90                    | 60.76            | 8.46            | 13.56           | BDL             | 3.16            | BDL |
|                                                          | PVC WATCH TOWER                    | 13.12                    | 52.68            | 7.96            | 8.04            | BDL             | BDL             | BDL |
| 15-07-2025                                               | TCEP CHILLED WATER COMPRESSOR ROOM | 12.96                    | 51.75            | 8.12            | 7.95            | BDL             | BDL             | BDL |
|                                                          | QUARTERS C-3 BLOCK                 | 10.56                    | 47.15            | 7.87            | 7.58            | BDL             | BDL             | BDL |

BDL = < 1 microgram/m<sup>3</sup>

Cont...2

...2...

| Ambient Air Quality Analysis Report - Month of July 2025 |                                    |                          |                  |        |                 |                 |                 |     |
|----------------------------------------------------------|------------------------------------|--------------------------|------------------|--------|-----------------|-----------------|-----------------|-----|
| Date                                                     | Station (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NOx    | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                          |                                    | Microgram/m <sup>3</sup> |                  |        |                 |                 |                 |     |
|                                                          | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max | 80 Max          | –               | 400 Max         | –   |
| 16-07-2025                                               | SALT WEIGH BRIDGE                  | 15.26                    | 58.35            | 8.28   | 12.76           | BDL             | 2.56            | BDL |
|                                                          | TWAD PUMP HOUSE                    | 16.12                    | 64.46            | 8.16   | 8.20            | BDL             | 1.50            | BDL |
| 17-07-2025                                               | TCEP CHILLED WATER COMPRESSOR ROOM | 13.36                    | 58.76            | 8.36   | 8.48            | BDL             | BDL             | BDL |
|                                                          | A-BLOCK WATCH TOWER                | 14.40                    | 60.32            | 7.56   | 10.55           | BDL             | 2.62            | BDL |
| 18-07-2025                                               | TWAD PUMP HOUSE                    | 16.35                    | 65.56            | 8.12   | 8.48            | BDL             | BDL             | BDL |
|                                                          | PVC WATCH TOWER                    | 13.28                    | 52.25            | 8.32   | 7.68            | BDL             | BDL             | BDL |
| 19-07-2025                                               | A-BLOCK WATCH TOWER                | 13.56                    | 57.68            | 8.52   | 8.65            | BDL             | BDL             | BDL |
|                                                          | QUARTERS C-3 BLOCK                 | 11.08                    | 48.12            | 7.82   | 7.45            | BDL             | BDL             | BDL |
| 20-07-2025                                               | TCEP CHILLED WATER COMPRESSOR ROOM | 12.86                    | 54.46            | 8.12   | 7.80            | BDL             | BDL             | BDL |
|                                                          | PVC WATCH TOWER                    | 12.55                    | 52.78            | 8.32   | 7.94            | BDL             | BDL             | BDL |
| 21-07-2025                                               | TWAD PUMP HOUSE                    | 15.54                    | 64.38            | 9.14   | 8.90            | BDL             | BDL             | BDL |
|                                                          | QUARTERS C-3 BLOCK                 | 8.34                     | 42.36            | 7.84   | 7.48            | BDL             | BDL             | BDL |
| 22-07-2025                                               | SALT WEIGH BRIDGE                  | 16.10                    | 66.72            | 8.12   | 12.26           | BDL             | BDL             | BDL |
|                                                          | PVC WATCH TOWER                    | 12.52                    | 54.35            | 7.54   | 8.10            | BDL             | BDL             | BDL |
| 23-07-2025                                               | TWAD PUMP HOUSE                    | 17.36                    | 70.62            | 8.12   | 9.30            | BDL             | BDL             | BDL |
|                                                          | TCEP CHILLED WATER COMPRESSOR ROOM | 13.26                    | 55.28            | 7.62   | 8.04            | BDL             | BDL             | BDL |
| 24-07-2025                                               | SALT WEIGH BRIDGE                  | 17.28                    | 69.35            | 8.22   | 14.16           | BDL             | 2.34            | BDL |
|                                                          | A-BLOCK WATCH TOWER                | 13.35                    | 57.78            | 9.16   | 8.54            | BDL             | BDL             | BDL |
| 25-07-2025                                               | TCEP CHILLED WATER COMPRESSOR ROOM | 13.35                    | 58.15            | 8.96   | 8.62            | BDL             | BDL             | BDL |
|                                                          | QUARTERS C-3 BLOCK                 | 10.72                    | 49.72            | 8.12   | 7.88            | BDL             | BDL             | BDL |
| 26-07-2025                                               | A-BLOCK WATCH TOWER                | 14.46                    | 60.12            | 7.96   | 8.32            | BDL             | 3.14            | BDL |
|                                                          | PVC WATCH TOWER                    | 13.92                    | 54.78            | 7.84   | 7.78            | BDL             | BDL             | BDL |
| 27-07-2025                                               | SALT WEIGH BRIDGE                  | 16.96                    | 74.42            | 8.86   | 14.25           | BDL             | 3.16            | BDL |
|                                                          | QUARTERS C-3 BLOCK                 | 11.35                    | 48.15            | 8.46   | 7.90            | BDL             | BDL             | BDL |
| 28-07-2025                                               | TWAD PUMP HOUSE                    | 15.54                    | 60.35            | 8.54   | 8.45            | BDL             | BDL             | BDL |
|                                                          | PVC WATCH TOWER                    | 12.72                    | 51.20            | 8.36   | 8.12            | BDL             | BDL             | BDL |
| 29-07-2025                                               | TCEP CHILLED WATER COMPRESSOR ROOM | 13.54                    | 60.28            | 8.48   | 8.52            | BDL             | BDL             | BDL |
|                                                          | QUARTERS C-3 BLOCK                 | 11.60                    | 50.34            | 7.94   | 7.22            | BDL             | BDL             | BDL |
| 30-07-2025                                               | SALT WEIGH BRIDGE                  | 16.46                    | 71.28            | 8.12   | 13.30           | BDL             | 1.54            | BDL |
|                                                          | A-BLOCK WATCH TOWER                | 14.72                    | 61.36            | 7.80   | 8.16            | BDL             | BDL             | BDL |
| 31-07-2025                                               | TWAD PUMP HOUSE                    | 15.52                    | 68.56            | 8.14   | 8.40            | BDL             | BDL             | BDL |
|                                                          | TCEP CHILLED WATER COMPRESSOR ROOM | 11.70                    | 50.78            | 8.36   | 8.12            | BDL             | BDL             | BDL |
| BDL = < 1 microgram/m <sup>3</sup>                       |                                    |                          |                  |        |                 |                 |                 |     |

| AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF JUNE 2025 |                                    |                          |                  |                 |                 |                 |                 |     |
|----------------------------------------------------------|------------------------------------|--------------------------|------------------|-----------------|-----------------|-----------------|-----------------|-----|
| DATE                                                     | STATION (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NO <sub>x</sub> | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                          |                                    | Microgram/m <sup>3</sup> |                  |                 |                 |                 |                 |     |
|                                                          | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max          | 80 Max          | –               | 400 Max         | –   |
| 01-06-2025                                               | TWAD PUMP HOUSE                    | 15.26                    | 62.24            | 8.12            | 9.56            | BDL             | BDL             | BDL |
|                                                          | TCEP CHILLED WATER COMPRESSOR ROOM | 13.18                    | 54.66            | 7.87            | 8.02            | BDL             | BDL             | BDL |
| 02-06-2025                                               | SALT WEIGH BRIDGE                  | 16.86                    | 59.16            | 12.36           | 10.86           | BDL             | 1.54            | BDL |
|                                                          | A-BLOCK WATCH TOWER                | 12.30                    | 52.78            | 8.84            | 8.18            | BDL             | 1.45            | BDL |
| 03-06-2025                                               | TCEP CHILLED WATER COMPRESSOR ROOM | 13.62                    | 54.70            | 9.12            | 8.60            | BDL             | BDL             | BDL |
|                                                          | QUARTERS C-3 BLOCK                 | 10.54                    | 40.60            | 8.14            | 7.64            | BDL             | BDL             | BDL |
| 04-06-2025                                               | TWAD PUMP HOUSE                    | 14.64                    | 63.36            | 9.02            | 10.56           | BDL             | 4.16            | BDL |
|                                                          | PVC WATCH TOWER                    | 12.70                    | 51.68            | 8.65            | 8.74            | BDL             | BDL             | BDL |
| 05-06-2025                                               | A-BLOCK WATCH TOWER                | 13.12                    | 58.60            | 8.74            | 10.12           | BDL             | 3.56            | BDL |
|                                                          | QUARTERS C-3 BLOCK                 | 11.08                    | 48.54            | 8.02            | 8.54            | BDL             | BDL             | BDL |
| 06-06-2025                                               | SALT WEIGH BRIDGE                  | 15.54                    | 60.12            | 8.24            | 11.77           | BDL             | 2.86            | BDL |
|                                                          | PVC WATCH TOWER                    | 12.60                    | 52.40            | 7.56            | 8.04            | BDL             | BDL             | BDL |
| 07-06-2025                                               | TCEP CHILLED WATER COMPRESSOR ROOM | 13.12                    | 56.60            | 8.16            | 10.56           | 1.54            | 2.94            | BDL |
|                                                          | A-BLOCK WATCH TOWER                | 13.54                    | 57.20            | 8.34            | 8.50            | BDL             | BDL             | BDL |
| 08-06-2025                                               | SALT WEIGH BRIDGE                  | 16.86                    | 62.46            | 8.62            | 11.86           | BDL             | 2.85            | BDL |
|                                                          | TWAD PUMP HOUSE                    | 15.74                    | 59.78            | 7.86            | 10.92           | BDL             | 3.12            | BDL |
| 09-06-2025                                               | QUARTERS C-3 BLOCK                 | 10.86                    | 44.62            | 8.12            | 7.84            | BDL             | BDL             | BDL |
|                                                          | PVC WATCH TOWER                    | 12.08                    | 50.08            | 7.54            | 8.08            | BDL             | BDL             | BDL |
| 10-06-2025                                               | SALT WEIGH BRIDGE                  | 15.48                    | 58.54            | 8.12            | 11.66           | BDL             | 3.56            | BDL |
|                                                          | TWAD PUMP HOUSE                    | 14.64                    | 62.78            | 7.82            | 8.48            | BDL             | 2.10            | BDL |
| 11-06-2025                                               | TCEP CHILLED WATER COMPRESSOR ROOM | 11.54                    | 49.78            | 7.58            | 8.12            | BDL             | BDL             | BDL |
|                                                          | A-BLOCK WATCH TOWER                | 12.65                    | 53.54            | 7.64            | 7.86            | BDL             | BDL             | BDL |
| 12-06-2025                                               | SALT WEIGH BRIDGE                  | 14.66                    | 60.78            | 8.58            | 12.34           | BDL             | 3.12            | BDL |
|                                                          | QUARTERS C-3 BLOCK                 | 10.86                    | 46.54            | 7.54            | 8.12            | BDL             | BDL             | BDL |
| 13-06-2025                                               | TWAD PUMP HOUSE                    | 13.04                    | 58.70            | 8.16            | 8.60            | BDL             | BDL             | BDL |
|                                                          | PVC WATCH TOWER                    | 11.62                    | 50.16            | 7.60            | 7.94            | BDL             | BDL             | BDL |
| 14-06-2025                                               | TCEP CHILLED WATER COMPRESSOR ROOM | 13.56                    | 60.46            | 8.36            | 12.46           | 1.66            | 4.48            | BDL |
|                                                          | A-BLOCK WATCH TOWER                | 12.78                    | 51.08            | 7.90            | 8.08            | BDL             | BDL             | BDL |
| 15-06-2025                                               | SALT WEIGH BRIDGE                  | 15.38                    | 62.58            | 8.12            | 11.96           | BDL             | 3.36            | BDL |
|                                                          | PVC WATCH TOWER                    | 12.94                    | 55.46            | 7.65            | 8.04            | BDL             | BDL             | BDL |

BDL = < 1 microgram/m<sup>3</sup>

Cont...2

...2...

| Ambient Air Quality Analysis Report - Month of June 2025 |                                    |                          |                  |        |                 |                 |                 |     |
|----------------------------------------------------------|------------------------------------|--------------------------|------------------|--------|-----------------|-----------------|-----------------|-----|
| Date                                                     | Station (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NOx    | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                          |                                    | Microgram/m <sup>3</sup> |                  |        |                 |                 |                 |     |
|                                                          | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max | 80 Max          | –               | 400 Max         | –   |
| 16-06-2025                                               | TCEP Chilled Water Compressor Room | 13.45                    | 51.15            | 8.12   | 10.76           | BDL             | 2.54            | BDL |
|                                                          | A-Block Watch Tower                | 12.80                    | 49.76            | 7.48   | 7.40            | BDL             | 1.62            | BDL |
| 17-06-2025                                               | Twad Pump House                    | 15.70                    | 59.16            | 8.22   | 8.65            | BDL             | BDL             | BDL |
|                                                          | Quarters C-3 Block                 | 10.68                    | 41.35            | 7.68   | 7.12            | BDL             | BDL             | BDL |
| 18-06-2025                                               | Salt Weigh Bridge                  | 16.76                    | 66.30            | 8.02   | 12.54           | BDL             | 3.68            | BDL |
|                                                          | PVC Watch Tower                    | 13.10                    | 54.35            | 7.84   | 7.28            | BDL             | BDL             | BDL |
| 19-06-2025                                               | Twad Pump House                    | 14.62                    | 56.68            | 8.42   | 9.10            | BDL             | BDL             | BDL |
|                                                          | TCEP Chilled Water Compressor Room | 12.54                    | 52.48            | 7.68   | 8.04            | BDL             | BDL             | BDL |
| 20-06-2025                                               | Salt Weigh Bridge                  | 15.66                    | 60.72            | 8.12   | 12.36           | BDL             | 4.12            | BDL |
|                                                          | Quarters C-3 Block                 | 10.28                    | 42.38            | 7.58   | 7.65            | BDL             | BDL             | BDL |
| 21-06-2025                                               | TCEP Chilled Water Compressor Room | 13.20                    | 56.72            | 8.36   | 8.14            | BDL             | BDL             | BDL |
|                                                          | A-Block Watch Tower                | 13.68                    | 57.80            | 8.20   | 7.95            | BDL             | BDL             | BDL |
| 22-06-2025                                               | Salt Weigh Bridge                  | 14.60                    | 59.76            | 8.48   | 11.88           | BDL             | 3.74            | BDL |
|                                                          | PVC Watch Tower                    | 12.46                    | 50.85            | 7.94   | 7.85            | BDL             | BDL             | BDL |
| 23-06-2025                                               | TCEP Chilled Water Compressor Room | 13.36                    | 56.65            | 8.12   | 8.56            | BDL             | BDL             | BDL |
|                                                          | Quarters C-3 Block                 | 11.48                    | 49.75            | 7.82   | 7.70            | BDL             | BDL             | BDL |
| 24-06-2025                                               | Twad Pump House                    | 16.12                    | 64.85            | 8.28   | 9.02            | BDL             | 1.58            | BDL |
|                                                          | PVC Watch Tower                    | 13.30                    | 54.68            | 8.14   | 7.85            | BDL             | BDL             | BDL |
| 25-06-2025                                               | Salt Weigh Bridge                  | 15.84                    | 62.38            | 9.32   | 13.15           | BDL             | 3.76            | BDL |
|                                                          | A-Block Watch Tower                | 14.10                    | 58.76            | 8.54   | 9.62            | BDL             | 2.12            | BDL |
| 26-06-2025                                               | Twad Pump House                    | 16.28                    | 64.56            | 9.16   | 9.56            | BDL             | 1.85            | BDL |
|                                                          | Quarters C-3 Block                 | 11.66                    | 44.85            | 8.25   | 7.56            | BDL             | BDL             | BDL |
| 27-06-2025                                               | TCEP Chilled Water Compressor Room | 12.75                    | 54.26            | 8.95   | 8.58            | BDL             | BDL             | BDL |
|                                                          | A-Block Watch Tower                | 13.36                    | 58.15            | 7.94   | 8.14            | BDL             | BDL             | BDL |
| 28-06-2025                                               | Salt Weigh Bridge                  | 15.20                    | 59.75            | 8.16   | 12.56           | BDL             | 2.12            | BDL |
|                                                          | Quarters C-3 Block                 | 11.60                    | 45.35            | 7.86   | 7.24            | BDL             | BDL             | BDL |
| 29-06-2025                                               | Twad Pump House                    | 14.65                    | 58.35            | 8.14   | 8.68            | BDL             | BDL             | BDL |
|                                                          | PVC Watch Tower                    | 12.78                    | 51.14            | 7.58   | 7.80            | BDL             | BDL             | BDL |
| 30-06-2025                                               | A-Block Watch Tower                | 13.36                    | 54.52            | 8.12   | 8.20            | BDL             | BDL             | BDL |
|                                                          | Quarters C-3 Block                 | 10.75                    | 42.62            | 7.60   | 7.78            | BDL             | BDL             | BDL |
| BDL = < 1 microgram/m <sup>3</sup>                       |                                    |                          |                  |        |                 |                 |                 |     |

| AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF MAY 2025 |                                    |                          |                  |                 |                 |                 |                 |     |
|---------------------------------------------------------|------------------------------------|--------------------------|------------------|-----------------|-----------------|-----------------|-----------------|-----|
| DATE                                                    | STATION (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NO <sub>x</sub> | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                         |                                    | Microgram/m <sup>3</sup> |                  |                 |                 |                 |                 |     |
|                                                         | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max          | 80 Max          | –               | 400 Max         | –   |
| 01-05-2025                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 12.72                    | 51.35            | 8.16            | 11.72           | BDL             | 3.16            | BDL |
|                                                         | QUARTERS C-3 BLOCK                 | 10.68                    | 40.16            | 7.86            | 7.54            | BDL             | BDL             | BDL |
| 02-05-2025                                              | SALT WEIGH BRIDGE                  | 16.26                    | 62.76            | 8.36            | 12.85           | BDL             | 3.54            | BDL |
|                                                         | A-BLOCK WATCH TOWER                | 12.30                    | 52.08            | 7.58            | 8.02            | BDL             | BDL             | BDL |
| 03-05-2025                                              | TWAD PUMP HOUSE                    | 14.85                    | 60.12            | 8.12            | 10.35           | BDL             | 3.10            | BDL |
|                                                         | PVC WATCH TOWER                    | 13.10                    | 55.70            | 7.86            | 8.06            | BDL             | BDL             | BDL |
| 04-05-2025                                              | SALT WEIGH BRIDGE                  | 16.36                    | 61.36            | 8.48            | 11.35           | BDL             | 2.86            | BDL |
|                                                         | QUARTERS C-3 BLOCK                 | 10.85                    | 45.70            | 7.86            | 7.58            | BDL             | BDL             | BDL |
| 05-05-2025                                              | TWAD PUMP HOUSE                    | 13.25                    | 56.72            | 8.12            | 10.76           | BDL             | 3.12            | BDL |
|                                                         | A-BLOCK WATCH TOWER                | 12.86                    | 55.16            | 8.58            | 10.12           | BDL             | 3.80            | BDL |
| 06-05-2025                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 13.08                    | 54.76            | 8.12            | 11.76           | 1.68            | 3.76            | BDL |
|                                                         | PVC WATCH TOWER                    | 12.12                    | 52.35            | 7.58            | 7.95            | BDL             | BDL             | BDL |
| 07-05-2025                                              | SALT WEIGH BRIDGE                  | 16.36                    | 62.32            | 8.12            | 11.85           | BDL             | 2.16            | BDL |
|                                                         | A-BLOCK WATCH TOWER                | 12.85                    | 56.70            | 8.32            | 7.94            | BDL             | 1.08            | BDL |
| 08-05-2025                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 13.14                    | 53.68            | 8.46            | 11.28           | 1.45            | 2.80            | BDL |
|                                                         | PVC WATCH TOWER                    | 13.26                    | 54.76            | 8.36            | 9.48            | BDL             | 3.12            | BDL |
| 09-05-2025                                              | TWAD PUMP HOUSE                    | 14.46                    | 59.86            | 8.48            | 10.35           | BDL             | 2.48            | BDL |
|                                                         | QUARTERS C-3 BLOCK                 | 10.76                    | 45.72            | 8.04            | 7.50            | BDL             | BDL             | BDL |
| 10-05-2025                                              | A-BLOCK WATCH TOWER                | 12.94                    | 54.48            | 9.12            | 9.45            | BDL             | 3.48            | BDL |
|                                                         | PVC WATCH TOWER                    | 11.36                    | 48.36            | 8.38            | 8.16            | BDL             | BDL             | BDL |
| 11-05-2025                                              | SALT WEIGH BRIDGE                  | 16.46                    | 61.68            | 9.12            | 12.85           | BDL             | 4.12            | BDL |
|                                                         | TWAD PUMP HOUSE                    | 15.32                    | 60.76            | 8.48            | 8.30            | BDL             | 2.16            | BDL |
| 12-05-2025                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 14.08                    | 57.48            | 9.22            | 11.30           | BDL             | 3.80            | BDL |
|                                                         | QUARTERS C-3 BLOCK                 | 11.46                    | 48.15            | 7.80            | 7.48            | BDL             | BDL             | BDL |
| 13-05-2025                                              | A-BLOCK WATCH TOWER                | 13.12                    | 52.78            | 8.12            | 8.26            | BDL             | BDL             | BDL |
|                                                         | PVC WATCH TOWER                    | 12.86                    | 50.35            | 8.48            | 9.16            | BDL             | 2.48            | BDL |
| 14-05-2025                                              | TWAD PUMP HOUSE                    | 16.38                    | 61.28            | 8.68            | 10.76           | BDL             | 2.56            | BDL |
|                                                         | TCEP CHILLED WATER COMPRESSOR ROOM | 13.25                    | 54.48            | 9.12            | 11.85           | BDL             | 3.12            | BDL |
| 15-05-2025                                              | SALT WEIGH BRIDGE                  | 15.25                    | 60.25            | 8.48            | 11.76           | BDL             | 4.12            | BDL |
|                                                         | PVC WATCH TOWER                    | 13.12                    | 51.76            | 7.52            | 7.98            | BDL             | BDL             | BDL |

BDL = < 1 microgram/m<sup>3</sup>

Cont...2

...2...

| AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF MAY 2025 |                                    |                          |                  |                 |                 |                 |                 |     |
|---------------------------------------------------------|------------------------------------|--------------------------|------------------|-----------------|-----------------|-----------------|-----------------|-----|
| DATE                                                    | STATION (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NO <sub>x</sub> | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                         |                                    | Microgram/m <sup>3</sup> |                  |                 |                 |                 |                 |     |
|                                                         | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max          | 80 Max          | –               | 400 Max         | –   |
| 16-05-2025                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 14.56                    | 56.45            | 8.12            | 10.68           | 1.52            | 2.48            | BDL |
|                                                         | A-BLOCK WATCH TOWER                | 12.78                    | 53.82            | 7.58            | 8.02            | BDL             | BDL             | BDL |
| 17-05-2025                                              | TWAD PUMP HOUSE                    | 14.62                    | 57.38            | 8.42            | 9.48            | BDL             | 2.95            | BDL |
|                                                         | QUARTERS C-3 BLOCK                 | 10.35                    | 44.62            | 8.04            | 7.56            | BDL             | BDL             | BDL |
| 18-05-2025                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 13.76                    | 56.08            | 8.58            | 10.72           | BDL             | 3.12            | BDL |
|                                                         | PVC WATCH TOWER                    | 12.85                    | 54.30            | 8.45            | 8.95            | BDL             | 2.24            | BDL |
| 19-05-2025                                              | TWAD PUMP HOUSE                    | 15.76                    | 61.75            | 8.56            | 11.75           | BDL             | 3.24            | BDL |
|                                                         | A-BLOCK WATCH TOWER                | 13.24                    | 56.75            | 8.48            | 8.85            | BDL             | 1.50            | BDL |
| 20-05-2025                                              | SALT WEIGH BRIDGE                  | 15.25                    | 59.76            | 8.50            | 11.04           | BDL             | 3.58            | BDL |
|                                                         | TCEP CHILLED WATER COMPRESSOR ROOM | 14.48                    | 58.12            | 8.95            | 8.52            | BDL             | BDL             | BDL |
| 21-05-2025                                              | TWAD PUMP HOUSE                    | 15.60                    | 57.35            | 8.48            | 8.50            | BDL             | 1.68            | BDL |
|                                                         | QUARTERS C-3 BLOCK                 | 11.26                    | 46.72            | 7.94            | 8.04            | BDL             | BDL             | BDL |
| 22-05-2025                                              | A-BLOCK WATCH TOWER                | 12.78                    | 52.36            | 8.12            | 8.52            | BDL             | BDL             | BDL |
|                                                         | PVC WATCH TOWER                    | 11.56                    | 50.15            | 7.86            | 7.94            | BDL             | BDL             | BDL |
| 23-05-2025                                              | SALT WEIGH BRIDGE                  | 16.32                    | 64.46            | 8.35            | 12.76           | BDL             | 2.12            | BDL |
|                                                         | TWAD PUMP HOUSE                    | 15.48                    | 60.75            | 7.86            | 10.35           | BDL             | 3.16            | BDL |
| 24-05-2025                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 12.26                    | 48.26            | 8.32            | 8.46            | BDL             | BDL             | BDL |
|                                                         | QUARTERS C-3 BLOCK                 | 10.35                    | 42.35            | 7.86            | 7.50            | BDL             | BDL             | BDL |
| 25-05-2025                                              | SALT WEIGH BRIDGE                  | 15.46                    | 61.24            | 8.56            | 13.12           | BDL             | 3.12            | BDL |
|                                                         | A-BLOCK WATCH TOWER                | 13.25                    | 52.68            | 7.86            | 7.48            | BDL             | BDL             | BDL |
| 26-05-2025                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 12.32                    | 51.15            | 8.12            | 10.45           | 1.45            | 2.48            | BDL |
|                                                         | PVC WATCH TOWER                    | 12.64                    | 50.26            | 8.48            | 7.68            | BDL             | BDL             | BDL |
| 27-05-2025                                              | SALT WEIGH BRIDGE                  | 14.46                    | 58.76            | 9.12            | 12.35           | BDL             | 4.12            | BDL |
|                                                         | QUARTERS C-3 BLOCK                 | 11.08                    | 46.25            | 8.08            | 7.64            | BDL             | BDL             | BDL |
| 28-05-2025                                              | TWAD PUMP HOUSE                    | 15.08                    | 62.26            | 7.95            | 9.12            | BDL             | 1.52            | BDL |
|                                                         | A-BLOCK WATCH TOWER                | 12.16                    | 50.36            | 8.14            | 7.88            | BDL             | 1.64            | BDL |
| 29-05-2025                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 13.36                    | 57.86            | 8.48            | 10.35           | 1.56            | 2.15            | BDL |
|                                                         | QUARTERS C-3 BLOCK                 | 11.20                    | 49.76            | 7.95            | 8.08            | BDL             | BDL             | BDL |
| 30-05-2025                                              | SALT WEIGH BRIDGE                  | 16.26                    | 64.45            | 8.35            | 11.46           | BDL             | 1.86            | BDL |
|                                                         | A-BLOCK WATCH TOWER                | 12.38                    | 52.48            | 7.58            | 8.02            | BDL             | BDL             | BDL |
| 31-05-2025                                              | TWAD PUMP HOUSE                    | 14.14                    | 59.64            | 8.16            | 9.14            | BDL             | 1.94            | BDL |
|                                                         | PVC WATCH TOWER                    | 11.26                    | 50.76            | 7.95            | 8.02            | BDL             | BDL             | BDL |
| BDL = < 1 microgram/m <sup>3</sup>                      |                                    |                          |                  |                 |                 |                 |                 |     |

| AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF APRIL 2025 |                                    |                          |                  |                 |                 |                 |                 |     |
|-----------------------------------------------------------|------------------------------------|--------------------------|------------------|-----------------|-----------------|-----------------|-----------------|-----|
| DATE                                                      | STATION (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NO <sub>x</sub> | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                           |                                    | Microgram/m <sup>3</sup> |                  |                 |                 |                 |                 |     |
|                                                           | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max          | 80 Max          | –               | 400 Max         | –   |
| 01-04-2025                                                | TWAD PUMP HOUSE                    | 11.56                    | 50.38            | 7.87            | 8.85            | BDL             | 1.52            | BDL |
|                                                           | PVC WATCH TOWER                    | 10.88                    | 49.12            | 7.95            | 10.78           | BDL             | 1.68            | BDL |
| 02-04-2025                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 11.62                    | 52.46            | 8.12            | 11.85           | 1.02            | 1.74            | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 12.02                    | 56.36            | 7.95            | 8.32            | BDL             | 1.25            | BDL |
| 03-04-2025                                                | SALT WEIGH BRIDGE                  | 12.42                    | 44.78            | 8.56            | 11.02           | BDL             | 1.48            | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 9.78                     | 39.46            | 7.14            | 7.48            | BDL             | BDL             | BDL |
| 04-04-2025                                                | TWAD PUMP HOUSE                    | 12.62                    | 54.46            | 8.12            | 8.56            | BDL             | BDL             | BDL |
|                                                           | TCEP CHILLED WATER COMPRESSOR ROOM | 11.80                    | 51.02            | 8.36            | 9.54            | BDL             | 1.20            | BDL |
| 05-04-2025                                                | SALT WEIGH BRIDGE                  | 13.86                    | 54.55            | 8.12            | 9.16            | BDL             | 1.86            | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 10.12                    | 40.72            | 7.54            | 7.16            | BDL             | BDL             | BDL |
| 06-04-2025                                                | A-BLOCK WATCH TOWER                | 12.75                    | 51.35            | 8.36            | 8.12            | BDL             | BDL             | BDL |
|                                                           | PVC WATCH TOWER                    | 11.80                    | 50.08            | 7.82            | 7.98            | BDL             | BDL             | BDL |
| 07-04-2025                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 12.60                    | 52.46            | 8.28            | 10.70           | 1.26            | 2.08            | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 11.35                    | 48.18            | 8.16            | 7.86            | BDL             | BDL             | BDL |
| 08-04-2025                                                | A-BLOCK WATCH TOWER                | 13.80                    | 61.12            | 7.86            | 8.02            | BDL             | BDL             | BDL |
|                                                           | PVC WATCH TOWER                    | 12.25                    | 52.68            | 8.32            | 9.54            | BDL             | 1.68            | BDL |
| 09-04-2025                                                | TWAD PUMP HOUSE                    | 16.36                    | 64.28            | 8.46            | 9.02            | BDL             | 1.74            | BDL |
|                                                           | TCEP CHILLED WATER COMPRESSOR ROOM | 11.68                    | 49.34            | 8.56            | 9.86            | BDL             | 1.86            | BDL |
| 10-04-2025                                                | SALT WEIGH BRIDGE                  | 15.25                    | 60.72            | 9.14            | 11.36           | BDL             | 2.08            | BDL |
|                                                           | PVC WATCH TOWER                    | 11.76                    | 50.04            | 8.72            | 8.15            | BDL             | BDL             | BDL |
| 11-04-2025                                                | TWAD PUMP HOUSE                    | 14.78                    | 59.34            | 8.86            | 10.70           | BDL             | 1.54            | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 10.96                    | 48.42            | 7.96            | 7.58            | BDL             | BDL             | BDL |
| 12-04-2025                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 11.22                    | 49.76            | 8.12            | 7.95            | BDL             | BDL             | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 12.36                    | 54.28            | 8.28            | 8.36            | BDL             | BDL             | BDL |
| 13-04-2025                                                | SALT WEIGH BRIDGE                  | 14.85                    | 58.66            | 8.56            | 10.78           | BDL             | 2.32            | BDL |
|                                                           | TWAD PUMP HOUSE                    | 15.12                    | 61.15            | 8.68            | 11.12           | BDL             | 2.68            | BDL |
| 14-04-2025                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 12.86                    | 55.78            | 9.14            | 11.35           | 1.34            | 3.12            | BDL |
|                                                           | PVC WATCH TOWER                    | 13.12                    | 56.32            | 9.08            | 10.76           | BDL             | 3.50            | BDL |
| 15-04-2025                                                | TWAD PUMP HOUSE                    | 14.86                    | 59.76            | 8.12            | 7.95            | BDL             | BDL             | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 12.78                    | 50.15            | 8.52            | 9.78            | BDL             | 1.60            | BDL |

BDL = < 1 microgram/m<sup>3</sup>

Cont...2

...2...

| Ambient Air Quality Analysis Report - Month of April 2025 |                                    |                          |                  |        |                 |                 |                 |     |
|-----------------------------------------------------------|------------------------------------|--------------------------|------------------|--------|-----------------|-----------------|-----------------|-----|
| Date                                                      | Station (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NOx    | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                           |                                    | Microgram/m <sup>3</sup> |                  |        |                 |                 |                 |     |
|                                                           | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max | 80 Max          | –               | 400 Max         | –   |
| 16-04-2025                                                | SALT WEIGH BRIDGE                  | 15.26                    | 54.35            | 7.95   | 10.36           | BDL             | 1.52            | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 10.76                    | 42.36            | 7.14   | 7.58            | BDL             | BDL             | BDL |
| 17-04-2025                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 12.48                    | 53.18            | 8.12   | 10.20           | 1.54            | 2.48            | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 13.11                    | 58.42            | 8.30   | 8.18            | BDL             | 1.80            | BDL |
| 18-04-2025                                                | SALT WEIGH BRIDGE                  | 15.26                    | 60.78            | 7.95   | 9.16            | BDL             | 1.74            | BDL |
|                                                           | PVC WATCH TOWER                    | 13.11                    | 52.15            | 8.02   | 7.90            | BDL             | BDL             | BDL |
| 19-04-2025                                                | TWAD PUMP HOUSE                    | 16.10                    | 62.35            | 7.95   | 8.18            | BDL             | BDL             | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 11.28                    | 49.78            | 6.94   | 7.56            | BDL             | BDL             | BDL |
| 20-04-2025                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 13.12                    | 57.35            | 8.26   | 10.54           | 1.68            | 2.48            | BDL |
|                                                           | PVC WATCH TOWER                    | 12.76                    | 54.36            | 7.62   | 7.78            | BDL             | BDL             | BDL |
| 21-04-2025                                                | A-BLOCK WATCH TOWER                | 12.76                    | 52.75            | 8.16   | 11.54           | BDL             | 2.54            | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 10.86                    | 41.36            | 7.12   | 7.34            | BDL             | BDL             | BDL |
| 22-04-2025                                                | TWAD PUMP HOUSE                    | 15.78                    | 59.15            | 8.12   | 10.85           | BDL             | 2.60            | BDL |
|                                                           | PVC WATCH TOWER                    | 11.66                    | 49.76            | 7.60   | 7.94            | BDL             | BDL             | BDL |
| 23-04-2025                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 12.08                    | 51.36            | 8.25   | 10.86           | 1.26            | 3.12            | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 11.76                    | 50.28            | 8.36   | 7.54            | BDL             | BDL             | BDL |
| 24-04-2025                                                | SALT WEIGH BRIDGE                  | 14.68                    | 58.36            | 8.95   | 11.35           | BDL             | 2.86            | BDL |
|                                                           | PVC WATCH TOWER                    | 12.25                    | 51.04            | 7.94   | 7.56            | BDL             | BDL             | BDL |
| 25-04-2025                                                | TWAD PUMP HOUSE                    | 15.10                    | 60.20            | 8.12   | 11.46           | BDL             | 3.14            | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 12.26                    | 54.38            | 7.86   | 8.12            | BDL             | BDL             | BDL |
| 26-04-2025                                                | SALT WEIGH BRIDGE                  | 14.12                    | 59.78            | 8.14   | 10.76           | BDL             | 4.16            | BDL |
|                                                           | TCEP CHILLED WATER COMPRESSOR ROOM | 12.36                    | 53.62            | 8.52   | 11.35           | 1.32            | 3.42            | BDL |
| 27-04-2025                                                | TWAD PUMP HOUSE                    | 15.20                    | 58.16            | 9.12   | 9.45            | BDL             | 2.08            | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 11.76                    | 48.32            | 7.56   | 7.68            | BDL             | BDL             | BDL |
| 28-04-2025                                                | SALT WEIGH BRIDGE                  | 13.36                    | 56.26            | 8.46   | 10.08           | BDL             | BDL             | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 12.76                    | 54.66            | 7.58   | 7.98            | BDL             | BDL             | BDL |
| 29-04-2025                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 13.12                    | 55.18            | 8.26   | 12.70           | BDL             | 2.84            | BDL |
|                                                           | PVC WATCH TOWER                    | 12.42                    | 53.35            | 8.15   | 7.86            | BDL             | BDL             | BDL |
| 30-04-2025                                                | SALT WEIGH BRIDGE                  | 16.36                    | 64.76            | 8.48   | 11.76           | BDL             | 3.16            | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 12.08                    | 50.60            | 7.95   | 8.08            | BDL             | BDL             | BDL |
| BDL = < 1 microgram/m <sup>3</sup>                        |                                    |                          |                  |        |                 |                 |                 |     |

| AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF MARCH 2025 |                                    |                          |                  |                 |                 |                 |                 |     |
|-----------------------------------------------------------|------------------------------------|--------------------------|------------------|-----------------|-----------------|-----------------|-----------------|-----|
| DATE                                                      | STATION (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NO <sub>x</sub> | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                           |                                    | Microgram/m <sup>3</sup> |                  |                 |                 |                 |                 |     |
|                                                           | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max          | 80 Max          | –               | 400 Max         | –   |
| 01-03-2025                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 10.92                    | 47.65            | 8.94            | 8.56            | BDL             | BDL             | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 11.02                    | 49.78            | 8.52            | 10.78           | BDL             | 2.56            | BDL |
| 02-03-2025                                                | TWAD PUMP HOUSE                    | 13.46                    | 54.86            | 8.48            | 9.02            | BDL             | BDL             | BDL |
|                                                           | PVC WATCH TOWER                    | 11.85                    | 51.72            | 8.56            | 10.86           | BDL             | BDL             | BDL |
| 03-03-2025                                                | A-BLOCK WATCH TOWER                | 13.86                    | 52.36            | 8.92            | 9.16            | BDL             | BDL             | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 10.78                    | 40.15            | 7.12            | 7.48            | BDL             | BDL             | BDL |
| 04-03-2025                                                | SALT WEIGH BRIDGE                  | 14.26                    | 59.38            | 7.45            | 7.82            | BDL             | BDL             | BDL |
|                                                           | TWAD PUMP HOUSE                    | 13.78                    | 57.46            | 7.56            | 8.12            | BDL             | BDL             | BDL |
| 05-03-2025                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 12.92                    | 49.72            | 8.22            | 8.46            | BDL             | BDL             | BDL |
|                                                           | PVC WATCH TOWER                    | 13.15                    | 56.35            | 8.64            | 11.65           | BDL             | 3.15            | BDL |
| 06-03-2025                                                | TWAD PUMP HOUSE                    | 14.65                    | 60.72            | 8.45            | 9.16            | BDL             | BDL             | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 12.78                    | 51.28            | 8.28            | 8.56            | BDL             | BDL             | BDL |
| 07-03-2025                                                | SALT WEIGH BRIDGE                  | 15.70                    | 56.86            | 9.12            | 8.68            | BDL             | BDL             | BDL |
|                                                           | PVC WATCH TOWER                    | 12.86                    | 52.35            | 8.91            | 12.76           | BDL             | 2.58            | BDL |
| 08-03-2025                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 11.76                    | 48.15            | 7.95            | 10.26           | 2.15            | 2.64            | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 10.86                    | 40.78            | 6.82            | 7.14            | BDL             | BDL             | BDL |
| 09-03-2025                                                | A-BLOCK WATCH TOWER                | 13.76                    | 59.18            | 7.85            | 11.86           | BDL             | 4.52            | BDL |
|                                                           | PVC WATCH TOWER                    | 13.12                    | 57.64            | 8.02            | 12.76           | BDL             | 3.16            | BDL |
| 10-03-2025                                                | SALT WEIGH BRIDGE                  | 10.85                    | 42.76            | 7.86            | 8.02            | BDL             | 2.14            | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 7.96                     | 36.16            | 7.14            | 7.56            | BDL             | BDL             | BDL |
| 11-03-2025                                                | TWAD PUMP HOUSE                    | 10.56                    | 47.76            | 8.12            | 8.04            | BDL             | BDL             | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 10.48                    | 45.35            | 8.58            | 11.78           | BDL             | 2.95            | BDL |
| 12-03-2025                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 10.64                    | 42.76            | 8.20            | 7.54            | BDL             | BDL             | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 9.78                     | 40.36            | 7.48            | 7.20            | BDL             | BDL             | BDL |
| 13-03-2025                                                | TWAD PUMP HOUSE                    | 12.86                    | 48.54            | 7.54            | 7.12            | BDL             | BDL             | BDL |
|                                                           | PVC WATCH TOWER                    | 12.76                    | 47.64            | 8.34            | 10.76           | BDL             | 2.56            | BDL |
| 14-03-2025                                                | SALT WEIGH BRIDGE                  | 14.12                    | 60.85            | 7.56            | 8.02            | BDL             | BDL             | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 13.10                    | 54.46            | 7.86            | 11.08           | BDL             | 3.08            | BDL |
| 15-03-2025                                                | QUARTERS C-3 BLOCK                 | 8.28                     | 37.15            | 7.08            | 6.95            | BDL             | BDL             | BDL |
|                                                           | PVC WATCH TOWER                    | 10.32                    | 45.12            | 7.16            | 10.82           | BDL             | 2.12            | BDL |

BDL = < 1 microgram/m<sup>3</sup>

Cont...2

...2...

| AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF MARCH 2025 |                                    |                          |                  |        |                 |                 |                 |     |
|-----------------------------------------------------------|------------------------------------|--------------------------|------------------|--------|-----------------|-----------------|-----------------|-----|
| DATE                                                      | STATION (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NOx    | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                           |                                    | Microgram/m <sup>3</sup> |                  |        |                 |                 |                 |     |
|                                                           | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max | 80 Max          | –               | 400 Max         | –   |
| 16-03-2025                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 11.45                    | 50.76            | 8.32   | 8.16            | BDL             | BDL             | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 12.54                    | 51.65            | 7.84   | 11.35           | BDL             | 3.28            | BDL |
| 17-03-2025                                                | SALT WEIGH BRIDGE                  | 14.50                    | 61.78            | 8.12   | 11.48           | BDL             | 2.02            | BDL |
|                                                           | TWAD PUMP HOUSE                    | 13.85                    | 55.15            | 8.48   | 7.94            | BDL             | BDL             | BDL |
| 18-03-2025                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 12.96                    | 52.85            | 8.24   | 9.16            | 1.85            | 2.48            | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 12.32                    | 51.78            | 8.34   | 7.95            | BDL             | BDL             | BDL |
| 19-03-2025                                                | TWAD PUMP HOUSE                    | 14.56                    | 60.86            | 8.28   | 9.56            | BDL             | 2.52            | BDL |
|                                                           | PVC WATCH TOWER                    | 13.44                    | 58.18            | 8.82   | 10.36           | BDL             | 2.45            | BDL |
| 20-03-2025                                                | SALT WEIGH BRIDGE                  | 15.28                    | 62.35            | 7.54   | 7.48            | BDL             | BDL             | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 11.35                    | 50.08            | 7.45   | 7.96            | BDL             | BDL             | BDL |
| 21-03-2025                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 10.75                    | 49.76            | 8.08   | 9.14            | BDL             | BDL             | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 10.86                    | 50.85            | 7.86   | 10.56           | BDL             | 2.42            | BDL |
| 22-03-2025                                                | SALT WEIGH BRIDGE                  | 11.08                    | 48.32            | 8.15   | 9.56            | BDL             | BDL             | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 8.56                     | 36.70            | 7.82   | 8.12            | BDL             | BDL             | BDL |
| 23-03-2025                                                | TWAD PUMP HOUSE                    | 13.26                    | 58.62            | 8.14   | 8.62            | BDL             | BDL             | BDL |
|                                                           | PVC WATCH TOWER                    | 11.86                    | 50.78            | 8.28   | 11.76           | BDL             | 2.65            | BDL |
| 24-03-2025                                                | SALT WEIGH BRIDGE                  | 14.16                    | 59.62            | 9.02   | 8.56            | BDL             | BDL             | BDL |
|                                                           | TCEP CHILLED WATER COMPRESSOR ROOM | 12.85                    | 54.55            | 7.82   | 8.12            | BDL             | BDL             | BDL |
| 25-03-2025                                                | TWAD PUMP HOUSE                    | 13.92                    | 56.76            | 8.12   | 7.58            | BDL             | BDL             | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 10.78                    | 42.35            | 7.84   | 7.65            | BDL             | BDL             | BDL |
| 26-03-2025                                                | SALT WEIGH BRIDGE                  | 15.20                    | 60.26            | 8.12   | 8.20            | BDL             | 1.60            | BDL |
|                                                           | PVC WATCH TOWER                    | 12.85                    | 52.36            | 8.42   | 9.58            | BDL             | 1.58            | BDL |
| 27-03-2025                                                | TWAD PUMP HOUSE                    | 14.12                    | 59.48            | 9.35   | 11.46           | BDL             | 2.02            | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 12.80                    | 54.62            | 7.58   | 8.08            | BDL             | BDL             | BDL |
| 28-03-2025                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 12.76                    | 51.36            | 8.02   | 7.58            | BDL             | BDL             | BDL |
|                                                           | QUARTERS C-3 BLOCK                 | 10.32                    | 45.78            | 7.86   | 7.65            | BDL             | BDL             | BDL |
| 29-03-2025                                                | SALT WEIGH BRIDGE                  | 16.78                    | 64.35            | 8.24   | 10.46           | BDL             | 1.15            | BDL |
|                                                           | TWAD PUMP HOUSE                    | 15.80                    | 61.08            | 7.95   | 7.86            | BDL             | BDL             | BDL |
| 30-03-2025                                                | QUARTERS C-3 BLOCK                 | 10.78                    | 42.38            | 7.86   | 7.50            | BDL             | BDL             | BDL |
|                                                           | PVC WATCH TOWER                    | 11.86                    | 50.46            | 8.04   | 7.88            | BDL             | BDL             | BDL |
| 31-03-2025                                                | TCEP CHILLED WATER COMPRESSOR ROOM | 12.76                    | 56.18            | 7.75   | 8.14            | BDL             | BDL             | BDL |
|                                                           | A-BLOCK WATCH TOWER                | 12.85                    | 57.96            | 7.80   | 10.55           | BDL             | 1.64            | BDL |
| BDL = < 1 microgram/m <sup>3</sup>                        |                                    |                          |                  |        |                 |                 |                 |     |



| AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF FEBRUARY 2025 |                                    |                          |                  |                 |                 |                 |                 |     |
|--------------------------------------------------------------|------------------------------------|--------------------------|------------------|-----------------|-----------------|-----------------|-----------------|-----|
| DATE                                                         | STATION (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NO <sub>x</sub> | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                              |                                    | Microgram/m <sup>3</sup> |                  |                 |                 |                 |                 |     |
|                                                              | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max          | 80 Max          | –               | 400 Max         | –   |
| 01-02-2025                                                   | A-BLOCK WATCH TOWER                | 13.26                    | 57.62            | 8.52            | 10.86           | BDL             | 2.52            | BDL |
|                                                              | PVC WATCH TOWER                    | 12.85                    | 54.15            | 8.48            | 11.08           | BDL             | 2.40            | BDL |
| 02-02-2025                                                   | TCEP CHILLED WATER COMPRESSOR ROOM | 11.96                    | 45.36            | 8.51            | 8.02            | BDL             | BDL             | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 9.82                     | 39.28            | 7.56            | 7.08            | BDL             | BDL             | BDL |
| 03-02-2025                                                   | TWAD PUMP HOUSE                    | 14.96                    | 61.32            | 7.85            | 8.08            | BDL             | BDL             | BDL |
|                                                              | PVC WATCH TOWER                    | 12.74                    | 52.64            | 8.14            | 11.25           | BDL             | 2.02            | BDL |
| 04-02-2025                                                   | SALT WEIGH BRIDGE                  | 15.70                    | 62.45            | 7.42            | 7.80            | BDL             | BDL             | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 10.74                    | 40.74            | 6.80            | 7.24            | BDL             | BDL             | BDL |
| 05-02-2025                                                   | TWAD PUMP HOUSE                    | 13.84                    | 58.92            | 7.08            | 7.64            | BDL             | 1.56            | BDL |
|                                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 11.60                    | 46.80            | 7.86            | 8.10            | BDL             | BDL             | BDL |
| 06-02-2025                                                   | SALT WEIGH BRIDGE                  | 15.84                    | 68.16            | 8.14            | 8.50            | BDL             | BDL             | BDL |
|                                                              | PVC WATCH TOWER                    | 12.72                    | 50.70            | 9.36            | 12.26           | BDL             | 1.86            | BDL |
| 07-02-2025                                                   | A-BLOCK WATCH TOWER                | 11.80                    | 49.86            | 10.12           | 10.52           | BDL             | 2.40            | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 9.74                     | 38.65            | 9.46            | 8.58            | BDL             | BDL             | BDL |
| 08-02-2025                                                   | SALT WEIGH BRIDGE                  | 14.88                    | 59.78            | 8.48            | 10.76           | BDL             | 1.90            | BDL |
|                                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 11.76                    | 50.62            | 7.56            | 7.80            | BDL             | BDL             | BDL |
| 09-02-2025                                                   | TWAD PUMP HOUSE                    | 12.78                    | 52.45            | 8.16            | 8.48            | BDL             | 2.06            | BDL |
|                                                              | A-BLOCK WATCH TOWER                | 13.12                    | 56.70            | 7.86            | 11.46           | BDL             | 3.14            | BDL |
| 10-02-2025                                                   | TCEP CHILLED WATER COMPRESSOR ROOM | 12.96                    | 54.18            | 8.16            | 8.52            | BDL             | BDL             | BDL |
|                                                              | PVC WATCH TOWER                    | 13.74                    | 57.62            | 8.48            | 12.74           | BDL             | 2.52            | BDL |
| 11-02-2025                                                   | SALT WEIGH BRIDGE                  | 15.46                    | 61.74            | 9.12            | 8.56            | BDL             | BDL             | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 10.74                    | 41.35            | 8.48            | 8.02            | BDL             | BDL             | BDL |
| 12-02-2025                                                   | TWAD PUMP HOUSE                    | 14.18                    | 59.62            | 7.56            | 8.04            | BDL             | 1.56            | BDL |
|                                                              | A-BLOCK WATCH TOWER                | 12.36                    | 55.28            | 7.94            | 10.36           | BDL             | 3.48            | BDL |
| 13-02-2025                                                   | TCEP CHILLED WATER COMPRESSOR ROOM | 15.26                    | 60.32            | 7.56            | 7.92            | BDL             | BDL             | BDL |
|                                                              | PVC WATCH TOWER                    | 13.20                    | 57.64            | 8.14            | 11.36           | BDL             | 2.48            | BDL |
| 14-02-2025                                                   | SALT WEIGH BRIDGE                  | 16.34                    | 64.35            | 9.04            | 11.54           | BDL             | 3.12            | BDL |
|                                                              | TWAD PUMP HOUSE                    | 15.62                    | 60.74            | 7.86            | 8.08            | BDL             | BDL             | BDL |
| 15-02-2025                                                   | TCEP CHILLED WATER COMPRESSOR ROOM | 12.12                    | 51.28            | 8.02            | 9.08            | BDL             | BDL             | BDL |
|                                                              | A-BLOCK WATCH TOWER                | 13.86                    | 54.36            | 8.36            | 10.46           | BDL             | 3.74            | BDL |

BDL = < 1 microgram/m<sup>3</sup>

Cont...2

...2...

| AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF FEBRUARY 2025 |                                    |                          |                  |        |                 |                 |                 |     |
|--------------------------------------------------------------|------------------------------------|--------------------------|------------------|--------|-----------------|-----------------|-----------------|-----|
| DATE                                                         | STATION (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NOx    | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                              |                                    | Microgram/m <sup>3</sup> |                  |        |                 |                 |                 |     |
|                                                              | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max | 80 Max          | –               | 400 Max         | –   |
| 16-02-2025                                                   | TWAD PUMP HOUSE                    | 16.78                    | 59.24            | 7.84   | 8.32            | BDL             | BDL             | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 10.36                    | 40.25            | 6.95   | 7.15            | BDL             | BDL             | BDL |
| 17-02-2025                                                   | TCEP CHILLED WATER COMPRESSOR ROOM | 12.48                    | 49.55            | 7.12   | 8.16            | BDL             | BDL             | BDL |
|                                                              | PVC WATCH TOWER                    | 13.10                    | 50.76            | 8.36   | 11.72           | BDL             | 2.16            | BDL |
| 18-02-2025                                                   | TWAD PUMP HOUSE                    | 15.62                    | 60.35            | 9.12   | 8.52            | BDL             | 1.52            | BDL |
|                                                              | A-BLOCK WATCH TOWER                | 14.22                    | 56.78            | 9.32   | 10.68           | BDL             | 2.42            | BDL |
| 19-02-2025                                                   | SALT WEIGH BRIDGE                  | 13.76                    | 55.96            | 8.52   | 10.12           | BDL             | 1.56            | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 11.25                    | 42.48            | 7.56   | 8.04            | BDL             | BDL             | BDL |
| 20-02-2025                                                   | A-BLOCK WATCH TOWER                | 13.85                    | 57.85            | 8.12   | 8.54            | BDL             | BDL             | BDL |
|                                                              | PVC WATCH TOWER                    | 12.78                    | 52.64            | 9.16   | 10.25           | BDL             | 1.52            | BDL |
| 21-02-2025                                                   | SALT WEIGH BRIDGE                  | 16.86                    | 62.74            | 8.35   | 8.46            | BDL             | BDL             | BDL |
|                                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 12.70                    | 51.36            | 7.54   | 8.08            | BDL             | BDL             | BDL |
| 22-02-2025                                                   | TWAD PUMP HOUSE                    | 15.26                    | 59.70            | 8.12   | 8.56            | BDL             | BDL             | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 9.56                     | 40.78            | 7.12   | 6.56            | BDL             | BDL             | BDL |
| 23-02-2025                                                   | A-BLOCK WATCH TOWER                | 13.25                    | 55.84            | 8.12   | 12.76           | BDL             | 3.56            | BDL |
|                                                              | PVC WATCH TOWER                    | 12.68                    | 52.35            | 8.35   | 11.66           | BDL             | 2.12            | BDL |
| 24-02-2025                                                   | TWAD PUMP HOUSE                    | 15.72                    | 60.78            | 8.46   | 8.56            | BDL             | BDL             | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 10.86                    | 41.35            | 7.48   | 7.62            | BDL             | BDL             | BDL |
| 25-02-2025                                                   | SALT WEIGH BRIDGE                  | 14.84                    | 58.64            | 8.12   | 8.50            | BDL             | BDL             | BDL |
|                                                              | TCEP CHILLED WATER COMPRESSOR ROOM | 11.78                    | 50.32            | 7.56   | 8.48            | BDL             | BDL             | BDL |
| 26-02-2025                                                   | A-BLOCK WATCH TOWER                | 12.45                    | 53.45            | 8.12   | 10.64           | BDL             | 2.45            | BDL |
|                                                              | PVC WATCH TOWER                    | 12.64                    | 52.36            | 8.45   | 12.72           | BDL             | 3.52            | BDL |
| 27-02-2025                                                   | SALT WEIGH BRIDGE                  | 14.46                    | 58.75            | 8.26   | 9.12            | BDL             | BDL             | BDL |
|                                                              | QUARTERS C-3 BLOCK                 | 11.72                    | 43.25            | 7.45   | 7.16            | BDL             | BDL             | BDL |
| 28-02-2025                                                   | A-BLOCK WATCH TOWER                | 13.42                    | 60.70            | 8.44   | 12.85           | BDL             | 3.42            | BDL |
|                                                              | PVC WATCH TOWER                    | 12.88                    | 54.25            | 8.35   | 11.76           | BDL             | 2.18            | BDL |
| BDL = < 1 microgram/m <sup>3</sup>                           |                                    |                          |                  |        |                 |                 |                 |     |

| AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF JANUARY 2025 |                                    |                          |                  |                 |                 |                 |                 |     |
|-------------------------------------------------------------|------------------------------------|--------------------------|------------------|-----------------|-----------------|-----------------|-----------------|-----|
| DATE                                                        | STATION (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NO <sub>x</sub> | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|                                                             |                                    | Microgram/m <sup>3</sup> |                  |                 |                 |                 |                 |     |
|                                                             | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max          | 80 Max          | –               | 400 Max         | –   |
| 01-01-2025                                                  | TCEP CHILLED WATER COMPRESSOR ROOM | 10.78                    | 40.72            | 8.22            | 8.86            | BDL             | BDL             | BDL |
|                                                             | QUARTERS C-3 BLOCK                 | 9.15                     | 38.36            | 7.87            | 7.94            | BDL             | BDL             | BDL |
| 02-01-2025                                                  | SALT WEIGH BRIDGE                  | 12.76                    | 50.15            | 8.02            | 9.12            | BDL             | 2.56            | BDL |
|                                                             | A-BLOCK WATCH TOWER                | 11.55                    | 46.78            | 8.38            | 14.78           | BDL             | 6.12            | BDL |
| 03-01-2025                                                  | TWAD PUMP HOUSE                    | 13.36                    | 57.32            | 8.12            | 8.58            | BDL             | BDL             | BDL |
|                                                             | PVC WATCH TOWER                    | 12.55                    | 54.48            | 8.52            | 12.15           | BDL             | 4.48            | BDL |
| 04-01-2025                                                  | A-BLOCK WATCH TOWER                | 12.68                    | 46.36            | 7.98            | 13.20           | BDL             | 3.58            | BDL |
|                                                             | QUARTERS C-3 BLOCK                 | 9.72                     | 39.15            | 6.94            | 7.28            | BDL             | BDL             | BDL |
| 05-01-2025                                                  | SALT WEIGH BRIDGE                  | 14.76                    | 59.22            | 7.94            | 8.08            | BDL             | 1.62            | BDL |
|                                                             | TCEP CHILLED WATER COMPRESSOR ROOM | 12.86                    | 49.15            | 6.86            | 7.04            | BDL             | BDL             | BDL |
| 06-01-2025                                                  | A-BLOCK WATCH TOWER                | 14.42                    | 58.26            | 7.18            | 13.28           | BDL             | 4.84            | BDL |
|                                                             | QUARTERS C-3 BLOCK                 | 10.78                    | 40.18            | 7.04            | 7.58            | BDL             | BDL             | BDL |
| 07-01-2025                                                  | SALT WEIGH BRIDGE                  | 15.20                    | 59.36            | 8.16            | 10.76           | BDL             | 1.58            | BDL |
|                                                             | TCEP CHILLED WATER COMPRESSOR ROOM | 12.72                    | 48.15            | 7.56            | 7.65            | BDL             | BDL             | BDL |
| 08-01-2025                                                  | TWAD PUMP HOUSE                    | 12.80                    | 56.70            | 8.12            | 9.72            | BDL             | BDL             | BDL |
|                                                             | PVC WATCH TOWER                    | 12.52                    | 54.48            | 8.36            | 11.68           | BDL             | 3.64            | BDL |
| 09-01-2025                                                  | SALT WEIGH BRIDGE                  | 15.68                    | 62.72            | 8.45            | 9.04            | BDL             | 2.48            | BDL |
|                                                             | A-BLOCK WATCH TOWER                | 13.25                    | 59.35            | 9.04            | 14.20           | BDL             | 5.45            | BDL |
| 10-01-2025                                                  | TWAD PUMP HOUSE                    | 14.46                    | 60.70            | 8.48            | 8.26            | BDL             | BDL             | BDL |
|                                                             | QUARTERS C-3 BLOCK                 | 11.72                    | 44.38            | 7.56            | 7.40            | BDL             | BDL             | BDL |
| 11-01-2025                                                  | A-BLOCK WATCH TOWER                | 13.12                    | 57.74            | 8.16            | 12.36           | BDL             | 4.02            | BDL |
|                                                             | PVC WATCH TOWER                    | 12.86                    | 51.38            | 8.08            | 13.25           | BDL             | 4.16            | BDL |
| 12-01-2025                                                  | SALT WEIGH BRIDGE                  | 14.74                    | 57.62            | 8.54            | 8.94            | BDL             | BDL             | BDL |
|                                                             | TCEP CHILLED WATER COMPRESSOR ROOM | 12.58                    | 49.54            | 8.48            | 7.68            | BDL             | BDL             | BDL |
| 13-01-2025                                                  | QUARTERS C-3 BLOCK                 | 11.72                    | 46.72            | 9.12            | 8.50            | BDL             | BDL             | BDL |
|                                                             | PVC WATCH TOWER                    | 13.15                    | 55.14            | 9.54            | 10.86           | BDL             | 2.68            | BDL |
| 14-01-2025                                                  | TWAD PUMP HOUSE                    | 13.48                    | 58.42            | 8.48            | 8.64            | BDL             | BDL             | BDL |
|                                                             | TCEP CHILLED WATER COMPRESSOR ROOM | 12.74                    | 51.34            | 8.56            | 8.08            | BDL             | BDL             | BDL |
| 15-01-2025                                                  | A-BLOCK WATCH TOWER                | 12.86                    | 55.74            | 8.34            | 12.86           | BDL             | 4.52            | BDL |
|                                                             | PVC WATCH TOWER                    | 11.74                    | 50.35            | 7.54            | 7.90            | BDL             | BDL             | BDL |

BDL = < 1 microgram/m<sup>3</sup>

Cont...2

...2...

## AMBIENT AIR QUALITY ANALYSIS REPORT - MONTH OF JANUARY 2025

| DATE       | STATION (At the top of)            | PM <sub>2.5</sub>        | PM <sub>10</sub> | NO <sub>x</sub> | SO <sub>2</sub> | Cl <sub>2</sub> | NH <sub>3</sub> | VCM |
|------------|------------------------------------|--------------------------|------------------|-----------------|-----------------|-----------------|-----------------|-----|
|            |                                    | Microgram/m <sup>3</sup> |                  |                 |                 |                 |                 |     |
|            | NAAQ Standard                      | 60 Max                   | 100 Max          | 80 Max          | 80 Max          | –               | 400 Max         | –   |
| 16-01-2025 | TCEP CHILLED WATER COMPRESSOR ROOM | 12.54                    | 49.55            | 8.12            | 8.48            | BDL             | BDL             | BDL |
|            | QUARTERS C-3 BLOCK                 | 10.62                    | 43.74            | 7.42            | 7.60            | BDL             | BDL             | BDL |
| 17-01-2025 | SALT WEIGH BRIDGE                  | 14.35                    | 60.72            | 7.60            | 8.12            | BDL             | BDL             | BDL |
|            | A-BLOCK WATCH TOWER                | 13.46                    | 58.56            | 7.94            | 11.68           | BDL             | 3.68            | BDL |
| 18-01-2025 | TWAD PUMP HOUSE                    | 12.36                    | 51.78            | 8.02            | 8.48            | BDL             | BDL             | BDL |
|            | PVC WATCH TOWER                    | 10.82                    | 49.54            | 7.52            | 7.94            | BDL             | BDL             | BDL |
| 19-01-2025 | SALT WEIGH BRIDGE                  | 12.78                    | 53.46            | 8.48            | 9.12            | BDL             | 2.04            | BDL |
|            | QUARTERS C-3 BLOCK                 | 9.12                     | 38.34            | 6.94            | 7.16            | BDL             | BDL             | BDL |
| 20-01-2025 | TWAD PUMP HOUSE                    | 14.26                    | 58.35            | 7.08            | 8.12            | BDL             | BDL             | BDL |
|            | PVC WATCH TOWER                    | 12.78                    | 50.18            | 8.36            | 12.38           | BDL             | 3.12            | BDL |
| 21-01-2025 | SALT WEIGH BRIDGE                  | 15.20                    | 61.24            | 7.95            | 8.08            | BDL             | BDL             | BDL |
|            | A-BLOCK WATCH TOWER                | 13.11                    | 52.36            | 8.48            | 11.76           | BDL             | 4.92            | BDL |
| 22-01-2025 | TWAD PUMP HOUSE                    | 13.92                    | 56.24            | 9.02            | 8.52            | BDL             | BDL             | BDL |
|            | QUARTERS C-3 BLOCK                 | 10.76                    | 40.26            | 7.16            | 7.58            | BDL             | BDL             | BDL |
| 23-01-2025 | TCEP CHILLED WATER COMPRESSOR ROOM | 13.15                    | 52.48            | 7.58            | 8.12            | BDL             | BDL             | BDL |
|            | A-BLOCK WATCH TOWER                | 12.36                    | 51.64            | 8.48            | 12.45           | BDL             | 2.52            | BDL |
| 24-01-2025 | SALT WEIGH BRIDGE                  | 16.75                    | 62.35            | 9.02            | 8.58            | BDL             | BDL             | BDL |
|            | QUARTERS C-3 BLOCK                 | 11.32                    | 44.74            | 7.92            | 7.62            | BDL             | BDL             | BDL |
| 25-01-2025 | TWAD PUMP HOUSE                    | 14.76                    | 58.16            | 7.82            | 8.26            | BDL             | BDL             | BDL |
|            | PVC WATCH TOWER                    | 13.82                    | 56.84            | 8.14            | 10.35           | BDL             | 2.14            | BDL |
| 26-01-2025 | SALT WEIGH BRIDGE                  | 14.32                    | 58.38            | 9.16            | 8.56            | BDL             | BDL             | BDL |
|            | TCEP CHILLED WATER COMPRESSOR ROOM | 11.65                    | 47.85            | 7.86            | 7.48            | BDL             | BDL             | BDL |
| 27-01-2025 | A-BLOCK WATCH TOWER                | 12.78                    | 53.28            | 8.56            | 12.76           | BDL             | 2.74            | BDL |
|            | PVC WATCH TOWER                    | 11.85                    | 49.56            | 8.48            | 11.84           | BDL             | 1.85            | BDL |
| 28-01-2025 | TWAD PUMP HOUSE                    | 16.26                    | 62.78            | 7.56            | 7.62            | BDL             | BDL             | BDL |
|            | QUARTERS C-3 BLOCK                 | 11.08                    | 42.55            | 6.91            | 7.08            | BDL             | BDL             | BDL |
| 29-01-2025 | SALT WEIGH BRIDGE                  | 14.46                    | 52.62            | 8.16            | 7.94            | BDL             | 1.52            | BDL |
|            | TCEP CHILLED WATER COMPRESSOR ROOM | 12.92                    | 49.76            | 7.94            | 7.56            | BDL             | BDL             | BDL |
| 30-01-2025 | TWAD PUMP HOUSE                    | 15.20                    | 59.16            | 8.12            | 8.40            | BDL             | BDL             | BDL |
|            | A-BLOCK WATCH TOWER                | 12.86                    | 55.72            | 8.48            | 12.76           | BDL             | 2.86            | BDL |
| 31-01-2025 | SALT WEIGH BRIDGE                  | 14.36                    | 56.46            | 8.56            | 8.42            | BDL             | BDL             | BDL |
|            | PVC WATCH TOWER                    | 12.28                    | 51.35            | 8.42            | 10.76           | BDL             | 1.56            | BDL |

BDL = < 1 microgram/m<sup>3</sup>